

Bibliography of Literature Pertaining to Long Valley Caldera and Associated Volcanic Fields

By John W. Ewert¹, Christopher J. Harpel¹, and Suzanna K. Brooks²

2005

Open-File Report 00-221, version 1.1

Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government

¹USGS Cascades Volcano Observatory, 5400 MacArthur Blvd., Vancouver WA 98661 ²USGS Long Valley Observatory, 345 Middlefield Rd., MS 977, Menlo Park, CA 94025

U.S. Department of the Interior Gale Norton, Secretary

U.S. Geological Survey Charles Groat, Director

Introduction

On May 25-27, 1980, the Long Valley caldera was rocked by four M = 6 earthquakes. This seismicity heralded the onset of a wave of activity within the caldera that has continued through the present time. Unrest has taken the form of seismic swarms, uplift of the resurgent dome, and areas of vegetation killed by increased CO_2 emissions, all interpreted as resulting from magma injected to different levels beneath the caldera as well as [in] beneath Mammoth Mountain along the southwest rim of the caldera. Continuing economic development in the Mammoth Lakes area has swelled the local population, increasing the risk to people and property if an eruption were to occur. The U.S. Geological Survey has been monitoring geophysical activity in the Long Valley area since the mid-1970s and continues to monitor the unrest in real time with a sophisticated network of geophysical sensors in order to track developments in the unrest. Hazards information obtained by this monitoring is provided to local, state and federal officials, and the public through the Long Valley Observatory.

The Long Valley caldera area was also scientifically important before the onset of the current unrest. Lying at the eastern foot of the Sierra Nevada, the deposits from this active volcanic system have provided fertile ground for research into Neogene tectonics, Quaternary geology and geomorphology, regional stratigraphy, and volcanology. In the early 1970's, intensive studies of the area began through the USGS Geothermal Investigations Program owing to the presence of a large young silicic volcanic system (Muffler and Williams, 1976). The paroxysmal eruption of Long Valley caldera, ca. 760 ka, produced the Bishop Tuff and associated Bishop ash (Gilbert, 1938; Bailey and others, 1976; Hildreth, 1979). The Bishop Tuff is a well preserved ignimbrite deposit that has continued to provide new and developing insights into the dynamics of ignimbrite forming eruptions (e.g. Wilson and Hildreth, 2003). Another extremely important aspect of the Bishop Tuff is that it is the oldest known normally magnetized unit of the Brunhes Chron. Thus, the age of the Bishop Tuff is used to define the beginning of the Brunhes Chron and helps constrain the Brunhes-Matuyama boundary (Izett and Obradovich, 1994). The Bishop ash was dispersed as far east as Nebraska, Kansas, and Texas, and provides an important tephrostratigraphic marker throughout the western United States (Ward et al., 1993; Izett, 1982).

The obsidian domes of both the Mono and Inyo Craters, which were produced by rhyolitic eruptions in the last 40,000 years, have been well studied (Bursik and others, 2003), including extensive scientific drilling through the domes (Eichelberger, 1989). Exploratory drilling to a depth of 3 km on the resurgent dome and subsequent instrumentation of the Long Valley Exploratory Well (LVEW) has led to a number of important new insights (Hill and others, 1998; Sorey and others, 2000; Sorey and others 2003). Scientific drilling also has been done within the Casa Diablo geothermal field (Smith and others, 1977). Aside from drilling, the Casa Diablo geothermal field was developed and is currently feeding 40 megawatts of power into the Southern California Edison grid (Duffield and others, 1994).

Studies in all of the above mentioned fields have contributed to the extensive scientific literature published on the Long Valley caldera region. Although the majority of scientific literature on Long Valley has been produced since 1970, a significant amount

of historical literature extends back to the late 1800's. The purpose of this bibliography is to compile references pertaining to the Long Valley region from all time periods and all earth science fields into one single listing, thus providing an easily accessible guide to published literature for current and future researchers.

Methods

We include references in this bibliography if they are directly applicable to the Long Valley caldera and its recent geophysical unrest, Mono Craters, Inyo Craters, Mono Lake Volcanic Field, and the deposits from these volcanoes, or if they contained regional geological, biological, or meteorological information that would be important to a researcher investigating aspects of the geology and geophysics of the area. Because of the relatively small number of references prior to 1940, we took a broader view of relevance within the older literature. In contrast, we took a more restrictive view of relevancy for the post-1940 references.

In this version 1.1, references were researched primarily using the database resource GeoRef as well as supplemental library searches of the most current literature. Meeting abstracts are not included in the main bibliography of version 1.1. However, abstracts dating through the year 1999 are included in version 1.0. These abstracts are still available as part of the original version and have been included in this report separately. Version 1.1 also now includes biological references as related to the geology of the Long Valley Caldera region. These newly added references have biology listed as one of the reference keywords.

Formatted Bibliography

The Long Valley bibliography is available as a standard alphabetical listing of publications in both Adobe Portable Document Format (PDF) and as a library in the computer program EndNote[®]. The entire bibliography may be printed from either Adobe Acrobat viewer or the EndNote[®] program. EndNote[®] provides a full search utility of references and Acrobat's simple search utility can be used to find specific words or phrases.

Statistics

This bibliography contains a total of 1056 references, which we classify into four categories: books and book sections, theses, journal articles, and governmental reports (Fig. 1). We estimate that this bibliography is complete through April 2004. However, since references mainly were researched by using Georef, references not listed in the database may not have been included.




Figure 1. Graph showing the distribution of references by type.

The largest reference group is journal articles with 642 total references, or 62% of the total bibliography. This is not surprising, as the same trend has been found with literature pertaining to the Hawaiian Islands (Wright and Takahashi, 1998).

Book and book sections are the second largest group and comprise 18% of the bibliography with 195 references. This category includes portions of Geological Society of America Special Papers as well as chapters published in books about hazard management and techniques for volcano monitoring (e.g., Sheridan, 1968; Andrews, 1968). Proceedings from meetings are also included in this category (e.g., Liddicoat and Bailey, 1989), and generally have been distinguished from abstracts by being over one page in length.

Government reports are third in number with 140 references or 13% of the total. This category includes all State and Federal documents such as U.S. Geological Survey Professional Papers and Open-File Reports. Exceptions to this apply when a governmental agency has published meeting abstracts. In this case, these references have not been included. Another exception is the field guide to the Long Valley area by Bailey and others (1989) published in New Mexico Bureau of Mines and Mineral Resources Memoir 47 that is included in the book and book section category. Although not a government report, a report by the Seismological Laboratory at the University of Nevada, Reno has been included in this section.

The final and smallest category is theses, making up 7% of the bibliography. A total of 76 theses including 32 Master's and 44 Ph.D. theses have been written on Long Valley subject matter with topics varying from geological mapping (e.g., Dunn, 1951), to volcanic geology and petrology (e.g., Bailey, 1978), to the seismic structure of the area (e.g., Mayeda, 1991).

The number of references for each discipline keyword varies from seismology with 258 references to biology with six references. The other disciplines are fairly linearly distributed between these two end members.

Discussion

The graph of number of references published per decade (Fig. 2) shows that the bulk of the literature on the Long Valley area has been published since 1970. However, several interesting patterns are apparent in the early literature on the area. The first geological exploration of the region occurred in the 1860's (Whitney, 1865). The region's volcanic nature has been recognized since at least the 1870's, and many of the early references published from 1870 through 1900 are related to volcanic features such as the obsidian domes (e.g., Le Conte, 1879). From 1900 until 1920, however, the water resources of the region took the forefront of the published research (e.g., Lee, 1912). Volcanic and Pleistocene geology returned to prominence through the 1920's to 1940's (e.g., Gilbert, 1938; Kesseli, 1948). In the 1950's, general geology was emphasized, and geologic maps for both the Casa Diablo and Bishop 15-minute quadrangles were published (Bateman, 1957; Rinehart and Ross, 1957). Also, results from the first geophysical survey of the region were reported in the 1950's by Pakiser and others (1958).




Figure 2. Graph of the distribution of references published per decade from 1880 through the 1990's showing the increase in published literature since the 1960's. This increasing trend reflects the intensity of the unrest within the region.

The rising trend in the number and variety of publications began in the 1960's, principally due to an increasing interest in the Casa Diablo geothermal area. Initial exploratory geothermal drilling was carried out during the 1960's, followed by more intensive drilling and study in the 1970's. In 1976 a Journal of Geophysical Research volume was dedicated to geothermal research in Long Valley, and multiple U.S. Geological Survey Open-File Reports were published on the geothermal exploration (Muffler and Williams, 1976, and refs. within).

The number of published references jumped significantly in the 1980's. This abrupt increase is related to the onset of unrest within the caldera and implementation of the USGS effort to monitor the unrest both as a basis for understanding the nature of the unrest and its implications for providing advance warning of an impending eruption. The papers cover a wide range of topics such as ground deformation (e.g., Castle and others, 1984), seismicity (e.g., Ryall and Ryall, 1983), and the consequences of a large scale eruption (e.g., Miller and others, 1982). They include two special issues in the Journal of Geophysical Research devoted to Long Valley caldera (Hill and others, 1985; Goldstein and Stein, 1988) as well as a more recent special issue in the Journal of Volcanology and Geothermal Research (Sorey, 2003).

The publication rate during the 1990's and early 2000's has dropped off slightly from the 1980's level, although the rate remained high compared to pre-1980 levels. The elevated number of publications reflects the continuing unrest within the caldera, the continuous stream of real-time geophysical data, and the emergence of a new volcanic phenomenon during the 1990's. Recognition of "tree-kill" areas caused by magmatic CO_2 effusing from the ground in the vicinity of Mammoth Mountain, for example, spurred a sequence of publications (e.g., Farrar and others, 1995; Gerlach and others, 1999). Also, new forms of monitoring, such as the use of the Global Positioning System, began to be utilized within the caldera during this decade adding to the literature (e.g., Marshall and others, 1997; Newman and others, 2001; Langbein, 2003). Publications produced in the 1990's.

Persons wishing to develop an understanding of the geological history and ongoing unrest of the Long Valley caldera and associated volcanic fields, and who are new to the subject, may find the sheer volume of literature on the area to be daunting. An overview of the subject matter can be gained by reading the following papers: Bailey and others, 1976; Bailey, 1989; Bailey and Hill, 1990; Hermance, 1983; Hill and others, 1985; Hill and others, 2002 (appendix A); Langbein and others, 1993; Rundle and Hill, 1988; Ryall and Ryall, 1981; Sorey and others, 1991; and Sorey and others, 2003.

Conclusions

This bibliography comprises a total of 1056 references on Long Valley caldera and vicinity. We have tried to be as complete as possible in our coverage of the geological and geophysical literature pertaining to the volcanic system (through April 2004). As time and resources permit, this database will be up-dated with references that may have been omitted and kept up to date with newly published literature.

EndNote[©] Reference Database

This bibliography is maintained using the EndNote© program. Within this program the bibliography is searchable by author, title, year, journal, or discipline keyword. In more recent references (dating from 1998- April 2004), some journal article abstracts have been included in the EndNote© reference records as they were electronically available. A total of 20 discipline keywords are used to indicate the content of the references (Table 1). More than one keyword may be applied to a single reference. For example, references on tomography of the Long Valley area are listed under both the "seismology" and

"geophysics" keywords as the subject pertains to both disciplines. Similarly, references on the Bishop ash are listed under both the "stratigraphy" and "Bishop Tuff" keywords. The keywords are relatively self-explanatory with the exception of "descriptive". The "descriptive" keyword applies to field guides, descriptions of eruption mechanisms, and general references that do not specifically fit into any other category. Very specific searches of the title field can be made by employing a single word or phrase and may be the most useful search strategy. For example, a search for titles that include the word "Holocene" returns 10 references with Holocene in the title. For those who do not have EndNote©, a trial version is available at http://www.endnote.com.

1	1
Discipline Keyword	Total Number of References
Seismology	258
Geochemistry	187
Geophysics	175
Geothermal	154
Descriptive	147
Petrology	134
Geology	134
Hydrology	113
Bishop Tuff	108
Deformation	87
Geomorphology	67
Geochronology	51
Drilling	43
Hazards	39
Tectonics	32
Monitoring	24
Remote Sensing	17
Modeling	15
Atmosphere	10
Biology	6

Table 1. List of discipline keywords and the total number ofreferences covered by the keyword.

References

EndNote[©] program and data base

Download EndNote© data base for Open-File Report 00-221 version 1.1 (of00-221.inl; 760 KB)

This file MUST BE downloaded in binary or raw format. If your Macintosh trial version of EndNote[©] has trouble seeing the file, hold down the shift key while selecting "file-open" from the menu. You should only have to use the shift key the first time you open the file.

Download a free-trial version of the EndNote[©] program (http://www.endnote.com)

In order to use the data base to create word processor formatted references with the same appearance as in the formatted open file report, two additional files should be downloaded and installed with EndNote[©]. The EndNote[©] style file, OF00-021.ens (11 KB), should be installed in the EndNote[©] styles folder, and the EndNote[©] Preferences file OF00-021.enp (13 KB) should be installed in the Windows directory of the computer running EndNote[©].

For questions about the content of this Open-File Report, contact J.W. Ewert (jwewert@usgs.gov).

Version 1.0

The older version of the bibliography has been archived at http://pubs.usgs.gov/of/2000/of00-221/version1/

Bibliography

- Abercrombie, R.E., and Brune, J.N., 1994, Evidence for a constant b-value above magnitude 0 in the southern San Andreas, San Jacinto, and San Miguel fault zones, and at the Long Valley Caldera, California: Geophysical Research Letters, v. 21, no. 15, p. 1647-1650.
- Abers, G., 1985, The subsurface structure of Long Valley Caldera, Mono County, California; a preliminary synthesis of gravity, seismic, and drilling information: Journal of Geophysical Research, v. 90, no. 5, p. 3627-3636.
- Achauer, U., Greene, L., Evans, J.R., and Iyer, H.M., 1986, Nature of the magma chamber underlying the Mono Craters area, eastern California, as determined from teleseismic travel time residuals: Journal of Geophysical Research, v. 91, no. B14, p. 13,873-13,891.
- Aki, K., 1984, Evidence for magma intrusion during the Mammoth Lakes earthquakes of May 1980 and implications of the absence of volcanic (harmonic) tremor: Journal of Geophysical Research, v. 89, no. B9, p. 7689-7696.
- Al-Rawi, Y.T., 1969, Cenozoic history of the northern part of Mono Basin (Mono county), California and Nevada, University of California, Berkeley, Ph.D., 188 p.
- Alfors, J.T., 1980, Regional geology of the Mammoth Lakes region, California, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 1-6.
- Allegre, C.L., 1968, Th²³⁰ dating of volcanic rocks; a comment; on paper by A.
 Taddeucci, W. S. Broecker, D. L. Thurber, 1968: Earth and Planetary Science Letters, v. 5, no. 3, p. 209-210.
- Allnatt, A.R., Bancroft, G.M., Fyfe, W.S., Jacobs, P.W.M., Karkhanis, S.N., Melling, P.J., Nishijima, A., Vempati, C.S., and Tait, J., 1983, Leaching behaviour and electrical conductivity of natural rhyolite and modified synthetic rhyolites: Chemical Geology, v. 38, no. 3-4, p. 329-357.
- Alpha, T.R., Bailey, R.A., Lajoie, K.R., and Clark, M.M., 1983, Physiographic diagrams of Long Valley, Mono and Inyo counties, California: U.S, Geological Survey Miscellaneous Field Studies Map-1659, 2 p.
- Alpha, T.R., Bailey, R.A., and Morley, J.M., 1983, Oblique map of Mono-Inyo Craters, California: U.S. Geological Survey Open-File Report 83-230, p.
- Ammon, C., Zucca, J., and Kasameyer, P., 1989, An S to P converted phase recorded near Long Valley/Mono Craters region, California: Journal of Geophysical Research, v. 94, no. B12, p. 17,721-17,727.

- Anderson, A.T., Davis, A.M., and Lu, F., 2000, Evolution of Bishop Tuff rhyolitic magma based on melt and magnetite inclusions and zoned phenocrysts: Journal of Petrology, v. 41, no. 3, p. 449-473.
- Anderson, A.T., Jr., 1991, Hourglass inclusions: Theory and application to the Bishop Tuff: American Mineralogist, v. 76, p. 530-547.
- Anderson, A.T., Jr., Newman, S., Williams, S.N., Druitt, T.H., Skirius, C., and Stolper, E., 1989, H₂O, CO₂, Cl, and gas in Plinian and ash-flow Bishop rhyolite: Geology, v. 17, no. 3, p. 221-225.
- Anderson, D.E., and Farrar, C.D., 2001, Eddy covariance measurement of CO₂ flux to the atmosphere from an area of high volcanogenic emissions, Mammoth Mountain, California: Chemical Geology, v. 177, no. 1-2, p. 31-42.
- Anderson, L.A., and Johnson, G.R., 1974, A self-potential survey of Long Valley Caldera, Mono County, California: U.S. Geological Survey, Reston, VA, United States, U.S. Geological Survey Open-File Report 74-5006, 3 p.
- Anderson, L.A., and Johnson, G.R., 1976, Application of the self-potential method to geothermal exploration in Long Valley, California: Journal of Geophysical Research, v. 81, no. 8, p. 1527-1532.
- Anderson, S.W., and Fink, J.H., 1992, Crease structures; indicators of emplacement rates and surface stress regimes of lava flows: Geological Society of America Bulletin, v. 104, no. 5, p. 615-625.
- Anderson, S.W., Krinsley, D.H., and Fink, J.H., 1994, Criteria for recognition of constructional silicic lava flow surfaces: Earth Surface Processes and Landforms, v. 19, no. 6, p. 531-541.
- Anderson, S.W., Stofan, E.R., Plaut, J.J., and Crown, D.A., 1998, Block size distributions on silicic lava flow surfaces; implications for emplacement conditions: Geological Society of America Bulletin, v. 110, no. 10, p. 1258-1267.
- Andrews, D.J., 1982, Separation of source and propagation spectra of seven Mammoth Lakes aftershocks, *in* Boatwright, J., and Jacobson, M., eds., Workshop XVI; The dynamic characteristics of faulting inferred from recordings of strong ground motion: U.S. Geological Survey Open-File Report 82-591, p. 437-454.
- Andrews, D.J., 1986, Objective determination of source parameters and similarity of earthquakes of different size, *in* Das, S., Boatwright, J., and Scholz, C.H., eds., Earthquake source mechanics, Geophysical Monograph 37, American Geophysical Union, p. 259-267.

- Anonymous, 1967, Investigation of geothermal waters in the Long Valley area, Mono County: California Department of Water Resources, 141 p.
- Anonymous, 1972, Casa Diablo: California Division of Oil and Gas Geothermal map G 5-1, 1:2000, p.
- Anonymous, 1975, A field guide to Cenozoic deformation along the Sierra Nevada Province and Basin and Range Province boundary: California Geology, v. 28, no. 5, p. 99-119.
- Anonymous, 1981, Total field aeromagnetic anomaly map, Long Valley known geothermal resource area, California: U.S. Geological Survey Open-File Report 81-994, 1:24,000, p.
- Anonymous, 1982, Aeromagnetic map of the Sierra Owens area, California: U.S. Geological Survey Open-File Report 82-1083, 1:62,500.
- Anonymous, 1984, USGS response plan for volcanic hazards in the Long Valley Caldera Mono Craters area, California: U.S. Geological Survey Open-File Report 84-500, 14 p.
- Anonymous, 1985, Mammoth Lakes, California, earthquakes, May 1980; seismic response of Long Valley Dam: Earthquake Engineering Research Center News, v. 9, no. 2-3, p. 1-3.
- Anonymous, 1985, Research on volcanic processes: Mining Magazine, v. 153, no. 5, p. 353.
- Anonymous, 1988, DOE to drill in Long Valley: Eos, Transactions, American Geophysical Union, v. 69, no. 10, p. 148.
- Anonymous, 1995, Aerial infrared surveys in the investigation of geothermal and volcanic heat sources: U.S. Geological Survey Fact Sheet 95-79, 4 p.
- Anonymous, 1996, Global Volcanism Program Volcanic Activity Reports: Long Valley: Global Volcanism Program-Smithsonian National Museum of Natural History, online at http://rathbun.si.edu/gvp/world/region12/californ/longvall/var.htm p.
- Anonymous, 1997, Living with a restless caldera; Long Valley, California: The Earth Scientist, v. 14, no. 4, p. 18-20.
- Anonymous, 1998, Seeking power from magma; phase III of Long Valley exploratory well may provide clues about both volcanic hazards and electric potential: U. S. Geological Survey, Bulletin - Geothermal Resources Council, 201-202 p.

- Anonymous, no date, Long Valley Observatory Website: U.S. Geological Survey, Long Valley Observatory, online at http://lvo.wr.usgs.gov/index.html p.
- Araki, C., 1987, The present status and brief descriptions of the geothermal technology development in the United States: Journal of the Japan Geothermal Energy Association, v. 24, no. 1, p. 43-56.
- Archuleta, R.J., 1986, Downhole recordings of seismic radiation, *in* Das, S., Boatwright, J., and Scholz, C.H., eds., Earthquake source mechanics, Geophysical Monograph 37, American Geophysical Union, p. 319-329.
- Archuleta, R.J., Cranswick, E., Mueller, C., and Spudich, P., 1982, Source parameters of the 1980 Mammoth Lakes, California, earthquake sequence: Journal of Geophysical Research, v. 87, no. B6, p. 4595-4607.
- Armstrong, D.L., 2000, Hydrologic events related to earthquakes in Long Valley Caldera, California: Hayward, CA, United States, California State University, Hayward, Master's thesis.
- Austen, R., and Kerr, J.W., 1984, The Mount St. Helens/Long Valley Caldera parallel: Explorers Journal, v. 62, no. 2, p. 54-59.
- Axtell, L.H., 1972, Mono Lake geothermal wells abandoned: California Geology, v. 25, no. 3, p. 66-67.
- Bacon, C.R., 1984, Implications of silicic vent patterns for the presence of large crustal magma chambers, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File report 84-939, p. 830-850.
- Bacon, C.R., 1985, Implications of silicic vent patterns for the presence of large crustal magma chambers: Journal of Geophysical Research, v. 90, no. 13, p. 11,243-11,252.
- Bailey, R.A., 1974, Preliminary geologic map and cross sections of Casa Diablo geothermal area, Long Valley Caldera, Mono County, California: U.S. Geological Survey Open-File Report 74-1007, 1:20,000, 2 p.
- Bailey, R.A., 1978, Petrology of post-caldera rhyolites in Long Valley, California, U.S. Geological Survey Professional Paper 1100, p. 182.
- Bailey, R.A., 1978, Volcanism, structure, and petrology of Long Valley Caldera, California, Johns Hopkins University, Ph.D., 154 p.

- Bailey, R.A., 1981, Long Valley Mono Basin geothermal area, California, U.S. Geological Survey Research in 1981, U.S. Geological Survey Professional Paper 1275, p. 160-161.
- Bailey, R.A., 1982, Geothermal resource evaluation of the Minarets Wilderness and adjacent areas, Madera and Mono counties, California: U.S. Geological Survey Bulletin 1516-C, p. 73-89.
- Bailey, R.A., 1982, Other potential eruption centers in California; Long Valley, Mono Lake, Coso, and Clear Lake volcano fields, *in* Martin, R.C., and Davis, J.F., eds., Status of volcanic prediction and emergency response capabilities in volcanic hazard zones of California, California Division of Mines and Geology Special Publication 63, p. 17-28.
- Bailey, R.A., 1983, Long Valley, *in* Katsui, Y., and Aramaki, S., eds., Bulletin of Volcanic Eruptions for 1981: Tokyo, Volcanological Society of Japan, p. 90-93.
- Bailey, R.A., 1983, Mammoth Lakes earthquakes and ground uplift; precursors to possible volcanic activity?: Earthquake Information Bulletin, v. 15, no. 3, p. 88-101.
- Bailey, R.A., 1984, Chemical evolution and current state of the Long Valley magma chamber, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 24-40.
- Bailey, R.A., 1987, Long Valley Caldera, eastern California, *in* Hill, M.L., ed., Geological Society of America Centennial Field Guide, Volume 1-Cordilleran Section of the Geological Society of America, p. 163-168.
- Bailey, R.A., 1989, Geologic map of Long Valley Caldera, Mono Inyo Craters volcanic chain, and vicinity, eastern California: U.S. Geological Survey Miscellaneous Investigations Series I-1933, 1:62,500, 11 p.
- Bailey, R.A., 2004, Eruptive history and chemical evolution of the precaldera and postcaldera basalt-dacite sequences, Long Valley, California: Implications for magma sources, current magmatic unrest, and future volcanism: U. S. Geological Survey Professional Paper 1692, in press p.
- Bailey, R.A., Dalrymple, G.B., and Lanphere, M.A., 1976, Volcanism, structure, and geochronology of Long Valley Caldera, Mono County, California: Journal of Geophysical Research, v. 81, no. 5, p. 725-744.

- Bailey, R.A., Harp, E.L., Keefer, D.K., Bennett, M.J., Miller, C.D., Wood, S.H., and Steine, S., 1984, Mono Craters, Long Valley Caldera; seismicity, volcanism, and engineering geology; Field trip ll roadlog, *in* Lintz, J., Jr., ed., Western geological excursions, University of Nevada, Reno, Department of Geological Sciences, p. 36-87.
- Bailey, R.A., and Hill, D.P., 1990, Magmatic unrest at Long Valley Caldera, California, 1980-1990: Geoscience Canada, v. 17, no. 3, p. 175-179.
- Bailey, R.A., and Koeppen, R.P., 1977, Preliminary geologic map of Long Valley Caldera, Mono County, California: U.S. Geological Survey Open-File Report 77-468, 1:62,500, 20 p.
- Bailey, R.A., Miller, C.D., and Sieh, K., 1989, Volcanism and plutonism of Western North America; Volume 1, Quaternary volcanism of Long Valley Caldera and Mono-Inyo Craters, eastern California, 28th International Geological Congress Field Trip Guidebook T313, p. 36.
- Bailey, R.A., Miller, C.D., and Sieh, K.E., 1989, Excursion 13B; Long Valley Caldera and Mono Inyo Craters volcanic chain, eastern California, *in* Chapin, C.E., and Zidek, J., eds., Field excursions to volcanic terranes in the Western United States, Volume II, Cascades and Intermountain West, New Mexico Bureau of Mines and Mineral Resources Memoir 47, p. 227-254.
- Ballew, G.I., 1968, Quantitative geologic analysis of multiband photography from the Mono Craters area, California, Stanford University, Master's.
- Baranowski, J., 1977, ²³⁸U/²³⁰Th isotope systematics of rhyolites from Long Valley, California, Michigan State University, Master's, 122 p.
- Baranowski, J., and Harmon, R.S., 1978, U-series chronology of two rhyolites of late Pleistocene age from Long Valley, California, *in* Zartman, R.E., ed., Short papers of the fourth international conference, geochronology, cosmochronology, isotope geology, U.S. Geological Survey Open-File Report 78-701, p. 22-24.
- Bargar, K.E., 1995, Some fluid-inclusion measurements for geothermal drill holes in California, Nevada, El Salvador, and Russia: U.S. Geological Survey Open-File Report 95-826, 14 p.
- Barinaga, M., and Anderson, A., 1988, Mono Lake radiocarbon puzzle blamed on nuclear waste disposal: Nature, v. 333, no. 6169, p. 109.
- Barker, J.S., 1984, A seismological analysis of the May 1980 Mammoth Lakes, California, earthquakes, Pennsylvania State University, Ph.D., 300 p.

- Barker, J.S., and Langston, C.A., 1983, A teleseismic body-wave analysis of the May 1980 Mammoth Lakes, California, earthquakes: Bulletin of the Seismological Society of America, v. 73, no. 2, p. 419-434.
- Barker, J.S., and Wallace, T.C., 1986, A note on the teleseismic body waves from the 23 November 1984 Round Valley, California, earthquake: Bulletin of the Seismological Society of America, v. 76, no. 3, p. 883-888.
- Barton, C.A., Zoback, M.D., and Moos, D., 1995, Fluid flow along potentially active faults in crystalline rock: Geology, v. 23, no. 8, p. 683-686.
- Barton, C.A., Zoback, M.D., Moos, D., and Sass, J.H., 1995, In-situ stress and fracture permeability in the Long Valley Caldera, *in* Daeman, J.J., and Schultz, R.A., eds., Proceedings of the 35th U.S. Symposium on Rock Mechanics, p. 225-229.
- Barton, D.J., Foulger, G.R., Henderson, J.R., and Julian, B.R., 1999, Frequencymagnitude statistics and spatial correlation dimensions of earthquakes at Long Valley Caldera, California: Geophysical Journal International, v. 138, no. 2, p. 563-570.
- Basham, S.L., 1988, Analyses of shoreline springs in the Mono Basin, California, with applications to the groundwater system, University of California, Santa Cruz, Master's, 105 p.
- Bateman, P.C., 1957, The geology of the Bishop 15-minute Quadrangle, California, University of California, Los Angeles, Ph.D., 156 p.
- Bateman, P.C., 1965, Geology and tungsten mineralization of the Bishop District, California: U.S. Geological Survey Professional Paper 470, 1044-9612, 208 p.
- Battaglia, M., Roberts, C., and Segall, P., 1999, Magma intrusion beneath Long Valley Caldera confirmed by temporal changes in gravity: Science, v. 285, no. 5436, p. 2119-2122.
- Battaglia, M., Segall, P., Murray, J., Cervelli, P., and Langbein, J.O., 2003, The mechanics of unrest at Long Valley caldera, California: 1. Modeling the geometry of the source using GPS, leveling and two-color EDM data: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 195-217.
- Battaglia, M., Segall, P., and Roberts, C., 2003, The mechanics of unrest at Long Valley caldera, California. 2. Constraining the nature of the source using geodetic and micro-gravity data: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 219-245.

- Beanland, S., and Clark, M.M., 1994, The Owens Valley fault zone, eastern California, and surface faulting associated with the 1872 earthquake: U.S. Geological Survey Bulletin 1982, 29 p.
- Beeland, G., 1986, A decade of geothermal development in the United States, 1974-1984; a federal perspective; Part 3: Geothermal Resources Council Bulletin, v. 15, no. 8, p. 27-33.
- Behrens, H., and Zhang, Y., 2001, Ar diffusion in hydrous silicic melts; implications for volatile diffusion mechanisms and fractionation: Earth and Planetary Science Letters, v. 192, no. 3, p. 363-376.
- Bender-Lamb, S., 1991, Magma energy exploratory well, Long Valley Caldera: California Geology, v. 44, no. 4, p. 85-92.
- Benioff, H., and Gutenberg, B., 1939, The Mammoth "earthquake fault" and related features in Mono County, California: Bulletin of the Seismological Society of America, v. 29, no. 2, p. 333-340.
- Bennett, J.H., 1980, Vertical crustal movement from 1932 and 1957 geodetic surveys in the Mammoth Lakes Long Valley area, Mono County, California, *in* Sherburne, R.W., ed., Mammoth Lakes California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 23-26.
- Benoit, W.R., 1984, Initial results from drillholes PLV-1 and PLV-2 in the western moat of the Long Valley Caldera: Transactions, Geothermal Resources Council, v. 8, p. 397-402.
- Benoit, W.R., and Butler, R.W., 1983, A review of high temperature geothermal developments in the northern Basin and Range Province: The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report, v. 13, p. 57-80.
- Benson, L.V., Liddicoat, J., Smoot, J., Sarna-Wojcicki, A., Negrini, R., and Lund, S., 2003, Age of the Mono Lake excursion and associated tephra: Quaternary Science Reviews, v. 22, no. 2-4, p. 135-140.
- Benson, L.V., Linsley, B., Smoot, J., Mensing, S., Lund, S., Stine, S., and Sarna-Wojcicki, A., 2003, Influence of the Pacific Decadal Oscillation on the climate of the Sierra Nevada, California and Nevada: Quaternary Research, v. 59, no. 2, p. 151-159.
- Benson, L.V., Lund, S.P., Burdett, J.W., Kashgarian, M., Rose, T.P., Smoot, J.P., and Schwartz, M., 1998, Correlation of late-Pleistocene lake-level oscillations in Mono Lake, California, with North Atlantic climate events: Quaternary Research, v. 49, no. 1, p. 1-10.

- Berg, R.M., Jr., 1988, Processing and interpretation of a seismic line across the resurgent dome of Long Valley Caldera, California, University of Wyoming, Master's, 115 p.
- Berry, M.E., 1990, Soil-geomorphic analysis of late Quaternary glaciation and faulting, eastern escarpment of the central Sierra Nevada, California, University of Colorado, Boulder, Ph.D., 376 p.
- Berry, M.E., 1997, Geomorphic analysis of late Quaternary faulting on Hilton Creek, Round Valley, and Coyote Warp faults, east-central Nevada, California, USA: Geomorphology, v. 20, no. 1-2, p. 177-195.
- Bezore, S.P., and Sherburne, R.W., 1985, Monitoring geothermal wells and spring conditions in selected areas of California for earthquake precursors: California Division of Mines and Geology Open-File Report 85-12, 56 p.
- Bilham, R., 1992, Mammoth Lakes Michelson tiltmeters maintenance: University of Colorado, Cooperative Institute for Research in Environmental Science, 5 p.
- Bilham, R., 1996, Mammoth Lakes Michelson tiltmeters maintenance Final report: University of Colorado, Cooperative Institute for Research in Environmental Science, 11 p.
- Bindeman, I.N., and Valley, J.W., 2002, Oxygen isotope study of the Long Valley magma system, California; isotope thermometry and convection in large silicic magma bodies: Contributions to Mineralogy and Petrology, v. 144, no. 2, p. 185-205.
- Birkeland, P.W., and Burke, R.M., 1979, Soils and subsurface rock weathering features of Sherwin and pre-Sherwin glacial deposits, eastern Sierra Nevada, California, *in* Burke, R.M., and Birkeland, P.W., eds., Field guide to relative dating methods applied to glacial deposits in the third and fourth recesses and along the eastern Sierra Nevada, California, with supplementary notes on other Sierra Nevada localities, "Pacific Cell", Friends of the Pleistocene, p. 63-78.
- Birkeland, P.W., and Burke, R.M., 1988, Soil catena chronosequences on eastern Sierra Nevada moraines, California, U.S.A.: Arctic and Alpine Research, v. 20, no. 4, p. 473-484.
- Birkeland, P.W., Walker, A.L., and Burke, R.M., 1979, Preliminary remarks on chemical data for soils formed on Sherwin and pre-Sherwin glacial deposits, eastern Sierra Nevada, California, *in* Burke, R.M., and Birkeland, P.W., eds., Field guide to relative dating methods applied to glacial deposits in the third and fourth recesses and along the eastern Sierra Nevada, California, with supplementary notes on other Sierra Nevada localities, "Pacific Cell", Friends of the Pleistocene, p. 79-88.

- Bischoff, J.L., and Rosenbauer, R.J., 1996, The alteration of rhyolite in CO₂ charged water at 200 and 350 degrees C: The unreactivity of CO₂ at higher temperature: Geochimica et Cosmochimica Acta, v. 60, p. 7-16.
- Black, R.A., 1990, Seismic imaging in Long Valley Caldera and generalized cellular migration, University of Wyoming, Ph.D., 110 p.
- Black, R.A., Deemer, S.J., and Smithson, S.B., 1991, Seismic reflection studies in Long Valley Caldera, California: Journal of Geophysical Research, v. 96, no. B3, p. 4289-4300.
- Blackwell, D.D., 1984, A transient model of the geothermal system of the Long Valley Caldera, California, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 659-707.
- Blackwell, D.D., 1985, A transient model of the geothermal system of the Long Valley Caldera, California: Journal of Geophysical Research, v. 90, no. 13, p. 11,229-11,241.
- Bladh, K.L., 1990, Teaching hazard-mitigation education in a liberal-arts college: Journal of Geological Education, v. 38, no. 4, p. 339-342.
- Blair, M.L., 1987, Response to a warning of volcanic hazards, Long Valley, California, *in* Gori, P.L., Hays, W.W., and Kitzmiller, C., eds., Proceedings of Conference XL; The U.S. Geological Survey's role in hazards warnings, U.S. Geological Survey Open-File Report 87-269, p. 105-120.
- Blevins, M., and Mann, J., 1984, Mono Basin geology and hydrology, *in* Nielsen, D.M., and Aller, L., eds., Proceedings of the NWWA Western Regional Conference on Ground Water Management, p. 326-339.
- Bloom, A.M., Moser, K.A., Porinchu, D.F., and MacDonald, G.M., 2003, Diatominference models for surface-water temperature and salinity developed from a 57lake calibration set from the Sierra Nevada, California, USA: Journal of Paleolimnology, v. 29, no. 2, p. 235-255.
- Bolt, B.A., and Miller, R.D., 1975, Catalog of earthquakes in northern California and adjoining areas 1 January 1910 - 31 December 1972: University of California, Berkeley, Seismographic Station, 567 p.
- Bonner, F.T., Roth, E., Schaeffer, O.A., and Thompson, S.O., 1961, Chlorine-36 and deuterium study of Great Basin lake waters: Geochimica et Cosmochimica Acta, v. 25, no. 4, p. 261-266.

- Boone, W.J., 1985, Microseismicity near Long Valley Caldera, California, June 29 to August 12, 1982, University of Wisconsin, Master's, 55 p.
- Borchardt, G.A., Aruscavage, P.J., and Millard, H.T., Jr., 1972, Correlation of the Bishop Ash, a Pleistocene marker bed, using instrumental neutron activation analysis: Journal of Sedimentary Petrology, v. 42, no. 2, p. 301-306.
- Boylan, R.T., 1981, Drill hole logs and logging procedures for the Mammoth Lakes Long Valley D.O.E. (U.S. Department of Energy) microearthquake project, Mono County, California: California Division of Mines and Geology Open-File Report 82-5, p. 44.
- Boylan, R.T., 1982, Mammoth Lakes/Long Valley microearthquake project: California Geology, v. 35, no. 9, p. 187-190.
- Broecker, W.S., and Walton, A.F., 1959, The geochemistry of C¹⁴ in fresh-water systems: Geochimica et Cosmochimica Acta, v. 16, no. 1-3, p. 15-38.
- Broecker, W.S., Wanninkhof, R., Mathieu, G.G., Peng, T.-H., Stine, S., Robinson, S.W., Herczeg, A.L., and Stuiver, M., 1988, The radiocarbon budget for Mono Lake; an unsolved mystery: Earth and Planetary Science Letters, v. 88, no. 1-2, p. 16-26.
- Bryan, T.S., 1995, The geysers of Yellowstone: Niwot, CO., The University of Colorado Press, 463 p.
- Bryant, W.A., 1980, Rockfalls generated by the Mammoth Lakes earthquakes of May 25 and 27, 1980, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 69-73.
- Bufe, C.G., 1983, Geothermal energy: Geotimes, v. 28, no. 2, p. 22-24.
- Burke, R.M., 1979, Multiparameter relative dating (RD) techniques applied to morainal sequences along the eastern Sierra Nevada, California, and Wallowa Lake area, Oregon: Boulder, University of Colorado, Ph.D., 166 p.
- Burke, R.M., 1979, Roadlog from Mono Lake to Green Creek, *in* Burke, R.M., and Birkeland, P.W., eds., Field guide to relative dating methods applied to glacial deposits in the third and fourth recesses and along the eastern Sierra Nevada, California, with supplementary notes on other Sierra Nevada localities, "Pacific Cell", Friends of the Pleistocene, p. 58-62.
- Burke, R.M., and Birkeland, P.W., 1979, Reevaluation of multiparameter relative dating techniques and their application to the glacial sequence along the eastern escarpment of the Sierra Nevada, California: Quaternary Research, v. 11, no. 1, p. 21-51.

- Burke, R.M., and Birkeland, P.W., 1979, Relative dating and reevaluation of the glacial deposits along Mammoth Creek, California, *in* Burke, R.M., and Birkeland, P.W., eds, Field guide to relative dating methods applied to glacial deposits in the third and fourth recesses and along the eastern Sierra Nevada, California, with supplementary notes on other Sierra Nevada localities: "Pacific Cell", Friends of the Pleistocene, p. 8-22.
- Burke, R.M., and Birkeland, P.W., 1979, Relative dating technique and reevaluation of the glacial deposits along Sawmill Canyon (N)-Bloody Canyon, *in* Burke, R.M., and Birkeland, P.W., eds., Field guide to relative dating methods applied to glacial deposits in the third and fourth recesses and along the eastern Sierra Nevada, California, with supplementary notes on other Sierra Nevada localities, "Pacific Cell", Friends of the Pleistocene, p. 29-53.
- Burke, R.M., and Birkeland, P.W., 1979, Road log from Mammoth Creek to Sawmill Canyon (N)-Bloody Canyon, *in* Burke, R.M., and Birkeland, P.W., eds., Field guide to relative dating methods applied to glacial deposits in the third and fourth recesses and along the eastern Sierra Nevada, California, with supplementary notes on other Sierra Nevada localities: "Pacific Cell", Friends of the Pleistocene, p. 23-28.
- Burke, R.M., and Birkeland, P.W., 1979, Summary of the relative dating philosophy and the glacial stratigraphy along the eastern escarpment of the Sierra Nevada, *in* Burke, R.M., and Birkeland, P.W., eds., Field guide to relative dating methods applied to glacial deposits in the third and fourth recesses and along the eastern Sierra Nevada, California, with supplementary notes on other Sierra Nevada localities: "Pacific Cell", Friends of the Pleistocene, p. 101-110.
- Burke, R.M., Walker, A.L., and Birkeland, P.W., 1979, Preliminary remarks on chemical data for soils formed in post-Sherwin glacial deposits, eastern Sierra Nevada, California, *in* Burke, R.M., and Birkeland, P.W., eds., Field guide to relative dating methods applied to glacial deposits in the third and fourth recesses and along the eastern Sierra Nevada, California, with supplementary notes on other Sierra Nevada localities: "Pacific Cell", Friends of the Pleistocene, p. 111-113.
- Burkham, D.E., 1978, Sedimentation in Hot Creek in vicinity of Hot Creek fish hatchery, Mono County, California: U.S. Geological Survey Open-File Report 78-661, 21 p.
- Burkins, D.L., Blum, J.D., Brown, K., Reynolds, R.C., and Erel, Y., 1999, Chemistry and mineralogy of a granitic, glacial soil chronosequence, Sierra Nevada Mountains, California: Chemical Geology, v. 162, no. 1, p. 1-14.
- Burov, E.B., and Guillou-Frottier, L., 1999, Thermomechanical behavior of large ash flow calderas: Journal of Geophysical Research, v. 104, no. B10, p. 23,081-23,109.

- Bursik, M., and Reid, J., 2004, Lahar in Glass Creek and Owens River during the Inyo eruption, Mono–Inyo Craters, California: Journal of Volcanology and Geothermal Research, v. 131, no. 3-4, p. 321-331.
- Bursik, M., Renshaw, C., J., M., and Berry, M., 2003, A volcanotectonic cascade: Activation of range front faulting and eruptions by dike intrusion, Mono Basin-Long Valley Caldera, California: Journal of Geophysical Research, v. 108, no. B8, p. 2393, doi:10.1029/2002JB002032, 2003.
- Bursik, M.I., 1989, Late Quaternary volcano-tectonic evolution of the Mono Basin, eastern California, California Institute of Technology, Ph.D., 293 p.
- Bursik, M.I., 1993, Subplinian eruption mechanisms inferred from volatile and clast dispersal data: Journal of Volcanology and Geothermal Research, v. 57, no. 1-2, p. 57-70.
- Bursik, M.I., and Gillespie, A.R., 1993, Late Pleistocene glaciation of Mono Basin, California: Quaternary Research, v. 39, no. 1, p. 24-35.
- Bursik, M.I., and Sieh, K.E., 1989, Range front faulting and volcanism in the Mono Basin, eastern California: Journal of Geophysical Research, v. 94, no. B11, p. 15,587-15,609.
- Bursik, M.I., and Woods, A.W., 1996, The dynamics and thermodynamics of large ash flows: Bulletin of Volcanology, v. 58, no. 2-3, p. 175-193.
- Butler, G.A., 1989, Mountains of glass, valleys of gold: Rock & Gem, v. 19, no. 7, p. 74-79.
- Cameron, K.L., 1984, Bishop Tuff revisited; new rare earth element data consistent with crystal fractionation: Science, v. 224, no. 4655, p. 1338-1340.
- Cameron, K.L., and Cameron, M., 1986, Whole-rock/groundmass differentiation trends of rare earth elements in high-silica rhyolites: Geochimica et Cosmochimica Acta, v. 50, no. 5, p. 759-769.
- Caputo, M., 1984, Statistical analysis of the source parameters of the 1980 Mammoth Lakes, California, earthquake sequence: Earthquake Prediction Research, v. 2, no. 4, p. 259-265.
- Cardellini, C., Chiodini, G., and Frondini, F., 2003, Application of stochastic simulation to CO₂ flux from soil: Mapping and quantification of gas release: Journal of Geophysical Research, v. 108, no. B9, p. 2425, doi:10.1029/2002JB002165, 2003.
- Carle, S.F., 1988, Three dimensional gravity modeling of the geologic structure of Long Valley Caldera: Journal of Geophysical Research, v. 93, no. 11, p. 13,237-13,250.

- Carle, S.F., and Goldstein, N.E., 1987, Gravity and fault structures Long Valley Caldera, California: Transactions, Geothermal Resources Council, v. 11, p. 327-332.
- Carle, S.F., and Goldstein, N.E., 1988, A three dimensional structural model for the Long Valley Caldera, California: Lawrence Berkeley Laboratory Earth Sciences Division Annual Report, p. 99-103.
- Carmichael, I.S.E., 1991, The redox states of basic and silicic magmas: A reflection of their source regions?: Contributions to Mineralogy and Petrology, v. 106, p. 129-141.
- Carrigan, C.R., Schubert, G., and Eichelberger, J.C., 1992, Thermal and dynamical regimes of single and two phase magmatic flow in dikes: Journal of Geophysical Research, v. 97, no. 12, p. 17,377-17,392.
- Carthew, J.A., 1970, Mono County, California; a geographical interpretation of California's leedside Sierra high plateau country, University of California, Los Angeles, Ph.D., 801 p.
- Castle, R.O., Estrem, J.E., and Savage, J.C., 1984, Uplift across Long Valley Caldera, California: Journal of Geophysical Research, v. 89, no. 13, p. 11,507-11,516.
- Castro, J., Manga, M., and Cashman, K., 2002, Dynamics of obsidian flows inferred from microstructures; insights from microlite preferred orientations: Earth and Planetary Science Letters, v. 199, no. 1-2, p. 211-226.
- Chapin, C.E., and Elston, W.E., eds., 1979, Ash-flow tuffs, Geological Society of America Special Paper 180, 211 p.
- Chaudet, R.E., 1986, The petrology and geochemistry of precaldera magmas, Long Valley Caldera, eastern California, Virginia Polytechnic Institute, Master's.
- Chavez, D.E., and Priestley, K.F., 1985, M_L observations in the Great Basin and M_o versus M_L relationships for the 1980 Mammoth Lakes, California, earthquake sequence: Bulletin of the Seismological Society of America, v. 75, no. 6, p. 1583-1598.
- Chelikowsky, J.R., 1940, Tectonics of the rhyolite in the Mammoth Embayment, California: Journal of Geology, v. 48, no. 4, p. 421-435.
- Chen, G., 1998, GPS kinematic positioning for the airborne laser altimetry at Long Valley, California: Cambridge, MA, United States, Massachusetts Institute of Technology, Ph.D. thesis.

- Chen, Y., Smith, P.E., Evensen, N.M., York, D., and Lajoie, K.R., 1996, The edge of time; dating young volcanic ash layers with the ⁴⁰Ar-³⁹Ar laser probe: Science, v. 274, no. 5290, p. 1176-1178.
- Chesterman, C.W., 1956, Pumice, pumicite, and volcanic cinders in California: California Department of Mines and Geology Bulletin 10, 119 p.
- Chesterman, C.W., 1982, Potentially active volcanic zones in California, *in* Martin, R.C., and Davis, J.F., eds., Status of volcanic prediction and emergency response capabilities in volcanic hazard zones of California, California Division of Mines and Geology Special Publication 63, p. 9-16.
- Chesterman, C.W., and Gray, C.H., 1966, Geology and structure of the Mono Basin, Mono County, California Guidebook along the east-central front of the Sierra Nevada: Geological Society of Sacramento, Annual Field Trip, p. 11-18.
- Chesterman, C.W., and Kleinhampl, F.J., 1991, Travertine hot springs, Mono County, California: California Geology, v. 44, no. 8, p. 171-179, 182.
- Chouet, B., and Julian, B.R., 1984, Dynamics of an expanding fluid filled crack, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 367-408.
- Chouet, B., and Julian, B.R., 1985, Dynamics of an expanding fluid filled crack: Journal of Geophysical Research, v. 90, no. 13, p. 11,187-11,198.
- Christensen, J.N., 1987, A strontium isotopic study of processes in a silicic magma chamber; the Bishop Tuff, Long Valley, California, University of California, Los Angeles, Master's, 67 p.
- Christensen, J.N., and DePaolo, D.J., 1993, Time scales of large volume silicic magma systems; Sr isotopic systematics of phenocrysts and glass from the Bishop Tuff, Long Valley, California: Contributions to Mineralogy and Petrology, v. 113, no. 1, p. 100-114.
- Christensen, J.N., and Halliday, A.N., 1996, Rb-Sr ages and Nd isotopic compositions of melt inclusions from the Bishop Tuff and the generation of silicic magma: Earth and Planetary Science Letters, v. 144, no. 3-4, p. 547-561.
- Christensen, J.N., Halliday, A.N., Lee, D.-C., and Hall, C.M., 1995, In situ Sr isotopic analysis by laser ablation: Earth and Planetary Science Letters, v. 136, no. 1-2, p. 79-85.
- Christensen, M.N., and Gilbert, C.M., 1964, Basaltic cone suggests constructional origin of some guyots: Science, v. 143, no. 3603, p. 240-242.

- Christensen, M.N., and Gilbert, C.M., 1970, Comment on "structure of mono basin, california" by I.C. Pakiser: Journal of Geophysical Research, v. 75, no. 20, p. 4081-4082.
- Christensen, M.N., Gilbert, C.M., Lajoie, K.R., and Al-Rawi, Y., 1969, Geologicalgeophysical interpretation of Mono Basin, California-Nevada: Journal of Geophysical Research, v. 74, no. 22, p. 5221-5239.
- Christiansen, R.L., 1984, Yellowstone magmatic evolution; its bearing on understanding large-volume explosive volcanism, Explosive volcanism; inception, evolution, and hazards; Studies in geophysics: Washington, DC, National Academy Press, p. 85-95.
- Chu, T.Y., Dunn, J.C., Finger, J.T., Rundle, J.B., and Westrich, H.R., 1990, The Magma Energy Program: Geothermal Resources Council Bulletin, v. 19, no. 2, p. 42-52.
- Chu, T.Y., Dunn, J.C., Finger, J.T., Rundle, J.B., and Westrich, H.R., 1990, The Magma Energy Research Program: Transactions, Geothermal Resources Council, v. 14, no. 1-2, p. 567-577.
- Clark, J.F., and Hudson, G.B., 2001, Quantifying the flux of hydrothermal fluids into Mono Lake by use of helium isotopes: Limnology and Oceanography, v. 46, no. 1, p. 189-196.
- Clark, M.M., 1981, Faulting at Mammoth Lakes, California, U.S. Geological Survey Research in 1981, U.S. Geological Survey Professional Paper 1275, p. 215.
- Clark, M.M., Yount, J.C., Vaughan, P.R., and Zepeda, R.L., 1982, Map showing surface ruptures associated with the Mammoth Lakes, California, earthquakes of May 1980: U.S. Geological Survey Miscellaneous Field Studies Map MF-1396, 1:24,000, p.
- Cleveland, G.B., 1962, Economic geology of the Long Valley diatomaceous earth deposit, Mono County, California: California Division of Mines and Geology Map Sheet, 1:31,680, p.
- Cleveland, G.B., 1962, Geology of the Little Antelope Valley clay deposits, Mono County, California: California Division of Mines and Geology Special Report 72, p. 1-28.
- Cloud, P., and Lajoie, K.R., 1980, Calcite-impregnated defluidization structures in littoral sands of Mono Lake, California: Science, v. 210, no. 4473, p. 1009-1012.

- Coash, J.R., ed., 1980, Guidebook to the glacial geology, volcanoes and earthquakes of Mammoth, Guidebook of National Association of Geology Teachers, Far Western Section Fall field conference on Mammoth Lakes, Sept. 27-28, 1980 at Mammoth Lakes, CA, 69 p.
- Cockerham, R.S., 1987, Focal mechanisms of earthquakes in the Mammoth Lakes Bishop area, eastern California: Seismological Research Letters, v. 58, no. 1, p. 19.
- Cockerham, R.S., and Pitt, A.M., 1984, Seismic activity in Long Valley Caldera area, California; June 1982 through July 1984, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 493-526.
- Cook, A.C., Hainsworth, L.J., Sorey, M.L., Evans, W.C., and Southon, J.R., 2001, Radiocarbon studies of plant leaves and tree rings from Mammoth Mountain, CA; a long-term record of magmatic CO₂ release: Chemical Geology, v. 177, no. 1-2, p. 117-131.
- Cousens, B.L., 1996, Magmatic evolution of Quaternary mafic magmas at Long Valley Caldera and the Devils Postpile, California; effects of crustal contamination on lithospheric mantle-derived magmas: Journal of Geophysical Research, v. 101, no. B12, p. 27,673-27,689.
- Craig, R.G., 1989, Geophysical problems in nuclear waste disposal: Geophysics, v. 8, no. 1, p. 20-23.
- Cramer, C.H., and McNutt, S.R., 1997, Spectral analysis of earthquakes in the 1989 Mammoth Mountain swarm near Long Valley, California: Bulletin of the Seismological Society of America, v. 87, no. 6, p. 1454-1462.
- Cramer, C.H., and Toppozada, T.R., 1980, A seismological study of the May, 1980, and earlier earthquake activity near Mammoth Lakes, California, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 91-122.
- Curry, R.R., 1971, Glacial and Pleistocene history of the Mammoth Lakes Sierra, a geologic guidebook: University of Montana Geological Series, v. 2, no. 11, 47 p.
- Custer, S.G., 1973, Stratigraphy and sedimentation of Black Point volcano, University of California, Berkeley, Master's, 114 p.
- Dalrymple, G.B., 1968, Potassium-argon ages of Recent rhyolites of the Mono and Inyo Craters, California: Earth and Planetary Science Letters, v. 3, no. 4, p. 289-298.

- Dalrymple, G.B., 1980, K-Ar ages of the Friant Pumice Member of the Turlock Lake Formation, the Bishop Tuff, and the tuff of Reds Meadow, central California: Isochron/West, v. 28, p. 3-5.
- Dalrymple, G.B., Cox, A., and Doell, R.R., 1965, Potassium-argon age and paleomagnetism of the Bishop Tuff, California: Geological Society of America Bulletin, v. 76, no. 6, p. 665-674.
- Dalrymple, G.B., and Lanphere, M.A., 1974, Preliminary potassium argon age data on volcanic rocks of Long Valley Caldera and vicinity, Mono County, California: U.S. Geological Survey Open-File Report 74-1020, 3 p.
- Danskin, W.R., Farrar, C.D., and Dreiss, S.J., 1991, Ground water basins along the eastern Sierra Nevada; tectonics, water, and politics, *in* Walawender, M.J., and Hanan, B.B., eds., Geological excursions in Southern California and Mexico, San Diego State University, p. 447-473.
- Davies, G.R., and Halliday, A.N., 1998, Development of the Long Valley rhyolitic magma system; strontium and neodymium isotope evidence from glasses and individual phenocrysts: Geochimica et Cosmochimica Acta, v. 62, no. 21-22, p. 3561-3574.
- Davies, G.R., Halliday, A.N., Mahood, G.A., and Hall, C.M., 1994, Isotopic constraints on the production rates, crystallization histories and residence times of pre-caldera silicic magmas, Long Valley, California: Earth and Planetary Science Letters, v. 125, no. 1-4, p. 17-37.
- Davies, G.R., and Tommasini, S., 2000, Isotopic disequilibrium during rapid crustal anatexis; implications for petrogenetic studies of magmatic processes: Chemical Geology, v. 162, no. 2, p. 169-191.
- Davis, J.O., 1978, Quaternary tephrochronology of the Lake Lahontan area, Nevada and California: Nevada Archeological Survey Research Paper 7, 137 p.
- Davis, O.K., 1999, Pollen analysis of a late-glacial and Holocene sediment core from Mono Lake, Mono County, California: Quaternary Research, v. 52, no. 2, p. 243-249.
- Davis, R.E., Elder, K., Howlett, D., and Bouzaglou, E., 1999, Relating storm and weather factors to dry slab avalanche activity at Alta, Utah, and Mammoth Mountain, California, using classification and regression trees: Cold Regions Science and Technology, v. 30, no. 1-3, p. 79-89.
- Dawers, N.H., and Anders, M.H., 1995, Displacement-length scaling and fault linkage: Journal of Structural Geology, v. 17, no. 5, p. 607-614.

- Dawers, N.H., Anders, M.H., and Scholz, C.H., 1993, Growth of normal faults; displacement-length scaling: Geology, v. 21, no. 12, p. 1107-1110.
- Dawson, P.B., Evans, J.R., and Iyer, H.M., 1990, Teleseismic tomography of the compressional wave velocity structure beneath the Long Valley region, California: Journal of Geophysical Research, v. 95, no. 7, p. 11,021-11,050.
- Dawson, P.B., Iyer, H.M., and Evans, J.R., 1992, Three-dimensional imaging of the crust and upper mantle in the Long Valley-Mono Craters region, California, using teleseismic P-wave residuals, *in* Johnson, R.W., Mahood, G.A., and Scarpa, R., eds., Volcanic Seismology: New York, Springer-Verlag, p. 339-358.
- Dawson, P.B., Iyer, H.M., Evans, J.R., and Steeples, D.W., 1988, Magma under Long Valley Caldera: Eos, Transactions, American Geophysical Union, v. 69, no. 9, p. 124.
- de Jong, S.M., 1998, Imaging spectrometry for monitoring tree damage caused by volcanic activity in the Long Valley Caldera, California: ITC Journal, v. 1998, no. 1, p. 1-10.
- De Natale, G., Petrazzuoli, S.M., and Pingue, F., 1997, The effect of collapse structures on ground deformations in calderas: Geophysical Research Letters, v. 24, no. 13, p. 1555-1558.
- De Natale, G., and Pingue, F., 1993, Ground deformations in collapsed caldera structures: Journal of Volcanology and Geothermal Research, v. 57, p. 19-38.
- De Natale, G., Salusti, E., and Troisi, A., 1998, Rock deformation and fracturing processes due to nonlinear shock waves propagating in hyperthermal fluid pressurized domains: Journal of Geophysical Research, v. 103, no. B7, p. 15,325-15,338.
- Decker, R.W., 1986, Forecasting volcanic eruptions: Annual Review of Earth and Planetary Sciences, v. 14, p. 267-291.
- Deemer, S., 1985, Seismic reflection profiling in the Long Valley Caldera, California; data acquisition, processing, and interpretation, University of Wyoming, Master's, 195 p.
- DeGroat-Nelson, P.J., Cameron, B.I., Fink, J.H., and Holloway, J.R., 2001, Hydrogen isotope analysis of rehydrated silicic lavas; implications for eruption mechanisms: Earth and Planetary Science Letters, v. 185, no. 3-4, p. 331-341.
- del Grande, N.K., 1981, Airborne and field temperature surveys compared at Long Valley KGRA, California: Transactions, Geothermal Resources Council, v. 5, p. 71-74.

- del Grande, N.K., 1982, Airborne temperature survey maps of heat flow anomalies for exploration geology, *in* Morris-Jones, D.R., and Morgan, K.M., eds., Proceedings of the international symposium on remote sensing of environment; second thematic conference; "Remote sensing for exploration geology", p. 467-479.
- del Grande, N.K., 1985, Airborne temperature survey maps of heat flow anomalies for exploration geology: Geothermal Resources Council Bulletin, v. 14, no. 3, p. 3-13.
- Deming, J.H., 2002, Stratigraphic analysis of Paoha Island and the Red Cones, eastern California, integration with volcanic database: Buffalo, NY, United States, SUNY at Buffalo, Master's thesis.
- Denham, C.R., 1974, Counter-clockwise motion of paleomagnetic directions 24,000 years ago at Mono Lake, California: Journal of Geomagnetism and Geoelectricity, v. 26, no. 5, p. 487-498.
- Denlinger, R.P., Boling, J.K., Carpenter, M.C., and Riley, F.S., 1985, Horizontal distance measurements within Long Valley Caldera, eastern California, from 1978 to 1983: U.S. Geological Survey Open-File Report 85-433, 21 p.
- Denlinger, R.P., and Riley, F.S., 1984, Deformation of Long Valley Caldera, Mono County, California, from 1975 to 1982: Journal of Geophysical Research, v. 89, no. B10, p. 8303-8314.
- Denlinger, R.P., Riley, F.S., Boling, J.K., and Carpenter, M.C., 1985, Deformation of Long Valley Caldera between August 1982 and August 1983: Journal of Geophysical Research, v. 90, no. B13, p. 11,199-11,209.
- Devin, S.C., Keller, G.R., and Barrett, R.K., 2001, Geosynthetic reinforced soil (GRS) bridge abutments fill the gap at Mammoth Lakes, California, *in* Luke, B.A., Jacobson, E.A., and Werle, J.L., eds., Proceedings of the Symposium on Engineering Geology and Geotechnical Engineering, Soil and water issues for the arid West, vol.36, p. 351-360.
- Diller, J.S., 1898, The educational series of rock specimens: U.S. Geological Survey Bulletin 150, 400 p.
- Diment, W.H., and Urban, T.C., 1990, Temperatures and natural gamma-ray logs obtained in boreholes MLGRAP and Mammoth Lakes, California; data and preliminary interpretations: U.S. Geological Survey Open-File Report 90-460, 132 p.
- Diment, W.H., Urban, T.C., and Nathenson, M., 1980, Notes on the shallow thermal regime of the Long Valley Caldera, Mono County, California: Transactions, Geothermal Resources Council, v. 4, p. 37-40.

- Diment, W.H., Urban, T.C., and Nathenson, M., 1985, Temperature variation with time in a perennially boiling well in the Long Valley Caldera, Mono County, California; observations in Chance No. 1 (1976-1983): Transactions, Geothermal Resources Council, v. 9, p. 417-422.
- Dixon, T.H., Bursik, M., Wolf, S.K., Heflin, M., Webb, F., Farina, F., and Robaudo, S., 1993, Constraints on deformation of the resurgent dome, Long Valley Caldera, California from space geodesy, *in* Smith, D.E., and Turcotte, D.L., eds., Contribution of Space Geodesy to Geodynamics-Crustal Dynamics, American Geophysical Union Geodynamics Series, no. 23, p. 193-214.
- Dixon, T.H., Farina, F., Mao, A., Webb, F., Bursik, M., Stein, R., and Marshall, G., 1995, GPS monitoring data for active volcanoes available on internet: Eos, Transactions, American Geophysical Union, v. 76, no. 1, p. 2.
- Dixon, T.H., Mao, A., Bursik, M.I., Heflin, M.B., Langbein, J., Stein, R.S., and Webb, F.H., 1997, Continuous monitoring of surface deformation at Long Valley Caldera, California, with GPS: Journal of Geophysical Research, v. 102, no. B6, p. 12,017-12,034.
- Dodge, F.C.W., and Moore, J.G., 1981, Late Cenozoic volcanic rocks of the southern Sierra Nevada, California; II, Geochemistry: Geological Society of America Bulletin, v. 92, no. 12, p. I 912-914, II 1670-1761.
- Doell, R.R., Dalrymple, G.B., and Cox, A., 1966, Geomagnetic polarity epochs; Sierra Nevada data, part 3: Journal of Geophysical Research, v. 71, no. 2, p. 531-541.
- Dreger, D.S., and Helmberger, D.V., 1993, Determination of source parameters at regional distances with three-component sparse network data: Journal of Geophysical Research, v. 98, no. B5, p. 8107-8125.
- Dreger, D.S., Tkalcic, H., and Johnston, M., 2000, Dilational processes accompanying earthquakes in the Long Valley Caldera: Science, v. 288, no. 5463, p. 122-125.
- Duffield, W.A., Ruiz, J., and Webster, J.D., 1995, Roof-rock contamination of magma along the top of the reservoir for the Bishop Tuff: Journal of Volcanology and Geothermal Research, v. 69, no. 3-4, p. 187-195.
- Duffield, W.A., Sass, J.H., and Sorey, M.L., 1994, Tapping the Earth's Natural Heat: U.S. Geological Survey Circular 1125, 63 p.
- Dunbar, N.W., and Hervig, R.L., 1992, Petrogenesis and volatile stratigraphy of the Bishop Tuff; evidence from melt inclusion analysis: Journal of Geophysical Research, v. 97, no. B11, p. 15,129-15,150.

- Dunn, J.C., 1988, Status of the magma energy project: Geothermal Resources Council Bulletin, v. 17, no. 7, p. 3-9.
- Dunn, J.R., 1951, Geology of the western Mono Lake area, California, University of California, Berkeley, Ph.D., 133 p.
- Dunn, J.R., 1953, The origin of the deposits of tufa in Mono Lake [California]: Journal of Sedimentary Petrology, v. 23, no. 1, p. 18-23.
- Dvorak, J.J., and Dzurisin, D., 1997, Volcano geodesy: The search for magma reservoirs and the formation of eruptive vents: Reviews of Geophysics, v. 35, p. 343-384.
- Dzurisin, D., Cashman, K., Johnston, D.A., and Sylvester, A.G., 1982, Tilt measurements at Long Valley Caldera, California, May-August 1982: U.S. Geological Survey Open-File Report 82-893, 34 p.
- Dzurisin, D., and Newhall, C.G., 1984, Recent ground deformation and seismicity at Long Valley (California), Yellowstone (Wyoming), the Phlegrean Fields (Italy), and Rabaul (Papua New Guinea), *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 784-829.
- Eardley, A.J., Shuey, R.T., Gvosdetsky, V., Nash, W.P., Picard, M.D., Grey, D.C., and Kukla, G.J., 1973, Lake cycles in the Bonneville Basin, Utah: Geological Society of America Bulletin, v. 84, p. 211-216.
- Eggers, A.A., 1987, Residual gravity changes and eruption magnitudes: Journal of Volcanology and Geothermal Research, v. 33, p. 201-216.
- Eichelberger, J.C., 1989, Research drilling in young silicic volcanoes: Scientific Drilling, v. 1, no. 2, p. 90-102.
- Eichelberger, J.C., 1995, Silicic volcanism: ascent of viscous magmas from crustal reservoirs: Annual Review of Earth and Planetary Sciences, v. 25, p. 41-63.
- Eichelberger, J.C., 1997, Drilling volcanoes: Science, v. 278, p. 1084-1085.
- Eichelberger, J.C., 1998, Volcanology: Encyclopedia of Applied Physics, v. 23, p. 321-353.
- Eichelberger, J.C., Carrigan, C.R., Westrich, H.R., and Price, R.H., 1986, Non-explosive silicic volcanism: Nature, v. 323, no. 6089, p. 598-602.
- Eichelberger, J.C., and Dunn, J.C., 1990, Magma energy; what is the potential?: Geothermal Resources Council Bulletin, v. 19, no. 2, p. 53-56.

- Eichelberger, J.C., Lysne, P.C., and Younker, L.W., 1984, Research drilling at Inyo Domes, Long Valley Caldera, California: Eos, Transactions, American Geophysical Union, v. 65, no. 39, p. 721, 723-725.
- Eichelberger, J.C., Vogel, T.A., Younker, L.W., Miller, C.D., Heiken, G.H., and Wohletz, K.H., 1988, Structure and stratigraphy beneath a young phreatic vent; South Inyo Crater, Long Valley Caldera, California: Journal of Geophysical Research, v. 93, no. 11, p. 13,208-13,220.
- Eichelberger, J.C., and Westrich, H.R., 1984, Degassing of magma in an obsidian flow and inferred degassing behavior at depth, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 147-150.
- Elbring, G.J., and Rundle, J.B., 1986, Analysis of borehole seismograms from Long Valley, California; implications for caldera structure: Journal of Geophysical Research, v. 91, no. 12, p. 12,651-12,660.
- Ellsworth, W.L., and Beroza, G.C., 1995, Seismic evidence for an earthquake nucleation phase: Science, v. 268, no. 5212, p. 851-855.
- Emerson, D., and Eichelberger, J.C., 1980, Geology of the Long Valley Caldera, California, *in* Goff, F., and Waters, A.C., eds., Continental Scientific Drilling Program thermal regimes; comparative site assessment geology of five magmahydrothermal systems, Los Alamos National Lab Report LA-8550-OBES, p. 29-35.
- Estrem, J.E., Lisowski, M., and Savage, J.C., 1985, Deformation in the Long Valley Caldera, California, 1983-1984: Journal of Geophysical Research, v. 90, no. 14, p. 12,683-12,690.
- Evans, J.R., 1988, Restricted-array seismic tomography, Princeton University, Ph.D., 181 p.
- Evans, J.R., and Pitt, A.M., 1995, Reliable automatic detection of Long-Period volcanic earthquakes at Long Valley Caldera, California: Bulletin of the Seismological Society of America, v. 85, no. 5, p. 1518-1522.
- Evans, W.C., Sorey, M.L., Cook, A.C., Kennedy, B.M., Shuster, D.L., Colvard, E.M., White, L.D., and Huebner, M.A., 2002, Tracing and quantifying magmatic carbon discharge in cold groundwaters; lessons learned from Mammoth Mountain, USA: Journal of Volcanology and Geothermal Research, v. 114, no. 3-4, p. 291-312.

- Evans, W.C., Sorey, M.L., Michel, R.L., Cook, A.C., Kennedy, B.M., and Busenberg, E., 2001, Tracing magmatic carbon in groundwater at Big Springs, Long Valley caldera, USA, *in* Cidu, R., ed., Proceedings Tenth International Symposium on Water-Rock Interaction, Villasimus, Italy, July 10-15, 2001, p. 803-806.
- Evernden, J.F., Curtis, G.H., and Kistler, R., 1957, Potassium-argon dating of Pleistocene volcanics: Quaternaria, v. 4, p. 13-17.
- Ewert, J.W., and Harpel, C.J., 2000, Bibliography of literature pertaining to Long Valley Caldera and associated volcanic fields: U. S. Geological Survey Open File Report 00-221, 156 p.
- Farrar, C.D., and Lyster, D.L., 1990, Hydrologic monitoring for effects of geothermal and ground water development, Long Valley Caldera, California: Proceedings of the Symposium on Subsurface Injection of Geothermal Fluids, p. 157-171.
- Farrar, C.D., and Lyster, D.L., 1990, Monitoring the hydrologic system for potential effects on geothermal and ground water development in the Long Valley Caldera, Mono County, California, U.S.A: Transactions, Geothermal Resources Council, v. 14, no. 1-2, p. 669-674.
- Farrar, C.D., Neil, J.M., and Howle, J.F., 1999, Magmatic carbon dioxide emissions at Mammoth Mountain, California: U. S. Geological Survey Water-Resources Investigations Report: WRI 98-4217, 34 p.
- Farrar, C.D., and Sorey, M.L., 1985, Monitoring the hydrothermal system in Long Valley Caldera, California: Transactions, Geothermal Resources Council, v. 9, p. 423-428.
- Farrar, C.D., Sorey, M.L., Evans, W.C., Howle, J.F., Kerr, B.D., Kennedy, B.M., King, C.-Y., and Southon, J.R., 1995, Forest-killing diffuse CO₂ emission at Mammoth Mountain as a sign of magmatic unrest: Nature, v. 376, no. 6542, p. 675-678.
- Farrar, C.D., Sorey, M.L., Marshall, G.A., Howle, J.F., and Ikehara, M.E., 1995, Deformation in the Casa Diablo geothermal well field, Long Valley Caldera, eastern California, *in* Prince, K.R., Galloway, D.L., and Leake, S.A., eds., U.S. Geological Survey Subsidence Interest Group Conference, U.S. Geological Survey Open-File Report 94-532, p. 25-28.
- Farrar, C.D., Sorey, M.L., Roeloffs, E., Galloway, D.L., Howle, J.F., and Jacobson, R., 2003, Inferences on the hydrothermal system beneath the resurgent dome in Long Valley Caldera, east-central California, USA, from recent pumping tests and geochemical sampling: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 305-328.

- Farrar, C.D., Sorey, M.L., Rojstaczer, S., Janik, C.J., Mariner, R.H., Winnett, T.L., and Clark, M.D., 1985, Hydrologic and geochemical monitoring in Long Valley Caldera, Mono County, California, 1982-1984: U.S. Geological Survey Water Resources Investigations 85-4183, 137 p.
- Farrar, C.D., Sorey, M.L., Rojstaczer, S.A., Janik, C.J., Winnett, T.L., and Clark, M.D., 1987, Hydrologic and geochemical monitoring in Long Valley Caldera, Mono County, California, 1985: U.S. Geological Survey Water Resources Investigations 87-4090, 71 p.
- Farrar, C.D., Sorey, M.L., Rojstaczer, S.A., Steinemann, A.C., and Clark, M.D., 1989, Hydrologic and geochemical monitoring in Long Valley Caldera, Mono County, California, 1986: U.S. Geological Survey Water Resources Investigations 89-4033, 69 p.
- Fedock, J.J., 1986, Analysis of strong motion earthquake records from a well instrumented earth dam, *in* Beavers, J.E., ed., Proceedings of the third U.S. national conference on earthquake engineering: El Cerrito, CA, Earthquake Engineering Research Institute, p. 729-740.
- Feldstein, S.N., Lange, R.A., Vennemann, T.W., and O'Neil, J.R., 1996, Ferric-ferrous ratios, H₂O contents and D/H ratios of phlogopite and biotite from lavas of different tectonic regimes: Contributions to Mineralogy and Petrology, v. 126, no. 1-2, p. 51-66.
- Fernandez, J., Charco, M., Tiampo, K.F., Jentzsch, G., and Rundle, J.B., 2001, Joint interpretation of displacement and gravity data in volcanic areas; a text example; Long Valley Caldera, California: Geophysical Research Letters, v. 28, no. 6, p. 1063-1066, doi:10.1029/2000GL012393, 2001.
- Findley, D.P., 1984, Late Cenozoic tectonic deformation along the northern White Mountains, Mono and Inyo counties, California, University of Nevada, Reno, Master's, 93 p.
- Finger, J.T., and Eichelberger, J.C., 1990, The magma energy exploratory well: Geothermal Resources Council Bulletin, v. 19, no. 2, p. 36-41.
- Fink, J.H., 1985, Geometry of silicic dikes beneath the Inyo Domes, California: Journal of Geophysical Research, v. 90, no. 13, p. 11,127-11,133.
- Fink, J.H., and Manley, C.R., 1987, Origin of pumiceous and glassy textures in rhyolite domes and flows, *in* Fink, J.H., ed., The emplacement of silicic dome and lava flows, Geological Society of America Special Paper 212, p. 77-88.
- Fink, J.T., and Pollard, D.D., 1985, Inyo dike rotation; discussion: Science, v. 228, no. 4706, p. 1382, 1385.

- Fischer, M., Röller, K., Küster, M., Stöckhert, B., and McConnell, V.S., 2003, Open fissure mineralization at 2600 m depth in Long Valley Exploratory Well (California) - insight into the history of the hydrothermal system: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 347-363.
- Fisher, R.V., 1982, Pyroclastic surges, *in* Ayres, L.D., ed., Pyroclastic volcanism and deposits of Cenozoic intermediate to felsic volcanic islands with implications for Precambrian greenstone-belt volcanoes: Geological Association of Canada Short Course Notes No. 2, p. 71-110.
- Fitton, J.G., James, D., and Leeman, W.P., 1991, Basic magmatism associated with Late Cenozoic extension in the western United States: Compositional variations in space and time: Journal of Geophysical Research, v. 96, no. B8, p. 13,693-13,711.
- Flexser, S., 1991, Hydrothermal alteration and past and present thermal regimes in the western moat of Long Valley Caldera: Journal of Volcanology and Geothermal Research, v. 48, no. 3-4, p. 303-318.
- Flexser, S., Wollenberg, H.A., and Smith, A.R., 1987, Radon in ground water of the Long Valley Caldera, California, *in* Graves, B., ed., Radon, radium, and other radioactivity in ground water: Chelsea, MI, Lewis Publ., p. 131-149.
- Foulger, G.R., Julian, B.R., Hill, D.P., Pitt, A.M., Malin, P.E., and Shalev, E., 2004, Nondouble-couple microearthquakes at Long Valley caldera, California, provide evidence for hydraulic fracturing: Journal of Volcanology and Geothermal Research, v. 132, no. 1, p. 45-71.
- Foulger, G.R., Julian, B.R., Hill, D.P., Sharer, G., Foulger, L.E., Perlroth, R., Dotson, N., Pitt, A.M., and Brodsky, E., 1998, A microearthquake survey of the Mammoth Mountain area, Long Valley Caldera, California, Summer 1997: U.S. Geological Survey Open File Report 98-236, 63 pp. p.
- Foulger, G.R., Julian, B.R., Pitt, A.M., Hill, D.P., Malin, P.E., and Shalev, E., 2003, Three-dimensional crustal structure of Long Valley caldera, California, and evidence for the migration of CO2 under Mammoth Mountain: Journal of Geophysical Research, v. 108, no. B3, p. 2147, doi:10.1029/2000JB000041, 2003.
- Fournier, R.O., 1989, Lithology, mineralogy, and paleontology of Quaternary lake deposits in Long Valley Caldera, California: U.S. Geological Survey Open-File Report 89-413, 97 p.
- Fournier, R.O., Sorey, M.L., Mariner, R.H., and Truesdell, A., 1976, Geochemical prediction of aquifer temperatures in the geothermal system at Long Valley, California: U.S. Geological Survey Open-File Report 76-469, 22 p.

- 1979, Chemical and isotopic prediction of aquifer temperatures in the geothermal system at Long Valley, California: Journal of Volcanology and Geothermal Research, v. 5, no. 1-2, p. 17-34.
- Friedman, I., 1968, Hydration rind dates rhyolite flows: Science, v. 159, no. 3817, p. 878-880.
- Friedman, J.D., 1968, Thermal anomalies and geologic features of the Mono Lake area, California, as revealed by infrared imagery: Earth Resources Aircraft Program Status Review, Geology, Geography, and Sensor Studies, v. 1, p. 1-11.
- Friedman, J.D., 1968, Thermal anomalies and geologic features of the Mono Lake area, California, as revealed by infrared imagery: Geological Society of America Special Paper 115, p. 73-74.
- Friend, D.A., Phillips, F.M., Campbell, S.W., Liu, T., and Sharma, P., 2000, Evolution of desert colluvial boulder slopes: Geomorphology, v. 36, no. 1-2, p. 19-45.
- Gambill, D.T., 1981, Preliminary hot dry rock geothermal evaluation of Long Valley Caldera, California: Los Alamos National Laboratory Report LA-8710-HDR, 22 p.
- Gardner, J.E., Sigurdsson, H., and Carey, S.N., 1991, Eruption dynamics and magma withdrawal during the plinian phase of the Bishop Tuff eruption, Long Valley Caldera: Journal of Geophysical Research, v. 96, no. B5, p. 8097-8111.
- Gardner, J.E., Thomas, R.M.E., Jaupart, C., and Tait, S., 1996, Fragmentation of magma during Plinian volcanic eruptions: Bulletin of Volcanology, v. 58, no. 2-3, p. 144-162.
- Garver, J.I., 2003, Etching zircon age standards for fission-track analysis: Radiation Measurements, v. 37, no. 1, p. 47-53.
- Gath, E.M., 1987, Quaternary lakes of the Owens River system, *in* Gath, E.M., Gregory, J.L., Sheehan, J.R., Baldwin, E.J., and Hardy, J.K., eds., Geology and mineral wealth of the Owens Valley region, California, Annual Field Trip Guidebook, South Coast Geological Society, p. 44-57.
- Gerlach, T.M., Doukas, M.P., McGee, K.A., and Kessler, R., 1998, Three-year decline of magmatic CO₂ emissions from soils of a Mammoth Mountain tree kill: Horseshoe Lake, CA, 1995-1997: Geophysical Research Letters, v. 25, no. 11, p. 1947-1950.
- Gerlach, T.M., Doukas, M.P., McGee, K.A., and Kessler, R., 2001, Soil efflux and total emission rates of magmatic CO₂ at the Horseshoe Lake tree kill, Mammoth Mountain, California, 1995-1999: Chemical Geology, v. 177, no. 1-2, p. 101-116.

- Gerlach, T.M., Doukas, M.P., McGee, K.M., and Kessler, R., 1999, Airborne detection of diffuse carbon dioxide emissions at Mammoth Mountain, California: Geophysical Research Letters, v. 26, no. 24, p. 3661-3664, doi:10.1029/1999GL008388, 1999.
- Gibson, R.G., and Naney, M.T., 1992, Textural development of mixed, finely porphyritic silicic volcanic rocks, Inyo Domes, eastern California: Journal of Geophysical Research, v. 97, no. B4, p. 4541-4559.
- Gilbert, C.M., 1938, The Cenozoic geology of the region southeast of Mono Lake, California, University of California, Berkeley, Ph.D., 180 p.
- Gilbert, C.M., 1938, 1938, Welded tuff in eastern California: Geological Society of America Bulletin, v. 49, no. 12, p. 1829-1862.
- Gilbert, C.M., 1938, 1941, Late Tertiary geology southeast of Mono Lake, California: Geological Society of America Bulletin, v. 52, no. 6, p. 781-815.
- Gilbert, C.M., Christensen, M.N., Al-Rawi, Y., and Lajoie, K.R., 1968, Structural and volcanic history of Mono Basin, California-Nevada, *in* Coats, R.R., ed., Studies in volcanology-A memoir in honor of Howel Williams, Geological Society of America Memoir 116, p. 275-329.
- Given, J.W., Wallace, T.C., and Kanamori, H., 1982, Teleseismic analysis of the 1980 Mammoth Lakes earthquake sequence: Bulletin of the Seismological Society of America, v. 72, no. 4, p. 1093-1109.
- Glazner, A.F., Manley, C.R., Marron, J.S., and Rojstaczer, S., 1999, Fire or ice: Anticorrelation of volcanism and glaciation in California over past 800,000 years: Geophysical Research Letters, v. 26, no. 12, p. 1759-1762.
- Goff, F., Laughlin, A., Aldrich, J., Ander, M., Arney, B., Decker, E., Gardner, J., Heiken, G., Kron, A., LaDelfe, C., Pettitt, R., and Shannon, S., 1981, Hot dry rock geothermal prospects, 1981: Transactions, Geothermal Resources Council, v. 5, p. 173-176.
- Goff, F., Wollenberg, H.A., Brookins, D.G., and Kistler, R.W., 1991, A Sr isotopic comparison between thermal waters, rocks, and hydrothermal calcites, Long Valley Caldera, California: Journal of Volcanology and Geothermal Research, v. 48, no. 3-4, p. 265-281.
- Goldie, R., 1983, Seminar on ancient and modern volcanoes: Geoscience Canada, v. 10, no. 4, p. 195-203.
- Goldstein, N.E., 1988, Magma under Long Valley Caldera: Reply: Eos, Transactions, American Geophysical Union, v. 69, no. 11, p. 154.

- Goldstein, N.E., 1988, Pre-drilling data review and synthesis for the Long Valley Caldera, California: Eos, Transactions, American Geophysical Union, v. 69, no. 3, p. 43-45.
- Goldstein, N.E., Morrison, H.F., and Wilt, M.J., 1983, Deep electromagnetic and magnetotelluric sounding at the Long Valley Caldera for the detection of a magmatic hydrothermal system: Earth Sciences, v. 6, no. 3, p. 1-5.
- Goldstein, N.E., and Stein, R.S., 1988, What's new at Long Valley: Journal of Geophysical Research, v. 93, no. B11, p. 13,187-13,190.
- Green, J., and Short, N.M., 1971, Volcanic landforms and surface features: New York, Springer-Verlag, 519 p.
- Gresswell, W.K., 1940, Short report on the geological formations encountered in driving the Mono Craters tunnel [California]: California Journal of Mines and Geology, v. 36, no. 2, p. 199-204.
- Grew, P.C., 1984, Geothermal resources of California, *in* Sumbatov, R.A., Vysotsky, V.I., Maximov, S.P., and Semenovich, V.V., eds., Energy resources of the world: Report of the International Geological Congress, v. 27, p. 133-143.
- Griffiths, D.V., and Prevost, J.H., 1988, Two and three dimensional dynamic finite element analyses of the Long Valley Dam: National Center for Earthquake Engineering Research Technical Report 88-15.
- Groesbeck, M.J., 1940, Minerals of Mono Lake basin [California]: Mineralogist, v. 8, no. 4, p. 123-124.
- Gross, W.K., and Savage, J.C., 1985, Deformation near the epicenter of the 1984 Round Valley, California, earthquake: Bulletin of the Seismological Society of America, v. 75, no. 5, p. 1339-1347.
- Halliday, A.N., 1990, Reply to comment of R.S.J. Sparks, H.E. Huppert, and C.J.N.Wilson on "Evidence for long residence times of rhyolitic magma in the LongValley magmatic system": Earth and Planetary Science Letters, v. 99, p. 390-394.
- Halliday, A.N., Fallick, A.E., Hutchinson, J., and Hildreth, W., 1984, A Nd, Sr and O isotopic investigation into the causes of chemical and isotopic zonation in the Bishop Tuff, California: Earth and Planetary Science Letters, v. 68, no. 3, p. 379-391.
- Halliday, A.N., Hildreth, W., and Fallick, A.E., 1982, Nd and Sr isotopic evidence for the origin of chemical zonation in the Bishop Tuff: International Conference on Geochronology, Cosmochronology and Isotope Geology, v. 5, p. 126.

- Halliday, A.N., Mahood, G.A., Holden, P., Metz, J.M., Dempster, T.J., and Davidson, J.P., 1989, Evidence for long residence times of rhyolitic magma in the Long Valley magmatic system; the isotopic record in precaldera lavas of Glass Mountain: Earth and Planetary Science Letters, v. 94, no. 3-4, p. 274-290.
- Hammerschmidt, K., 1986, ⁴⁰Ar/³⁹Ar dating of young samples, *in* Hurford, A.J., Jaeger, E., and Ten Cate, J.A.M., eds., Dating young sediments: Bangkok, CCOP Technical Publication 16, p. 339-357.
- Hardee, H.C., 1985, Shallow magma targets in the Western U.S.: Transactions, Geothermal Resources Council, v. 9, p. 447-450.
- Harp, E.L., and Keefer, D.K., 1989, Earthquake-induced landslides, Mammoth Lakes area, California, *in* Brown, W.M., III, ed., Environmental, Engineering, and Urban Geology in the United States; Volume 2; Landslides in Central California: Field trips for the 28th International Geological Congress, American Geophysical Union, p. 48-53.
- Harp, E.L., Sarmiento, J., and Cranswick, E., 1984, Seismic-induced pore-water pressure records from the Mammoth Lakes, California, earthquake sequence of 25 to 27 May 1980: Bulletin of the Seismological Society of America, v. 74, no. 4, p. 1381-1393.
- Harp, E.L., Tanaka, K., Sarmiento, J., and Keefer, D.K., 1984, Landslides from the May 25-27, 1980, Mammoth Lakes, California, earthquake sequence: U.S. Geological Survey Miscellaneous Investigations Series I-1612, 1:62,500, p.
- Harris, S.L., 1988, Fire mountains of the West; the Cascade and Mono Lake volcanoes: Missoula, Mountain Press, 379 p.
- Hart, E.W., 1980, Planned zoning of active faults associated with the Mammoth Lakes earthquakes of May, 1980, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 137-141.
- Hart, E.W., Bryant, W.B., Smith, T.C., Bedrossian, T.L., and Smith, D.P., 1981, Fault evaluation program, 1979-1980 area; South San Francisco Bay region [and other areas]; Alameda, Contra Costa, Mendocino, Mono, San Benito, San Francisco, San Mateo, Santa Clara, and Santa Cruz counties, California: California Division of Mines and Geology Open File Report 81-3 SF, 33 p.
- Hartzell, S., 1982, Simulation of ground accelerations for the May 1980 Mammoth Lakes, California, earthquakes: Bulletin of the Seismological Society of America, v. 72, p. 2381-2387.

- Hase, H., 1971, Surface heat flow studies for remote sensing of geothermal resources: Proceedings of the International Symposium on Remote Sensing of Environment, v. 7, no. 1, p. 237-245.
- Hase, H., 1971, Surface heat-flow studies for remote sensing of geothermal resources: Journal of the Japan Society of Photogrammetry, v. 10, no. 3, p. 9-17.
- Hauksson, E., 1988, Absence of evidence for a shallow magma chamber beneath Long Valley Caldera, California, in downhole and surface seismograms: Journal of Geophysical Research, v. 93, no. 11, p. 13,251-13,264.
- Heiken, G.H., 1974, An atlas of volcanic ash: Smithsonian Contributions to the Earth Sciences No. 12, 101 p.
- Heiken, G.H., and Wohletz, K.H., 1985, Volcanic ash: Berkeley, University of California Press, 246 p.
- Heiken, G.H., Wohletz, K.H., and Eichelberger, J.C., 1988, Fracture fillings and intrusive pyroclasts, Inyo Domes, California: Journal of Geophysical Research, v. 93, no. 5, p. 4335-4350.
- Henderson, J.R., and White, B.L., 1963, Aeromagnetic map of Long Valley and northern Owens Valley, California: U.S. Geological Survey Geophysical Investigations Map GP-329, 1:62,500, p.
- Hermance, J.F., 1983, The Long Valley/Mono Basin volcanic complex in eastern California; status of present knowledge and future research needs: Reviews of Geophysics and Space Physics, v. 21, no. 7, p. 1545-1565.
- Hermance, J.F., 1985, Characterizing thermal energy and mass transport in volcanic caldera complexes; the role of scientific drilling, *in* Raleigh, C.B., ed., Observation of the continental crust through drilling I: New York, Springer-Verlag, p. 68-87.
- Hermance, J.F., 1987, Efficient modeling of 3-D magnetotelluric fields in complicated basin structures; application to Long Valley Caldera: Geophysics., v. 52, no. 3, p. 384-385.
- Hermance, J.F., and Karlsdottir, R., 1986, The major boundary faults in eastern Long Valley Caldera; magnetotelluric and gravity constraints: Geophysical Research Letters, v. 13, no. 5, p. 479-482.
- Hermance, J.F., and Neumann, G.A., 1988, Evidence for multiple boundary faults beneath the northwest moat of Long Valley Caldera; magnetotelluric results: Geophysical Research Letters, v. 15, no. 12, p. 1437-1440.

- Hermance, J.F., Neumann, G.A., and Slocum, W., 1988, The regional subsurface structure of Long Valley (California) Caldera fill from gravity and magnetotelluric data: Geological Society of America Bulletin, v. 100, no. 11, p. 1819-1823.
- Hermance, J.F., Slocum, W.M., and Neumann, G.A., 1984, The Long Valley/Mono Basin volcanic complex; a preliminary magnetotelluric and magnetic variation interpretation: Journal of Geophysical Research, v. 89, no. 10, p. 8325-8337.
- Hermance, J.F., Slocum, W.M., and Neumann, G.A., 1984, The Long Valley/Mono Craters volcanic complex; a preliminary interpretation based on telluric field patterns, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 281-318.
- Hervig, R.L., and Dunbar, N.W., 1992, Cause of chemical zoning in the Bishop (California) and Bandelier (New Mexico) magma chambers: Earth and Planetary Science Letters, v. 111, no. 1, p. 97-108.
- Hervig, R.L., Dunbar, N.W., Westrich, H.R., and Kyle, P.R., 1989, Pre-eruptive water content of rhyolitic magmas as determined by ion microprobe analyses of melt inclusions in phenocrysts: Journal of Volcanology and Geothermal Research, v. 36, no. 4, p. 293-302.
- Herzig, C.T., and Elders, W.A., 1988, Probable occurrence of the Bishop Tuff in the Salton Sea Scientific Drilling Project borehole, Salton Sea Geothermal System, California: Transactions, Geothermal Resources Council, v. 12, p. 115-120.
- Heumann, A., and Davies, G.R., 1997, Isotopic and chemical evolution of the postcaldera rhyolitic system at Long Valley, California: Journal of Petrology, v. 38, no. 12, p. 1661-1678.
- Heumann, A., Davies, G.R., and Elliott, T., 2002, Crystallization history of rhyolites at Long Valley, California, inferred from combined U-series and Rb-Sr isotope systematics: Geochimica et Cosmochimica Acta, v. 66, no. 10, p. 1821-1837.
- Higgins, C.T., Flynn, T., Chapman, R.H., Trexler, D., T., Chase, G.R., Bacon, C.F., and Ghusn, G.J., 1985, Geothermal systems of the Mono Basin Long Valley region, eastern California and western Nevada: California Division of Mines and Geology Open-File Report 85-19, 159 p.
- Higgins, M.D., 1988, Trace element geochemistry of the Inyo volcanic chain, California; evidence for multiple magma sources, magma mixing and post eruption loss of boron: Journal of Volcanology and Geothermal Research, v. 35, no. 1-2, p. 97-110.

- Hildreth, E.W., 1977, The magma chamber of the Bishop Tuff; gradients in temperature, pressure, and composition, University of California, Berkeley, Ph.D., 328 p.
- Hildreth, E.W., 1977, A zoned pluton at the eruptive stage; the Long Valley magma chamber (California) as evidenced by eruption of the Bishop Tuff, *in* Yamada, N., ed., Plutonism in relation to volcanism and metamorphism, papers presented at the 7th CPPP meeting: Toyama, Japan, Circum-Pacific Plutonism Project, p. 38-48.
- Hildreth, E.W., 1979, The Bishop Tuff: Evidence for the origin of compositional zonation in silic magma chambers, *in* Chapin, C.E., and Elston, W.E., eds., Ash-Flow Tuffs, Geological Society of America Special Paper 180, p. 43-72.
- Hildreth, E.W., and Mahood, G.A., 1986, Ring fracture eruption of the Bishop Tuff: Geological Society of America Bulletin, v. 97, no. 4, p. 396-403.
- Hildreth, E.W., and Michael, P.J., 1983, Chemical differentiation of the Bishop Tuff and other high-silica magmas through crystallization processes; discussion and reply: Geology, v. 11, no. 10, p. 622-624.
- Hill, D., 1993, Long Valley, *in* Aramaki, S., Oshima, O., Tiba, T., and Okada, H., eds., Bulletin of Volcanic Eruptions for 1990: Tokyo, Volcanological Soiety of Japan, p. 128.
- Hill, D.P., 1976, Structure of Long Valley Caldera, California, from a seismic refraction experiment: Journal of Geophysical Research, v. 81, no. 5, p. 745-753.
- Hill, D.P., 1984, Long Valley, *in* Katsui, Y., and Aramaki, S., eds., Bulletin of Volcanic Eruptions for 1982: Tokyo, Volcanological Society of Japan, p. 107-109.
- Hill, D.P., 1984, Monitoring unrest in a large silicic caldera, the Long Valley Inyo Craters volcanic complex in east central California: Bulletin Volcanologique, v. 47, no. 2, p. 371-395.
- Hill, D.P., 1987, Long Valley, *in* Katsui, Y., and Aramaki, S., eds., Bulletin of Volcanic Eruptions for 1984: Tokyo, Volcanological Society of Japan, p. 67-68.
- Hill, D.P., 1989, Long Valley Caldera, *in* Katsui, Y., Aramaki, S., Matsuo, S., Oshima, O., Tiba, T., and Sawada, Y., eds., Bulletin of Volcanic Eruptions for 1986: Tokyo, Volcanological Society of Japan, p. 86.
- Hill, D.P., 1990, Development of alert criteria for future volcanic unrest in Long Valley Caldera, California: U.S. Geological Survey Open-File Report 90-658, 15 p.
- Hill, D.P., 1990, Long Valley, *in* Katsui, Y., Aramaki, S., Matsuo, S., Oshima, O., Tiba, T., and Sawada, Y., eds., Bulletin of Volcanic Eruptions for 1987: Tokyo, Volcanological Society of Japan, p. 87.

- Hill, D.P., 1992, Temperatures at the base of the seismogenic crust beneath Long Valley Caldera, California, and the Phlegrean Fields caldera, Italy, *in* Johnson, R.W., Mahood, G.A., and Scarpa, R., eds., Volcanic Seismology: New York, Springer-Verlag, p. 432-461.
- Hill, D.P., 1993, Long Valley, *in* Aramaki, S., Oshima, O., Tiba, T., and Okada, H., eds., Bulletin of Volcanic Eruptions for 1990: Tokyo, Volcanological Society of Japan, p. 111-112.
- Hill, D.P., 1994, Long Valley, *in* Oshima, O., Tiba, T., Aramaki, S., Okada, H., and Notsu, K., eds., Bulletin of Volcanic Eruptions for 1991: Tokyo, Volcanological Society of Japan, p. 135-136.
- Hill, D.P., 1995, Long Valley Caldera, *in* Oshima, O., Tiba, T., Aramaki, S., Okada, H., and Notsu, K., eds., Bulletin of Volcanic Eruptions for 1992: Tokyo, Volcanological Society of Japan, p. 138-139.
- Hill, D.P., 1996, Earthquakes and carbon dioxide beneath Mammoth Mountain, California: Seismological Research Letters, v. 67, no. 1, p. 8-15.
- Hill, D.P., 1998, 1998 SSA meeting presidental address: Science, geologic hazards, and public in a large, restless caldera: Seismological Research Letters, v. 69, no. 5, p. 400-404.
- Hill, D.P., 1999, Challenges in estimating conditional probabilities for eruptions in Long Valley Caldera: U. S. Geological Survey Open File Report 99-339, 21 p.
- Hill, D.P., Bailey, R.A., Miller, C.D., Hendley II, J.W., and Stauffer, P.H., 2000, Future Eruptions in California's Long Valley Area - What's Likely?: U.S. Geological Survey Fact Sheet 073-97, p.
- Hill, D.P., Bailey, R.A., Miller, C.D., Hendley, J.W., II, and Stauffer, P.H., 1997, Future eruptions in California's Long Valley area; what's likely?: U.S. Geological Survey Fact Sheet 97-73, 2 p.
- Hill, D.P., Bailey, R.A., and Ryall, A.S., 1985, Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California; an overview: Journal of Geophysical Research, v. 90, no. 13, p. 11,111-11,120.
- Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., 1984, Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California: U.S. Geological Survey Open-File Report 84-939, 952 p.

- Hill, D.P., Bailey, R.A., Sorey, M.L., Hendley, J.W., II, and Stauffer, P.H., 1996, Living with a restless caldera; Long Valley, California: U.S. Geological Survey Fact Sheet 108-96, 2 p.
- Hill, D.P., Dawson, P., Johnston, M.J.S., Pitt, A.M., Biasi, G.P., and Smith, K., 2002, Very-long-period volcanic earthquakes beneath Mammoth Mountain, California: Geophysical Research Letters, v. 29, no. 10, p. 4 pp., 1370, doi:10.1029/2002GL014833, 2002.
- Hill, D.P., Dzurisin, D., Ellsworth, W.L., Endo, E.T., Galloway, D.L., Gerlach, T.M., Johnston, M.J.S., Langbein, J.O., McGee, K., Miller, C.D., Oppenheimer, D., and Sorey, M.L., 2002, Response plan for volcano hazards in the Long Valley caldera and Mono Craters region California: U.S. Geological Survey Bulletin 2185, 57 p.
- Hill, D.P., Ellsworth, W.L., Johnston, M.J.S., Langbein, J.O., Oppenheimer, D.H., Pitt, A.M., Reasenberg, P.A., Sorey, M.L., and McNutt, S.R., 1990, The 1989 earthquake swarm beneath Mammoth Mountain, California; an initial look at the 4 May through 30 September activity: Bulletin of the Seismological Society of America, v. 80, no. 2, p. 325-339.
- Hill, D.P., Johnston, M.J.S., Langbein, J.O., and Behr, J., 1994, The role of crustal fluids in the triggered response of Long Valley Caldera to the M = 7.3 Landers, California, earthquake, *in* Hickman, S.H., Sibson, R.H., Bruhn, R.L., and Jacobson, M.L., eds., Workshop LXIII, USGS Red-Book conference on the mechanical involvement of fluids in faulting, U.S. Geological Survey Open-File Report 94-228, p. 87-91.
- Hill, D.P., Johnston, M.J.S., Langbein, J.O., and Bilham, R., 1995, Response of Long Valley Caldera to the M_w = 7.3 Landers, California, earthquake: Journal of Geophysical Research, v. 100, no. B7, p. 12,985-13,005.
- Hill, D.P., Johnston, M.J.S., Langbein, J.O., McNutt, S.R., Miller, C.D., Mortensen, C.E., Pitt, A.M., and Rojstaczer, S.A., 1991, Response plans for volcanic hazards in the Long Valley Caldera and Mono Craters area, California: U.S. Geological Survey Open-File Report 91-270, 65 p.
- Hill, D.P., Kissling, E., Luetgert, J.H., and Kradolfer, U., 1984, Constraints on the upper crustal structure of the Long Valley Mono Craters volcanic complex, eastern California, from seismic refraction measurements, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 151-187.

- Hill, D.P., Kissling, E., Luetgert, J.H., and Kradolfer, U., 1985, Constraints on the upper crustal structure of the Long Valley Mono Craters volcanic complex, eastern California, from seismic refraction measurements: Journal of Geophysical Research, v. 90, no. 13, p. 11,135-11,150.
- Hill, D.P., Langbein, J.O., and Prejean, S., 2003, Relations between seismicity and deformation during unrest in Long Valley Caldera, California, form 1995 through 1999: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 175-193.
- Hill, D.P., and McHugh, S., 1975, A compilation of data from the 1973 Long Valley, Calif., seismic refraction experiment: U.S. Geological Survey Open-File Report 75-581, 21 p.
- Hill, D.P., Ryall, A.S., and Bailey, R.A., 1984, Summary, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 4-23.
- Hill, D.P., Savage, J.C., and McNutt, S.R., 1988, Long Valley Caldera, Bulletin of Volcanic Eruptions for 1985: Tokyo, Volcanological Society of Japan, p. 63-64.
- Hill, D.P., Sorey, M.L., Ellsworth, W.L., and Sass, J., 1998, Scientific drilling continues in Long Valley Caldera, California: Eos, Transactions, American Geophysical Union, v. 79, no. 36, p. 429, 432.
- Hill, D.P., Wallace, R.E., and Cockerham, R.S., 1985, Review of evidence on the potential for major earthquakes and volcanism in the Long Valley-Mono Craters-White Mountains regions of eastern California: Earthquake Prediction Research, v. 3, no. 3-4, p. 571-594.
- Hilton, D.R., 1996, The helium and carbon isotope systematics of a continental geothermal system; results from monitoring studies at Long Valley Caldera (California, U.S.A.): Chemical Geology, v. 127, no. 4, p. 269-295.
- Hinkle, M.E., 1979, Volatile gases useful in geochemical exploration, U.S. Geological Survey Research in 1979, U.S. Geological Survey Professional Paper 1150, p. 12.
- Hinkle, M.E., 1981, Helium concentrations in the Long Valley geothermal area, California, Geological Survey research 1981, U.S. Geological Survey Professional Paper 1275, p. 19.
- Hinkle, M.E., and Kilburn, J.E., 1980, Survey of helium soil gases of Long Valley, California: U.S. Geological Survey Open-File Report 80-612, 21 p.

- Hofton, M.A., Blair, J.B., Minster, J.B., Ridgway, J.R., Williams, N.P., Bufton, J.L., and Rabine, D.L., 2000, An airborne scanning laser altimetry survey of Long Valley, California: International Journal of Remote Sensing, v. 21, no. 12, p. 2413-2437.
- Hofton, M.A., Minster, J.B., Ridgway, J.R., Williams, N.P., Blair, J.B., Rabine, D.L., and Bufton, J.L., 2000, Using airborne laser altimetry to detect topographic change at Long Valley Caldera, California, *in* Mouginis-Mark, P.J., Crisp, J.A., and Fink, J.H., eds., Remote sensing of active volcanism, Geophysical Monograph 116, American Geophysical Union, p. 249-264.
- Holden, E.S., 1892, Earthquakes in California in 1890 and 1891: U.S. Geological Survey Bulletin 95, 31 p.
- Holecek, T.J., 1978, The relation of morphology, structure and lithology to the emplacement of the Hot Creek rhyolite flow, George Washington University, Master's, 49 p.
- Holecek, T.J., 1979, The relationship of morphology, structure, and lithology to the emplacement of the Hot Creek rhyolite flow, Long Valley, California: U.S. Geological Survey Open-File Report 79-668, 79 p.
- Hollis, J., 1985, Analysis of apparent tilt by thermoelastically induced bedrock motion, *in* Sylvester, A.G., ed., Crustal tilt in Long Valley, California., U.S. Geological Survey Open-File Report 85-664, p. 46-50.
- Holt, E.W., 2002, ¹⁸O/ ¹⁶O evidence for an early, short-lived (approximately 10 yr), fumarolic event in the Topopah Spring Tuff near the proposed high-level nuclear waste repository within Yucca Mountain, Nevada, USA: Earth and Planetary Science Letters, v. 201, no. 3-4, p. 559-573.
- Holt, E.W., and Taylor, H.P., Jr., 1998, ¹⁸O/¹⁶O mapping and hydrogeology of a short-lived (nearly equal 10 years) fumarolic (>500 degrees C) meteoric-hydrothermal event in the upper part of the 0.76 Ma Bishop Tuff outflow sheet, California: Journal of Volcanology and Geothermal Research, v. 83, no. 1-2, p. 115-139.
- Hoover, D.B., Frischknecht, F.C., and Tippens, C.L., 1974, Evaluation of audio magnetotelluric techniques as a reconnaissance exploration tool in Long Valley, Mono and Inyo counties, California: U.S. Geological Survey Open-File Report 74-1051, 38 p.
- Hoover, D.B., Frischknecht, F.C., and Tippens, C.L., 1976, Audiomagnetotelluric sounding as a reconnaissance exploration technique in Long Valley, California: Journal of Geophysical Research, v. 81, no. 5, p. 801-809.

- Hopson, R.F., 1991, Potential impact on water resources from future volcanic eruptions at Long Valley, Mono County, California, U.S.A.: Environmental Geology and Water Sciences, v. 18, no. 1, p. 49-55.
- Horton, S.P., DePolo, D.M., and Walter, W.R., 1997, Source parameters and tectonic setting of the 1990 Lee Vining, California, earthquake sequence: Bulletin of the Seismological Society of America, v. 87, no. 4, p. 1035-1045.
- Hough, S.E., Dollar, R.S., and Johnson, P.A.B., 2000, The 1998 earthquake sequence south of Long Valley Caldera, California; hints of magmatic involvement: Bulletin of the Seismological Society of America, v. 90, no. 3, p. 752-763.
- Howle, J.F., and Farrar, C.D., 1996, Hydrologic data for Long Valley Caldera, Mono County, California, 1978-93: U.S. Geological Survey Open-File Report 96-382, 286 p.
- Howle, J.F., and Farrar, C.D., 1997, Deformation in the Casa Diablo geothermal well field, Long Valley Caldera, eastern California, *in* Prince, K.R., and Leake, S.A., eds., U.S. Geological Survey subsidence interest group conference; technical meeting, U.S. Geological Survey Open-File Report 97-47, p. 31-35.
- Howle, J.F., and Farrar, C.D., 2001, Hydrologic data for Long Valley Caldera, Mono County, California, 1994-96: U.S. Geological Survey Open File Report 00-230, 155 p.
- Howle, J.F., Langbein, J.O., Farrar, C.D., and Wilkinson, S.K., 2003, Deformation near the Case Diablo geothermal well field and related processes Long Valley caldera, Eastern California, 1993-2000: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 365-390.
- Hu, Q., Smith, P.E., Evensen, N.M., and York, D., 1994, Lasing in the Holocene; extending the ⁴⁰Ar/³⁹Ar laser probe method into the ¹⁴C age range: Earth and Planetary Science Letters, v. 123, no. 1-4, p. 331-336.
- Huber, N.K., and Eckhardt, W.W., 1985, Devils Postpile story: Three Rivers, CA, Sequoia Natural History Association, 30 p.
- Huber, N.K., and Rinehart, C.D., 1965, Geologic map of the Devils Postpile Quadrangle, Sierra Nevada, California: U.S. Geological Survey Geologic Quadrangle Map GQ-437, 1:62,500, p.
- Huber, N.K., and Rinehart, C.D., 1966, Some relationships between the refractive index of fused glass beads and the petrologic affinity of volcanic rock suites: Geological Society of America Bulletin, v. 77, p. 101-110.

- Huber, N.K., and Rinehart, C.D., 1967, Cenozoic volcanic rocks of the Devils Postpile Quadrangle, eastern Sierra Nevada California: U.S. Geological Survey Professional Paper 554-D, p. 1-21.
- Hurford, A.J., 1986, Application of the fission track dating method to young sediments; principles, methodology and examples, *in* Hurford, A.J., Jaeger, E., and Ten Cate, J.A.M., eds., Dating young sediments: Bangkok, CCOP Technical Publication 16, p. 199-233.
- Hurford, A.J., and Hammerschmidt, K., 1985, ⁴⁰Ar/³⁹Ar and K/Ar dating of the Bishop and Fish Canyon tuffs; calibration ages for fission-track-dating standards: Chemical Geology, v. 58, no. 1-2, p. 23-32.
- Hurwitz, S., and Navon, O., 1994, Bubble nucleation in rhyolitic melts: Experiments at high pressure, temperature, and water content: Earth and Planetary Science Letters, v. 122, p. 267-280.
- Ide, S., Beroza, G.C., Prejean, S., and Ellsworth, W.L., 2003, Apparent break in earthquake scaling due to path and site effects on deep borehole recordings: Journal of Geophysical Research, v. 108, no. B5, p. 2271, doi:10.1029/2001JB001617, 2003.
- Ikehara, M.E., 1995, Description of global positioning system networks surveyed in California, 1992, *in* Prince, K.R., Galloway, D.L., and Leake, S.A., eds., U.S. Geological Survey Subsidence Interest Group Conference, U.S. Geological Survey Open-File Report 94-532, p. 46-49.
- Iwatsubo, E.Y., and Swanson, D.A., 1992, Trilateration and distance-measuring techniques used at Cascades and other volcanoes, *in* Ewert, J.W., and Swanson, D.A., eds., Monitoring volcanoes; techniques and strategies used by the staff of the Cascades Volcano Observatory, 1980-90, U.S. Geological Survey Bulletin 1966, p. 103-114.
- Iyer, H.M., 1974, Seismic noise surveys in geothermal areas, *in* Colp, J.L., and Furumoto, A.S., eds., The utilization of volcano energy, Sandia National Laboratory, p. 154-159.
- Iyer, H.M., 1980, Magma chambers and geothermal energy: Technical papers, Fiftieth annual international meeting and exposition, Society of Exploration Geophysicists, v. 50, p. 3485-3508.
- Iyer, H.M., 1992, Seismological detection and delineation of magma chambers: Present status with emphasis on the western USA, *in* Johnson, R.W., Mahood, G.A., and Scarpa, R., eds., Volcanic Seismology: New York, Springer-Verlag, p. 299-338.

- Iyer, H.M., and Dawson, P.B., 1993, Imaging volcanoes using teleseismic tomography, *in* Iyer, H.M., and Hirahara, K., eds., Seismic tomography; theory and practice: London, Chapman and Hall, p. 466-492.
- Iyer, H.M., Evans, J.R., Dawson, P.B., Stauber, D.A., and Achauer, U., 1990, Differences in magma storage in different volcanic environments as revealed by seismic tomography; silicic volcanic centers and subduction-related volcanoes, *in* Ryan, M.P., ed., Magma Transport and Storage: New York, John Wiley & Sons, p. 293-316.
- Iyer, H.M., and Hitchcock, T., 1976, Seismic noise survey in Long Valley, California: Journal of Geophysical Research, v. 81, no. 5, p. 821-840.
- Iyer, H.M., and Stewart, R.M., 1977, Teleseismic technique to locate magma in the crust and upper mantle, *in* Dick, H.J.B., ed., Magma Genesis, Oregon Department of Geology and Mineral Industries Bulletin 96, p. 281-299.
- Izett, G.A., 1981, Volcanic ash beds: Recorders of upper Cenozoic silicic pyroclastic volcanism in the western United States: Journal of Geophysical Research, v. 86, p. 10,200-10,222.
- Izett, G.A., 1982, The Bishop ash bed and some older compositionally similar ash beds in California, Nevada, and Utah: U.S. Geological Survey Open-File Report 82-582, 47 p.
- Izett, G.A., and Naeser, C.W., 1976, Age of the Bishop Tuff of eastern California as determined by the fission-track method: Geology, v. 4, no. 10, p. 587-590.
- Izett, G.A., and Obradovich, J.D., 1994, ⁴⁰Ar/³⁹Ar age constraints for the Jaramillo Normal Subchron and the Matuyama-Brunhes geomagnetic boundary: Journal of Geophysical Research, v. 99, no. B2, p. 2925-2934.
- Izett, G.A., Obradovich, J.D., and Mehnert, H.H., 1988, The Bishop ash bed (middle Pleistocene) and some older (Pliocene and Pleistocene) chemically and mineralogically similar ash beds in California, Nevada, and Utah: U.S. Geological Survey Bulletin 1675, 37 p.
- Jachens, R.C., and Roberts, C.W., 1984, Gravity investigations at Long Valley Caldera, California, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 248-279.
- Jachens, R.C., and Roberts, C.W., 1985, Temporal and areal gravity investigations at Long Valley Caldera, California: Journal of Geophysical Research, v. 90, no. 13, p. 11,210-11,218.

- Jackson, D.B., 1977, Schlumberger soundings in the Aeolian Buttes and Mono Craters, California: U.S. Geological Survey Open-File Report 77-291, 18 p.
- Jehl, J.R., 1983, Tufa formation at Mono Lake, California, Mono County: California Geology, v. 36, no. 1, p. 3.
- Johnson, C.M., 1991, Large-scale crust formation and lithosphere modification beneath Middle to Late-Cenozoic calderas and volcanic fields, western North America: Journal of Geophysical Research, v. 96, p. 13,485-13,507.
- Johnson, M.C., Anderson, A.T., Jr., and Rutherford, M.J., 1994, Pre-eruptive volatile contents of magmas, *in* Carroll, M.R., and Holloway, J.R., eds., Volatiles in magmas, Reviews in Mineralogy No. 30, p. 281-330.
- Johnson, M.C., and Rutherford, M.J., 1989, Experimental calibration of the aluminum in hornblende geobarometer with application to Long Valley Caldera (California) volcanic rocks: Geology, v. 17, no. 9, p. 837-841.
- Johnson, S., 1980, At Mono Lake: Terra, v. 18, no. 4, p. 8-16.
- Johnston, M.J.S., 1989, Review of magnetic and electric field effects near active faults and volcanoes in the U.S.A.: Physics of the Earth and Planetary Interiors, v. 57, no. 1-2, p. 47-63.
- Johnston, M.J.S., Hill, D.P., Linde, A.T., Langbein, J., and Bilham, R., 1995, Transient deformation during triggered seismicity from the 28 June 1992 M_w=7.3 Landers earthquake at Long Valley volcanic caldera, California: Bulletin of the Seismological Society of America, v. 85, no. 3, p. 787-795.
- Julian, B.R., 1983, Evidence for dyke intrusion earthquake mechanisms near Long Valley Caldera, California: Nature, v. 303, no. 5915, p. 323-325.
- Julian, B.R., Pitt, A.M., and Foulger, G.R., 1998, Seismic image of a CO₂ reservoir beneath a seismically active volcano: Geophysical Journal International, v. 133, no. 1, p. 7-10.
- Julian, B.R., and Sipkin, S.A., 1984, Earthquake processes in the Long Valley area, California, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 319-366.
- Julian, B.R., and Sipkin, S.A., 1985, Earthquake processes in the Long Valley Caldera area, California: Journal of Geophysical Research, v. 90, no. B13, p. 11,155-11,169.

- Kahle, J.E., Bryant, W.A., and Hart, E.W., 1986, Fault rupture associated with the July 21, 1986 Chalfant Valley earthquake, Mono and Inyo counties, California: California Geology, v. 39, no. 11, p. 243-245.
- Kaminski, E., and Jaupart, C., 1997, Expansion and quenching of vesicular magma fragments in plinian eruptions: Journal of Geophysical Research, v. 102, no. B6, p. 12,187-12,203.
- Kane, M.F., Mabey, D.R., and Brace, R.-L., 1976, A gravity and magnetic investigation of the Long Valley Caldera, Mono County, California: Journal of Geophysical Research, v. 81, no. 5, p. 754-762.
- Kattlemann, R., 2001, Variability of flow in streams of the eastern Sierra Nevada: U. S. Geological Survey Open File Report 01-202, 17 p.
- Kelleher, P.C., 1986, The Mono Craters-Mono Lake Islands volcanic complex, eastern California; evidence for several magma types, magma mixing, and a heterogeneous source region, University of California, Santa Cruz, Master's, 111 p.
- Kelleher, P.C., and Cameron, K.L., 1990, The geochemistry of the Mono Craters-Mono Lake Islands volcanic complex, eastern California: Journal of Geophysical Research, v. 95, no. B11, p. 17,643-17,659.
- Kelly, D., 1984, Likelihood of volcanic eruption at Long Valley, California, is reduced: Earthquake Information Bulletin, v. 16, no. 5, p. 191-192.
- Kent, D.V., Hemming, S.R., and Turrin, B.D., 2002, Laschamp Excursion at Mono Lake?: Earth and Planetary Science Letters, v. 197, no. 3-4, p. 151-164.
- Kerr, R.A., 1982, Volcanic hazard alert issued for California: Science, v. 216, no. 4552, p. 1302-1303.
- Kerr, R.A., 1982, Volcanic hazard alert issued for the Long Valley Mono Lake area of California: Earthquakes and Volcanoes, v. 14, no. 3, p. 84-93.
- Kerr, R.A., 1983, Mammoth Lakes quiet but concern persists: Science, v. 219, no. 4583, p. 373-374.
- Kerr, R.A., 1983, New signs of Long Valley magma intrusion: Science, v. 220, no. 4602, p. 1138-1139.
- Kerr, R.A., 1984, Long Valley is on low simmer for now: Science, v. 224, no. 4652, p. 975.
- Kerr, R.A., 1985, Inyo Domes drilling hits pay dirt: Science, v. 227, no. 4686, p. 504-505.

Kerr, R.A., 1986, Long Valley is quiet but still bulging: Science, v. 231, no. 4734, p. 117.

- Kerr, R.A., 1988, Drilling into surprises beneath an Inyo crater: Science, v. 239, no. 4838, p. 350-357.
- Kerr, R.A., 1989, Good news for volcano watchers: Science, v. 245, no. 4915, p. 255.
- Kerr, R.A., 1990, Volcanoes; old new, and perhaps yet to be: Science, v. 250, no. 4988, p. 1660-1661.
- Kersting, N., 1988, Effects of collapsed excavations of ground subsidence in greater distances, *in* Chrzanowski, A., ed., 5th Canadian symposium on mining surveying and rock deformation measurements, University of New Brunswick Technical Report 5, p. 53-55.
- Kesseli, J.E., 1941, Studies in the Pleistocene glaciation of the Sierra Nevada, California;
 1, Topographic map of the Pleistocene glacial deposits in the Mammoth
 Embayment, Mono County; 2, Changes in the courses of some Pleistocene glaciers
 and their relation to interglaciation: University of California Publications in
 Geography, v. 6, no. 8, p. 315-361.
- Kesseli, J.E., 1948, Correlation of Pleistocene lake terraces and moraines at Mono Lake, California: Geological Society of America Bulletin, v. 59, no. 12, p. 1375.
- Keys, W.S., 1976, Borehole geophysics in geothermal wells; problems and progress, *in* Kruger, P., and Ramey, H.J., Jr., eds., Second workshop on geothermal reservoir engineering; summaries, Stanford University, p. 66-74.
- Keys, W.S., 1982, Location and character of fractures in geothermal wells; a workshop: Geothermal Resources Council Special Report, v. 12, p. 17-27.
- Kilbourne, R.T., and Anderson, C.L., 1981, Volcanic history and "active" volcanism in California: California Geology, v. 34, p. 159-168.
- Kilbourne, R.T., Chesterman, C.W., and Wood, S.H., 1980, Recent volcanism in the Mono Basin Long Valley region of Mono County, California, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 7-22.
- Kissling, E., 1988, Geotomography with local earthquake data: Reviews of Geophysics, v. 26, no. 4, p. 659-698.

- Kissling, E., Ellsworth, W.L., and Cockerham, R.S., 1984, Three dimensional structure of the Long Valley Caldera, California, region by geotomography, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 188-220.
- Kistler, R.W., 1960, The geology of the Mono Craters Quadrangle, California, University of California, Berkeley, Ph.D., 133 p.
- Kistler, R.W., 1966, Geologic map of the Mono Craters Quadrangle, Mono and Tuolumne counties, California: U.S. Geological Survey Geologic Quadrangle Map 462, 1:62,500, p.
- Kistler, R.W., 1966, Structure and metamorphism in the Mono Craters Quadrangle, Sierra Nevada, California: U.S. Geological Survey Bulletin 1221-E, 1-53 p.
- Klusman, R.W., 1978, Mercury anomalies in the Long Valley, California geothermal area, U.S. Geological Survey Professional Paper 1100, p. 208.
- Klusman, R.W., and Landress, R.A., 1978, Secondary controls on mercury in soils of geothermal areas: Journal of Geochemical Exploration, v. 9, no. 1, p. 75-91.
- Klusman, R.W., and Landress, R.A., 1979, Mercury in soils of the Long Valley, California, geothermal system: Journal of Volcanology and Geothermal Research, v. 5, no. 1-2, p. 49-65.
- Kneebone, P.E., 2000, Arsenic geochemistry in a geothermally impacted system; the Los Angeles Aqueduct: Pasadena, CA, United States, California Institute of Technology, Ph.D. thesis.
- Knesel, K.M., and Davidson, J.P., 1997, The origin and evolution of large-volume silicic magma systems; Long Valley Caldera: International Geology Review, v. 39, no. 11, p. 1033-1052.
- Knesel, K.M., and Davidson, J.P., 1998, The origin and evolution of large-volume silicic magma systems; Long Valley Caldera, *in* Ernst, W.G., and Nelson, C.A., eds., Integrated earth and environmental evolution of the southwestern United States; The Clarence A. Hall, Jr. Volume, p. 326-345.
- Knopoff, L., 1983, Seismicity at Mammoth Lakes: Nature, v. 303, no. 5918, p. 576.
- Koch, K., 1991, Moment tensor inversion of local earthquake data; II, Application to aftershocks of the May 1980 Mammoth Lakes earthquakes: Geophysical Journal International, v. 106, no. 2, p. 321-332.

- Koenig, J.B., 1983, Controls on the location and intensity of magmatic and nonmagmatic geothermal systems in the Basin and Range Province: The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report No. 13, 93 p.
- Krauskopf, K.B., and Bateman, P.C., 1977, Geologic map of the Glass Mountain Quadrangle, Mono County, California, and Mineral County, Nevada: U.S. Geological Survey Geologic Quadrangle Map GQ-1099, 1:62,500, p.
- Kuroda, T., 1990, Application of tomographic methods to geothermal prospecting: Journal of the Japan Geothermal Energy Association, v. 27, no. 1, p. 45-55.
- Küster, M., Röller, K., Fischer, M., McConnell, V.S., and Stöckhert, B., 2001, The record of episodic phase separation (H₂O - CO₂) in a hydrothermal system - quartz microstructures and fluid inclusions at Long Valley Exploratory Well, XVI ECROFI European Current Research On Fluid Inclusions, Porto 2001: Porto, Faculdade de Ciências do Porto, Departamento de Geologia, Memória nº 7, p. 245-248.
- LaBrecque, D.J., 1988, Design of a borehole to surface resistivity survey for the magma energy deep exploration well: Transactions, Geothermal Resources Council, v. 12, p. 257-261.
- Lachenbruch, A.H., Sass, J.H., Munroe, R.J., and Moses, T.H., Jr., 1976, Geothermal setting and simple heat conduction models for the Long Valley Caldera: Journal of Geophysical Research, v. 81, no. 5, p. 769-784.
- Lachenbruch, A.H., Sorey, M.L., Lewis, R.E., and Sass, J.H., 1976, The near-surface hydrothermal regime of Long Valley Caldera: Journal of Geophysical Research, v. 81, no. 5, p. 763-768.
- Lackey, J.S., and Valley, J.W., 2004, Complex patterns of fluid flow during wollastonite formation in calcareous sandstones at Laurel Mountain, Mt. Morrison Pendant, California: Geological Society of America Bulletin, v. 116, no. 1-2, p. 76-93.
- Lai, S.S., and Seed, H.B., 1985, Dynamic response of Long Valley Dam in the Mammoth Lake earthquake series of May 25-27, 1980: University of California, Earthquake Engineering Research Center Report, 71 p.
- Lajoie, K.R., 1968, Late Quaternary stratigraphy and geologic history of Mono Basin, eastern California, University of California, Berkley, Ph.D., 271 p.
- Landress, R.A., 1977, Nature of the occurrence of mercury in soils of the Long Valley, California geothermal area, Colorado School of Mines, Master's, 68 p.

- Langbein, J.O., 1989, Deformation of the Long Valley Caldera, eastern California, from mid-1983 to mid-1988; measurements using a two-color geodimeter: Journal of Geophysical Research, v. 94, no. B4, p. 3833-3849.
- Langbein, J.O., 1990, Testing for long-term stability of two-color geodimeters; January 1986 to August 1989: U.S. Geological Survey Open File Report 90-91, 23 p.
- Langbein, J.O., 2003, Deformation of the Long Valley Caldera, California: inferences from measurements form 1988 to 2001: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 247-267.
- Langbein, J.O., Dzurisin, D., Marshall, G., Stein, R., and Rundle, J., 1995, Shallow and peripheral volcanic sources of inflation revealed by modeling two-color geodimeter and leveling data from Long Valley Caldera, California, 1988-1992: Journal of Geophysical Research, v. 100, no. B7, p. 12,487-12,496.
- Langbein, J.O., Hill, D.P., Parker, T.N., and Wilkinson, S.K., 1993, An episode of reinflation of the Long Valley Caldera, eastern California: 1989-1991: Journal of Geophysical Research, v. 98, no. B9, p. 15,851-15,870.
- Langbein, J.O., and Johnson, H., 1997, Correlated errors in geodetic time series; implications for time-dependent deformation: Journal of Geophysical Research, v. 102, no. B1, p. 591-604.
- Langbein, J.O., Linker, M.F., and Tupper, D.L., 1987, Analysis of two color geodimeter measurements of deformation within the Long Valley Caldera; June 1983 to October 1985: Journal of Geophysical Research, v. 92, no. B9, p. 9423-9442.
- Lange, R.A., Carmichael, I.S.E., and Renne, P.R., 1993, Potassic volcanism near Mono Basin, California: Evidence for high water and oxygen fugacities inherited from subduction: Geology, v. 21, p. 949-952.
- Langston, C.A., and Hammer, J.K., 2001, The vertical component P-wave receiver function: Bulletin of the Seismological Society of America, v. 91, no. 6, p. 1805-1819.
- Le Conte, J., 1879, On the extinct volcanoes about Lake Mono and their relation to the glacial drift: American Journal of Science, v. 18, p. 35-44.
- Lee, C.H., 1912, An intensive study of the water resources of a part of Owens Valley, California: U.S. Geological Survey Water-Supply Paper 294, 0886-9308, 135 p.
- Lee, J., Rubin, C.M., and Calvert, A., 2001, Quaternary faulting history along the Deep Springs Fault, California: Geological Society of America Bulletin, v. 113, no. 7, p. 855-869.

- Lee, K., 1969, Infrared exploration for shoreline springs at Mono Lake, California, test site: Proceedings of the 6th international symposium on remote sensing of environment, v. 2, p. 1075-1100.
- Lee, K., 1969, Infrared exploration for shoreline springs at Mono Lake, California, test site: Stanford RSL Technical Report 69-7, 0272-2569, 196 p.
- Lee, K., 1969, Infrared exploration for shoreline springs; a contribution to the hydrogeology of Mono Basin (Mono county), California, Stanford University, Ph.D., 216 p.
- Lee, W.T., 1906, Geology and water resources of Owens Valley, California: U.S. Geological Survey Water-Supply Paper 181, 0886-9308, 28 p.
- Legros, F., Kelfoun, K., and Marti, J., 2000, The influence of conduit geometry on the dynamics of caldera-forming eruptions: Earth and Planetary Science Letters, v. 179, no. 1, p. 53-61.
- Leivas, E., and Bacon, C.F., 1982, Reconnaissance geothermal resource assessment of another 40 sites in California: California Division of Mines and Geology Open File Report 83-12, 0732-5754, 218 p.
- Levine, A.H., 1989, Ash-flow zones of the Bishop Tuff; detailed mapping with Landsat thematic mapper, Arizona State University, Master's, 162 p.
- Lewis, J.S., 1989, Pre-S phases recorded north of Long Valley Caldera; an investigation into their nature and geologic significance, University of Nevada, Master's, 336 p.
- Lewis, J.S., Peppin, W.A., and Coakley, J., 1988, Analysis of lateral crustal variations NW of Long Valley Caldera, California and their geological significance: Seismological Research Letters, v. 59, no. 1, p. 30-31.
- Lewis, R.E., 1974, Data on wells, springs, and thermal springs in Long Valley, Mono County, California: U.S. Geological Survey Open-File Report 74-1063, 68 p.
- Liddicoat, J.C., 1976, A paleomagnetic study of late Quaternary dry-lake deposits from the western United States and Basin of Mexico, University of California, Santa Cruz, Ph.D., 495 p.
- Liddicoat, J.C., 1990, Aborted reversal of the palaeomagnetic field in the Brunhes Normal Chron in east-central California: Geophysical Journal International, v. 102, no. 3, p. 747-752.
- Liddicoat, J.C., 1993, Matuyama/Brunhes polarity transition near Bishop, California: Geophysical Journal International, v. 112, no. 3, p. 497-506.

- Liddicoat, J.C., and Bailey, R.A., 1989, Short reversal of the palaeomagnetic field about 280,000 years ago at Long Valley, California, *in* Lowes, F.J., Collinson, D.W., Parry, J.H., Runcorn, S.K., Tozer, D.C., and Soward, A.M., eds., Proceedings of the NATO advanced study institute on geomagnetism and paleomagnetism, NATO Advanced Study Institutes Series; Mathematical and Physical Sciences, p. 137-153.
- Liddicoat, J.C., and Coe, R.S., 1979, Mono Lake geomagnetic excursion: Journal of Geophysical Research, v. 84, no. B1, p. 261-271.
- Liddicoat, J.C., Coe, R.S., and Glen, J.M., 1998, Record of the younger part of the Pringle Falls excursion at Long Valley, California: Geophysical Journal International, v. 135, no. 2, p. 663-670.
- Lide, C.S., 1984, Aftershocks of the May 1980 Mammoth Lakes, California, earthquakes, University of Nevada, Master's, 78 p.
- Lide, C.S., and Ryall, A.S., 1984, Relationship between aftershock locations and mechanisms of the May, 1980 Mammoth Lakes earthquakes, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 440-452.
- Lide, C.S., and Ryall, A.S., 1985, Aftershock distribution related to the controversy regarding mechanisms of the May 1980, Mammoth Lakes, California, earthquakes: Journal of Geophysical Research, v. 90, no. B13, p. 11,151-11,154.
- Lide, C.S., and Ryall, A.S., 1985, Aftershocks of the May 1980 Mammoth Lakes, California, earthquakes: DOE/NV/12082-1, 78 p.
- Linde, A.T., and Sacks, I.S., 1998, Triggering of volcanic eruptions: Nature, v. 395, no. 6705, p. 888-890.
- Linde, A.T., Sacks, I.S., Johnston, M.J.S., Hill, D.P., and Bilham, R.G., 1994, Increased pressure from rising bubbles as a mechanism for remotely triggered seismicity: Nature, v. 371, no. 6496, p. 408-410.
- Lindley, G.T., 1992, Modeling the Fourier amplitude spectrum of earthquakes; similarity, site effects, and the spatial variation of earthquake source parameters, University of California, Santa Barbara, Ph.D., 102 p.
- Lindley, G.T., and Archuleta, R.J., 1992, Earthquake source parameters and the frequency dependence of attenuation at Coalinga, Mammoth Lakes, and the Santa Cruz Mountains, California: Journal of Geophysical Research, v. 97, no. B10, p. 14,137-14,154.

- Linker, M.F., Langbein, J.O., and McGarr, A., 1986, Decrease in deformation rate observed by two color laser ranging in Long Valley Caldera: Science, v. 232, no. 4747, p. 213-216.
- Lipman, P.W., 1984, Structure of the Tertiary Questa Caldera, New Mexico; an eroded analog for current activity at Long Valley, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 851-885.
- Lipshie, S.R., 1974, Surficial and engineering geology of the Mammoth Creek area, Mono County, California, University of California, Los Angeles, Master's, 163 p.
- Lipshie, S.R., 1976, Geologic guidebook to the Long Valley Mono Craters region of eastern California: Geological Society of the University of California, Los Angeles field guide, 184 p.
- Loney, R.A., 1968, Flow structure and composition of the Southern Coulee, Mono Craters, California; a pumiceous rhyolite flow, *in* Coats, R.R., ed., Studies in volcanology-A memoir in honor of Howel Williams, Geological Society of America Memoir 116, p. 415-440.
- Long, C.L., 1985, Regional audiomagnetotelluric study of the Questa Caldera, New Mexico: Journal of Geophysical Research, v. 90, no. B13, p. 11,270-11,274.
- Lu, F., Anderson, A.T., Jr., and Davis, A.M., 1992, Melt inclusions and crystal-liquid separation in rhyolitic magma of the Bishop Tuff: Contributions to Mineralogy and Petrology, v. 110, p. 113-120.
- Luetgert, J.H., and Mooney, W.D., 1985, Crustal refraction profile of the Long Valley Caldera, California, from the January 1983 Mammoth Lakes earthquake swarm: Bulletin of the Seismological Society of America, v. 75, no. 1, p. 211-221.
- Lund, J.W., Lienau, P.J., and Culver, G.G., 1990, The current status of geothermal direct use and development in the United States update: 1985-1990: Transactions, Geothermal Resources Council, v. 14, no. 1-2, p. 277-291.
- Luth, W.C., and Hardee, H.C., 1980, Comparative assessment of five potential sites for hydrothermal-magma systems; summary: Department of Energy Report TIC-11303, 51 p.
- Lykov, V.I., Mostryukov, A.O., and Ruban, V.F., 2000, K voprosu o prirode deformatsiy kal'dery Long Valley (Severnaya Kaliforniya). Long Valley Caldera, Northern California; mechanism of deformation: Vulkanologiya i Seysmologiya, v. 2000, no. 4, p. 17-18.

- Lykov, V.I., Mostryukov, A.O., and Ruban, V.F., 2000, On the source of deformation of the Long Valley Caldera, Northern California: Volcanology and Seismology, v. 22, no. 4, p. 371-373.
- Lysne, P.C., and Jacobson, R., 1990, Scientific drilling in hydrothermal terrains: Scientific Drilling, v. 1, no. 4, p. 184-192.
- MacIntyre, S., and Romero, J.R., 2000, Predicting upwelling, boundary mixing, and nutrient fluxes in lakes, Verhandlungen - Internationale Vereinigung fuer Theoretische und Angewandte Limnologie = International Association of Theoretical and Applied Limnology 27th SIL Congress Proceedings, p. 246-250.
- Mader, G.G., Blair, M.L., and Olson, R.A., 1987, Living with a volcanic threat; response to volcanic hazards, Long Valley, California: Portola Valley, CA, William Spangle and Associates, 105 p.
- Madsen, D.B., Sarna-Wojcicki, A.M., and Thompson, R.S., 2002, A late Pleistocene tephra layer in the southern Great Basin and Colorado Plateau derived from Mono Craters, California: Quaternary Research, v. 57, no. 3, p. 382-390.
- Maggs, W.W., 1988, Report on a scientific investigation; scientists uncertain of causes of high levels of radiocarbon in Mono Lake: Earth in Space, v. 1, no. 1, p. 10-12.
- Mahood, G.A., 1990, A second reply to comments by R.S.J. Sparks, H.E. Huppert, and C.J.N. Wilson on "Evidence for long residence times of rhyolitic magma in the Long Valley magmatic system: The isotopic record in the precaldera lavas of Glass Mountain": Earth and Planetary Science Letters, v. 99, p. 395-399.
- Mahood, G.A., and Hildreth, W., 1983, Large partition coefficients for trace elements in high-silica rhyolites: Geochimica et Cosmochimica Acta, v. 47, no. 1, p. 11-30.
- Malloch, S.P., and Birman, J.H., 1984, Geohydrologic exploration of a portion of the Mammoth Mountain area, California: Mammoth Lakes, CA, Mammoth Mountain Ski Area, 21 p.
- Mangino, S.G., 1987, Teleseismic P-S_u wave form modeling for crustal structure beneath Mina, Nevada and beneath Long Valley and Calden, California, SUNY at Binghamton, Master's, 126 p.
- Mankinen, E.A., 1994, Preliminary geomagnetic paleointensities from Long Valley Caldera, California: U.S. Geological Survey Open-File Report 94-633, 17 p.
- Mankinen, E.A., and Gromme, C.S., 1981, Paleomagnetic secular variation recorded in volcanic rocks of Long Valley Caldera, California, U.S. Geological Survey Research in 1981, U.S. Geological Survey Professional Paper 1275, p. 140.

- Mankinen, E.A., Gromme, C.S., Dalrymple, G.B., Lanphere, M.A., and Bailey, R.A., 1986, Paleomagnetism and K-Ar ages of volcanic rocks from Long Valley Caldera, California: Journal of Geophysical Research, v. 91, no. B1, p. 633-652.
- Manley, C.R., 1992, Extended cooling and viscous flow of large, hot rhyolite lavas: implications of numerical modeling results: Journal of Volcanology and Geothermal Research, v. 53, p. 27-46.
- Manley, C.R., and Fink, J.H., 1987, Internal textures of rhyolite flows as revealed by research drilling: Geology, v. 15, no. 6, p. 549-552.
- Mariner, R.H., and Willey, L.M., 1976, Geochemistry of thermal waters in Long Valley, Mono County, California: Journal of Geophysical Research, v. 81, no. B5, p. 792-800.
- Marley, M.S., 1986, Localized measurements of geothermally enhanced heat flow through remote infrared imaging: Advances in planetary geology, NASA Technical Memorandum 88784, v. 2, p. 375-379.
- Marsan, D., Bean, C.J., Steacy, S., and McCloskey, J., 2000, Observation of diffusion processes in earthquake populations and implications for the predictability of seismicity systems: Journal of Geophysical Research, v. 105, no. B12, p. 28,081-28,094, doi:10.1029/2000JB900232, 2000.
- Marshall, G.A., Langbein, J., Stein, R.S., Lisowski, M., and Svarc, J., 1997, Inflation of Long Valley Caldera, California, Basin and Range strain, and possible Mono Craters' dike opening from 1990 to 1994 GPS surveys: Geophysical Research Letters, v. 24, no. 9, p. 1003-1006.
- Martin, R.C., 1982, Mammoth Lakes volcanic hazards workshop: California Geology, v. 35, no. 11, p. 244-245.
- Martini, B.A., 2002, New insights into the structural, hydrothermal, and biological systems of the Long Valley Caldera using hyperspectral imaging: Santa Cruz, CA, United States, University of California, Santa Cruz, Ph.D. thesis.
- Martini, B.A., Cochran, S.A., Potts, D.C., Silver, E.A., Pickles, W.L., Carter, M.R., Priest, R.E., Wayne, B.M., and White, W.T., III, 1999, Geobotanical characterization of a geothermal system using hyperspectral imagery; Long Valley Caldera, CA, USA: Proceedings of the thirteenth international conference; applied geologic remote sensing, v. 13, no. 1, p. 337-341.

- Martini, B.A., Silver, E.A., and Potts, D.C., 2000, Geological and geobotanical studies of Long Valley Caldera, CA, USA utilizing new 5 m hyperspectral imagery, *in* Stein, T.I., ed., IGARSS 2000; IEEE 2000 international geoscience and remote sensing symposium; Taking the pulse of the planet; the role of remote sensing in managing the environment; proceedings, vol. 2000, Vol. 4, International Geoscience and Remote Sensing Symposium, p. 1376-1378.
- Martini, B.A., Silver, E.A., and Potts, D.C., 2001, Hyperspectral remote sensing in Long Valley Caldera; issues of scale, resolution, and signal to noise, *in* Green, R.O., ed., Proceedings of the Tenth JPL airborne earth science workshop, AVIRIS earth science and applications workshop, Pasadena, United States, Report: 02-1, California Institute of Technology, Jet Propulsion Laboratory, Pasadena, CA, United States (USA), p. 275-282.
- Martini, B.A., Silver, E.A., Potts, D.C., and Pickles, W.L., 2000, Geological and geobotanical insights into the hydrothermal, structural, and magmatic systems of a restless caldera using three meter HyMap imagery; Long Valley Caldera, California, USA, Proceedings of the Fourteenth international conference on Applied geologic remote sensing, p. 28-35.
- Marzocchi, W., Vilardo, G., Hill, D.P., Ricciardi, G.P., and Ricco, C., 2001, Common features and peculiarities of the seismic activity at Phlegraean Fields, Long Valley, and Vesuvius: Bulletin of the Seismological Society of America, v. 91, no. 2, p. 191-205.
- Mastin, L.G., 1988, Stress, surface deformation, and phreatic eruptions above a shallow dike, Inyo Craters, Long Valley Caldera, California, Stanford University, Ph.D., 197 p.
- Mastin, L.G., 1991, The roles of magma and groundwater in the phreatic eruptions at Inyo Craters, Long Valley Caldera, California: Bulletin of Volcanology, v. 53, no. 8, p. 579-596.
- Mastin, L.G., and Pollard, D.D., 1988, Surface deformation and shallow dike intrusion processes at Inyo Craters, Long Valley, California: Journal of Geophysical Research, v. 93, no. 11, p. 13,221-13,235.
- Matlick, J.S., III, and Buseck, P.R., 1978, Exploration for geothermal areas using mercury; a new geochemical technique: Geothermal Energy, v. 6, no. 9, p. 15-23.
- Mavko, G.M., and Harp, E.L., 1984, Analysis of wave-induced pore pressure changes recorded during the 1980 Mammoth Lakes, California, earthquake sequence: Bulletin of the Seismological Society of America, v. 74, no. 4, p. 1394-1407.

- May, R.J., Dalrymple, G.B., and Wood, S.H., 1983, Thermoluminescence dating of silicic volcanic rocks: U.S. Geological Survey Professional Paper 1375, 0096-0446, 151 p.
- Mayeda, K.M., 1991, High frequency scattered S waves in the lithosphere; application of the coda method to the study of source, site and path effects, University of Southern California, Ph.D.
- Mayeda, K.M., Koyanagi, S., and Aki, K., 1991, Site amplification from S wave coda in the Long Valley Caldera region, California: Bulletin of the Seismological Society of America, v. 81, no. 6, p. 2194-2213.
- Mayeda, K.M., Koyanagi, S., Hoshiba, M., Aki, K., and Zeng, Y., 1992, A comparative study of scattering, intrinsic and coda Q⁻¹ for Hawaii, Long Valley, and Central California between 1.5 and 15.0 Hz: Journal of Geophysical Research, v. 97, no. B5, p. 6643-6659.
- Mayeda, K.M., Koyanagi, S., Hoshiba, M., Aki, K., and Zeng, Y., 1992, Correction to "A comparative study of scattering, intrinsic, and coda Q⁻¹ for Hawaii, Long Valley, and central California between 1.5 and 15.0 Hz": Journal of Geophysical Research, v. 97, no. B9, p. 12,425.
- Mayo, E.B., 1929, The geology of the Mammoth Lakes area, Mono County, California, Stanford University, Master's, 81 p.
- Mayo, E.B., 1930, Preliminary report on the geology of southwestern Mono County, California: Mining in California, v. 26, no. 4, p. 475-482.
- Mayo, E.B., 1934, Geology and mineral deposits of Laurel and Convict basins, southwestern Mono County, California: California Journal of Mines and Geology, v. 30, no. 1, p. 79-87.
- Mayo, E.B., 1934, The Pleistocene Long Valley Lake in eastern California: Science, v. 80, no. 2065, p. 95-96.
- Mayo, E.B., Conant, L.C., and Chelikowsky, J.R., 1936, Southern extension of the Mono Craters, California: American Journal of Science, v. 32, no. 188, p. 81-97.
- McCalpin, J.P., Berry, M.E., and Sarna-Wojcicki, A.M., 1998, Collaborative research with GEO-HAZ Consulting, Inc., and U. S. Geological Survey; interaction of volcanic and tectonic processes in the past 40,000 years near Long Valley Caldera: GEO-HAZ Consulting, Estes Park, CO, United States (USA) and USGSOP, 20 leaves p.

- McCann, D.L., and Guacci, G., 1986, Hydrogeology of the Mammoth Lakes area, Mono County, California, *in* Saint, P.K., ed., Hydrogeology of Southern California: Santa Fe Springs, CA, Comet Reprod., p. 63-67.
- McConnell, V.S., 1995, Hydrothermal history of the Long Valley Caldera, California; life after collapse, University of Alaska, Fairbanks, Ph.D., 238 p.
- McConnell, V.S., Eichelberger, J.C., Keskineau, M.J., and Layer, P.W., 1992, Geologic results from the Long Valley Exploratory Well: Proceedings of the U.S. Department of Energy Program Review, v. 10, p. 129-134.
- McConnell, V.S., Shearer, C.K., Eichelberger, J.C., Keskin, M.J., Layer, P.W., and Papike, J.J., 1995, Rhyolite intrusions in the intracaldera Bishop Tuff, Long Valley Caldera, California: Journal of Volcanology and Geothermal Research, v. 67, p. 41-60.
- McConnell, V.S., Valley, J.W., and Eichelberger, J.C., 1997, Oxygen isotope compositions of intracaldera rocks; hydrothermal history of the Long Valley Caldera, California: Journal of Volcanology and Geothermal Research, v. 76, no. 1-2, p. 83-109.
- McGee, K.A., Casadevall, T.J., Sato, M., Sutton, A.J., and Clark, M.D., 1982, Hydrogen gas monitoring at Long Valley Caldera, California: U.S. Geological Survey Open-File Report 82-930, 12 p.
- McGee, K.A., and Gerlach, T.M., 1998, Annual cycle of magmatic CO₂ in a tree-kill soil at Mammoth Mountain, California; implications for soil acidification: Geology, v. 26, no. 5, p. 463-466.
- McGee, K.A., Gerlach, T.M., Kessler, R., and Doukas, M.P., 2000, Geochemical evidence for a magmatic CO₂ degassing event at Mammoth Mountain, California, September-December 1997: Journal of Geophysical Research, v. 105, no. B4, p. 8447-8456, doi:10.1029/2000JB900009, 2000.
- McGee, K.A., and Sutton, A.J., 1990, A detailed study of the USGS reducing-gas sensor with field tests at Long Valley, California: U.S. Geological Survey Open-File Report 90-61, 0196-1497, 67 p.
- McJunkin, R.D., and Bedrossian, T.L., 1980, Mammoth Lakes earthquakes, May 25-27, 1980, Mono County, California: California Geology, v. 33, no. 9, p. 194-201.
- McKenzie, W.F., and Truesdell, A.H., 1975, Geothermal reservoir temperatures estimated from the oxygen isotope composition of dissolved sulfate and water from hot springs, Second United Nations symposium on the development and use of geothermal resources, Lawrence Berkeley Laboratory, University of California, Berkeley.

- McMechan, G.A., Luetgert, J.H., and Mooney, W.D., 1985, Imaging of earthquake sources in Long Valley Caldera, California, 1983: Bulletin of the Seismological Society of America, v. 75, no. 4, p. 1005-1020.
- McNitt, J.R., 1963, Exploration and development of geothermal power in California: California Division of Mines and Geology Special Report 75, 0527-0014, 45 p.
- McNutt, S., Hill, D., Estrem, J., and Savage, J., 1991, Long Valley, *in* Katsui, Y., Aramaki, S., Matsuo, S., Oshima, O., Tiba, T., and Sawada, Y., eds., Bulletin of Volcanic Eruptions for 1988: Tokyo, Volcanological Society of Japan, p. 100.
- McNutt, S.R., 1986, NEWT System: California Geology, v. 39, no. 3, p. 51-55.
- McNutt, S.R., 1989, Analysis of earthquake spectra from Long Valley, California, using the NEWT seismic system: California Division of Mines and Geology Open-File Report 89-6, 27 p.
- McNutt, S.R., 2000, Volcanic seismicity, *in* Sigurdsson, H., Houghton, B.F., McNutt, S.R., Rymer, H., and Stix, J., eds., Encyclopedia of volcanoes, p. 1000.
- McNutt, S.R., Bryant, W., and Wilson, R., 1991, Mono Lake earthquake of October 23, 1990: California Geology, v. 44, no. 2, p. 27-32.
- McNutt, S.R., Hill, D., Estrem, J., and Savage, J., 1991, Long Valley, *in* Katsui, Y., Aramaki, S., Matsuo, S., Oshima, O., Tiba, T., and Sawada, Y., eds., Bulletin of Volcanic Eruptions for 1988: Tokyo, Volcanological Society of Japan, p. 100.
- McNutt, S.R., and Martin, R., 1985, NEWT on the job; volcanic hazard monitoring gets serious: California Geology, v. 38, no. 4, p. 94-95.
- McNutt, S.R., and Martin, R., 1986, Volcanic hazards monitoring in California and preliminary analysis of NEWT system performance, *in* Keller, S.A.C., ed., Mount St. Helens; five years later: Cheney, WA, Eastern Washington University, p. 388-394.
- McPherson, R., 1999, Kids and rocks; using a family trip to capture young enthusiasm: Rock & Gem, v. 29, no. 5, p. 68-71.
- Meador, P.J., and Hill, D.P., 1983, Data report for the August 1982 seismic refraction experiment in the Mono Craters Long Valley region, California: U.S. Geological Survey Open-File Report 83-708, 55 p.
- Meador, P.J., Hill, D.P., and Luetgert, J.H., 1985, Data report for the July-August 1983 seismic refraction experiment in the Mono Craters Long Valley region, California: U.S. Geological Survey Open-File Report 85-708, 70 p.

- Meehan, J.F., 1983, Reconnaissance report of the January 1983 Mammoth Lakes earthquake swarm: Earthquake Engineering Research Institute Newsletter, v. 17, no. 2, p. 65-71.
- Merriam, R., and Bischoff, J.L., 1975, Bishop ash; a widespread volcanic ash extended to southern California: Journal of Sedimentary Petrology, v. 45, no. 1, p. 207-211.
- Metz, J.M., 1987, Physical and chemical evolution of Glass Mountain; pre-caldera high silica rhyolites from the Long Valley magma system, Stanford University, Ph.D., 224 p.
- Metz, J.M., and Bailey, R.A., 1993, Geologic map of Glass Mountain, Mono County, California: U.S. Geological Survey Miscellaneous Investigations Series MI-1995, 1:24,000, 0160-0753, p.
- Metz, J.M., and Mahood, G., 1984, Eruptive history of Glass Mountain, Long Valley, California; precursors to a large explosive eruption, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 41-75.
- Metz, J.M., and Mahood, G.A., 1985, Precursors to the Bishop Tuff eruption; Glass Mountain, Long Valley, California: Journal of Geophysical Research, v. 90, no. 13, p. 11,121-11,126.
- Metz, J.M., and Mahood, G.A., 1991, Development of the Long Valley, California, magma chamber recorded in precaldera rhyolite lavas of Glass Mountain: Contributions to Mineralogy and Petrology, v. 106, p. 379-397.
- Michael, P.J., 1983, Chemical differentiation of the Bishop Tuff and other high-silica magmas through crystallization processes: Geology, v. 11, no. 1, p. 31-34.
- Miller, C.D., 1984, Chronology and stratigraphy of recent eruptions at the Inyo chain, *in* Stine, S., Wood, S., Sieh, K., and Miller, C.D., eds., Holocene paleoclimatology and tephrochronology east and west of the central Sierran crest, "Pacific Cell", Friends of the Pleistocene, p. 88-96.
- Miller, C.D., 1984, Holocene eruptions at the Inyo volcanic chain, California; implications for possible eruptions in Long Valley Caldera, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 76-95.

- Miller, C.D., 1985, Holocene eruptions at the Inyo volcanic chain, California; implications for possible eruptions in Long Valley Caldera: Geology, v. 13, no. 1, p. 14-17.
- Miller, C.D., 1989, Potential hazards from future eruptions in California: U.S. Geological Survey Bulletin 1847, 17 p.
- Miller, C.D., Crandell, D.R., Mullineaux, D.R., Hoblitt, R.P., and Bailey, R.A., 1982, Preliminary assessment of potential volcanic hazards in the Long Valley Mono Lake area, east central California and southwestern Nevada: U.S. Geological Survey Open-File Report 82-583, 1:500,000, 1 p.
- Miller, C.D., Mullineaux, D.R., Crandell, D.R., and Bailey, R.A., 1982, Potential hazards from future volcanic eruptions in the Long Valley Mono Lake area, east central California and southwest Nevada; a preliminary assessment: U.S. Geological Survey Circular 877, 10 p.
- Miller, R.J., and Vasquez, R., 1988, Analysis of production and reservoir performance, Casa Diablo geothermal project, *in* Swanson, G., ed., Proceedings, Society of Petroleum Engineers of AIME; California Regional Meeting, p. 285-294.
- Miyazaki, Y., 1985, Analysis of aeromagnetic anomalies; mapping of Curie isothermal surface at Long Valley, California, Stanford University, Ph.D., 207 p.
- Miyazaki, Y., 1991, Analysis of potential data over Long Valley, California; 1, Regional structural model interpreted from integrated shaded relief map: Geophysical Exploration, v. 44, no. 5, p. 275-288.
- Miyazaki, Y., 1991, Analysis of potential data over Long Valley, California; 2, Mapping of Curie isothermal depth from aeromagnetic anomalies: Geophysical Exploration, v. 44, no. 5, p. 289-310.
- Miyazaki, Y., and Lyon, R.J.P., 1982, Analysis of airborne magnetic anomalies; determination of Curie depth for geothermal reconnaissance; (a progress report), *in* Morris-Jones, D.R., and Morgan, K.M., eds., Proceedings of the International Symposium on Remote Sensing of Environment, Second Thematic Conference, v. 1, p. 455-465.
- Moore, J.G., and Dodge, F.C.W., 1980, Late Cenozoic volcanic rocks of the southern Sierra Nevada, California; I, Geology and petrology: Geological Society of America Bulletin, v. 91, no. 9, p. I 515-518, II 1995-2038.
- Moos, D., and Zoback, M.D., 1993, State of stress in the Long Valley Caldera, California: Geology, v. 21, no. 9, p. 837-840.

- Morrin, R.H., Sorey, M.L., and Jacobson, R.D., 1993, Results of the flowmeter-injection test in the Long Valley exploratory well (Phase II), Long Valley, California: U.S. Geological Survey Water-Resources Investigations 93-4127, 0092-332X, 9 p.
- Morrison, H.F., and Nichols, E.A., 1987, Transfer function estimation for natural electromagnetic fields: Lawrence Berkeley Laboratory Earth Sciences Division Annual Report, p. 122-125.
- Mortensen, C.E., and Hopkins, D.G., 1987, Tiltmeter measurements in Long Valley Caldera, California: Journal of Geophysical Research, v. 92, no. 13, p. 13,767-13,776.
- Moslem, K., Amini, A., Kontic, B., Anderson, J.G., and Heaton, T.H., 1983, Accelerograms from the Mammoth Lakes, California earthquake sequence of May-July, 1980 recorded on a temporary array: University of Southern California, Department of Civil Engineering Report 83-01, 0731-7654, 64 p.
- Mueller, C.S., Spudich, P., Cranswick, E., and Archuleta, R., 1981, Preliminary analysis of digital seismograms from the Mammoth Lakes, California, earthquake sequence of May-June 1980: U.S. Geological Survey Open-File Report 81-155, 0196-1497, 223 p.
- Mueller, R.J., and Johnston, M.J.S., 1998, Review of magnetic field monitoring near active faults and volcanic calderas in California; 1974-1995: Physics of the Earth and Planetary Interiors, v. 105, no. 3-4, p. 131-144.
- Mueller, R.J., Johnston, M.J.S., and Langbein, J.O., 1991, Possible tectonomagnetic effect observed from mid-1989, to mid-1990, in Long Valley caldera, California: Geophysical Research Letters, v. 18, no. 4, p. 601-604.
- Mueller, R.J., Lee, M.-Y., Johnston, M.J.S., Borcherdt, R.D., Glassmoyer, G., and Silverman, S., 1995, Near real-time monitoring of seismic events and status of portable digital recorders using satellite telemetry: Bulletin of the Seismological Society of America, v. 85, no. 2, p. 604-645.
- Muffler, L.J.P., 1973, Geothermal Research in the U.S. Geological Survey: Geophysics, v. 38, no. 1, p. 185-186.
- Muffler, L.J.P., and Williams, D.L., 1976, Geothermal investigations of the U.S. Geological Survey in Long Valley, California, 1972-1973: Journal of Geophysical Research, v. 81, no. 5, p. 721-724.
- Mukhopadhyay, B., 2002, Water-rock interactions in the basement beneath Long Valley Caldera; an oxygen isotope study of the Long Valley Exploratory Well drill cores: Journal of Volcanology and Geothermal Research, v. 116, no. 3-4, p. 325-359.

- Myren, G.D., and Johnston, M.J.S., 1989, Borehole dilatometer installation, operation and maintenance at sites along the San Andreas Fault, California: U.S. Geological Survey Open-File Report 89-349, 0196-1497, 127 p.
- Nakamura, K., 1984, Three different mechanisms for elongate distribution of shallow earthquake epicenters, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 482-492.
- Nathenson, M., 1986, Assessment of geothermal resources of the United States: Transactions, Geothermal Resources Council, v. 16, p. 99-124.
- Negi, J.G., Dimri, V.P., and Garde, S.C., 1973, Ambiguity assessment of gravity interpretation for an inhomogeneous multilayered sedimentary basin: Journal of Geophysical Research, v. 78, no. 17, p. 3281-3286.
- Nelson, G.D., 1990, Studies of California crustal seismicity; patterns of earthquake clustering in the Mammoth Lakes region, California; a study of coda Q variations (1980-1987) in the vicinity of the 1986 Mt. Lewis earthquake; earthquake location by 3-D finite difference travel times, University of California, Santa Cruz, Ph.D., 130 p.
- Nelson, P.H., Mikesell, J.L., and Kibler, J.E., 1992, Geophysical logging of cored section in the Long Valley exploration well, Long Valley, California: U.S. Geological Survey Open-File Report 92-544, 13 p.
- Newhall, C.G., 1999, Volcano warnings, *in* Sigurdsson, H., Houghton, B., McNutt, S.R., Rymer, H., and Stix, J., eds., Encyclopedia of volcanoes: San Francisco, Academic Press, p. 1185-1197.
- Newhall, C.G., and Dzurisin, D., 1988, Historical unrest at large calderas of the world: U.S. Geological Survey Bulletin 1855, 0364-4510, 1108 p.
- Newhall, C.G., and Dzurisin, D., 1989, Caldera unrest: Science, v. 245, no. 4923, p. 1167.
- Newhall, C.G., Dzurisin, D., and Mullineaux, L.S., 1984, Historical unrest at large Quaternary calderas of the world, with special reference to Long Valley, California, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 714-742.

- Newman, A.V., Dixon, T.H., Ofoegbu, G.I., and Dixon, J.E., 2001, Geodetic and seismic constraints on recent activity at Long Valley Caldera, California; evidence for viscoelastic rheology: Journal of Volcanology and Geothermal Research, v. 105, no. 3, p. 183-206.
- Newman, S., Epstein, S., and Stolper, E., 1988, Water, carbon dioxide, and hydrogen isotopes in glasses from the ca. 1340 A.D. eruption of the Mono Craters, California; constraints on degassing phenomena and initial volatile content: Journal of Volcanology and Geothermal Research, v. 35, no. 1-2, p. 75-96.
- Newton, M.S., 1991, Holocene stratigraphy and magnetostratigraphy of Owens and Mono lakes, eastern California, University of Southern California, Ph.D.
- Noble, D.C., Korringa, M.K., Hedge, C.E., and Riddle, G.O., 1972, Highly differentiated subalkaline rhyolite from Glass Mountain, Mono County, California: Geological Society of America Bulletin, v. 83, no. 4, p. 1179-1184.
- Nowaczyk, N.R., and Knies, J., 2000, Magnetostratigraphic results from the eastern Arctic Ocean; AMS (super 14) C ages and relative palaeointensity data of the Mono Lake and Laschamp geomagnetic reversal excursions: Geophysical Journal International, v. 140, no. 1, p. 185-197.
- O'Doherty, K.B., Bean, C.J., and McCloskey, J., 1997, Coda wave imaging of the Long Valley Caldera using a spatial stacking technique: Geophysical Research Letters, v. 24, no. 13, p. 1547-1550.
- Oliver, H.W., Robbins, S.L., Pakiser, L.C., and Kane, M.F., 1973, Gravity data for 525 stations in Long Valley and vicinity, California: NTIS Report PB-?, 20 p.
- Onken, J., 1991, The effect of microenvironmental temperature variations on the hydration of late Holocene Mono Craters volcanic ashes from east-central California, University of Arizona, Master's, 12 p.
- Oremland, R.S., 1993, Methane in Mono Lake, California, *in* Kelmelis, J.A., and Snow, K.M., eds., First U.S. Geological Survey global change research forum: U.S. Geological Survey Circular 1086, p. 103-104.
- Oremland, R.S., Dowdle, P.R., Hoeft, S., Sharp, J.O., Schaefer, J.K., Miller, L.G., Switzer Blum, J., Smith, R.L., Bloom, N.S., and Wallschlaeger, D., 2000, Bacterial dissimilatory reduction of arsenate and sulfate in meromictic Mono Lake, California: Geochimica et Cosmochimica Acta, v. 64, no. 18, p. 3073-3084.

Overbye, D., 1982, Waiting for the volcano: Discover, v. 3, no. 10, p. 18-22.

- Oviatt, C.G., Thompson, R.S., Kaufman, D.S., Bright, J., and Forester, R.M., 1999, Reinterpretation of the Burmester Core, Bonneville Basin, Utah: Quaternary Research, v. 52, no. 2, p. 180-184.
- Oxburgh, R., Broecker, W.S., and Wanninkhof, R.H., 1991, The carbon budget of Mono Lake: Global Biogeochemical Cycles, v. 5, no. 4, p. 359-372.
- Page, E.A., 1977, Mapping seismic activity in geothermal regions: Transactions, Geothermal Resources Council, v. 1, p. 239-240.
- Pakiser, L.C., Jr., 1961, Gravity, volcanism, and crustal deformation in Long Valley, California: U.S. Geological Survey Professional Paper 424-B, p. 250-253.
- Pakiser, L.C., Jr., 1964, A gravity study of Long Valley, *in* Rinehart, C.D., and Ross, D.C., eds., Geology and mineral deposits of the Mount Morrison quadrangle, Sierra Nevada, California, U.S. Geological Survey Professional Paper 385, p. 85-89.
- Pakiser, L.C., Jr., 1968, Seismic evidence for the thickness of Cenozoic deposits in Mono Basin, California: Geological Society of America Bulletin, v. 79, no. 12, p. 1833-1838.
- Pakiser, L.C., Jr., 1970, Reply to comment on "Structure of Mono Basin, California": Journal of Geophysical Research, v. 75, no. 20, p. 4083.
- Pakiser, L.C., Jr., 1970, Structure of the Mono Basin, California: Journal of Geophysical Research, v. 75, p. 4077-4080.
- Pakiser, L.C., Jr., 1976, Seismic exploration of Mono Basin, California: Journal of Geophysical Research, v. 81, no. 20, p. 3607-3618.
- Pakiser, L.C., Jr., Kane, M.F., and Jackson, W.H., 1964, Structural geology and volcanism of Owens Valley region, California; a geophysical study: U.S. Geological Survey Professional Paper 438, 68 p.
- Pakiser, L.C., Jr., Press, F., and Kane, M.F., 1960, Geophysical investigation of Mono Basin, California: Geological Society of America Bulletin, v. 71, no. 4, p. 415-447.
- Palmer, H.C., and MacDonald, W.D., 1999, Anisotropy of magnetic susceptibility in relation to source vents of ignimbrites; empirical observations: Tectonophysics, v. 307, no. 1-2, p. 207-218.
- Palmer, H.C., MacDonald, W.D., Gromme, C.S., and Ellwood, B.B., 1996, Magnetic properties and emplacement of the Bishop Tuff, California: Bulletin of Volcanology, v. 58, no. 2-3, p. 101-116.

- Panning, M., Dreger, D., and Tkalcic, H., 2001, Near-source velocity structure and isotropic moment tensors; a case study of the Long Valley Caldera: Geophysical Research Letters, v. 28, no. 9, p. 1815-1818, doi:10.1029/2000GL012389, 2000.
- Park, S.K., and Torres, V.C., 1988, A systematic approach to the interpretation of magnetotelluric data in volcanic environments with applications to the quest for magma in Long Valley, California: Journal of Geophysical Research, v. 93, no. 11, p. 13,265-13,283.
- Park, S.K., Torres-Verdin, C., and Morrison, H.F., 1988, Three-dimensional interpretation of magnetotelluric data in Long Valley, California: Earth Sciences Division Annual Report 1987, Lawrence Berkeley Laboratory, Energy and Environment Division Report LBL 24200, p. 125-129.
- Pellerin, L.D., and Hohmann, G.W., 1990, Transient electromagnetic inversion; a remedy for magnetotelluric static shifts: Geophysics, v. 55, no. 9, p. 1242-1250.
- Peng, J.Y., Aki, K., Chouet, B., Johnson, P., Lee, W.H.K., Marks, S., Newberry, J.T., Ryall, A.S., Stewart, S.W., and Tottingham, D.M., 1987, Temporal change in coda Q associated with the Round Valley, California, earthquake of November 23, 1984: Journal of Geophysical Research, v. 92, no. 5, p. 3507-3526.
- Peppard, B.T., Steele, I.M., Davis, A.M., Wallace, P.J., Anderson, A.T., Wallace, P.J., and Anderson, A.T., 2001, Zoned quartz phenocrysts from the rhyolitic Bishop Tuff: American Mineralogist, v. 86, no. 9, p. 1034-1052.
- Peppin, W.A., 1991, The effects of site response on source parameters deduced for the 1980 Long Valley, California earthquake sequence: Geophysical Research Letters, v. 18, no. 10, p. 1905-1908.
- Peppin, W.A., 1998, Peak ground accelerations recorded at Long Valley Caldera, California and at Guerrero, Mexico; the effects of site versus the effects of differing tectonic environments: University of Nevada, Seismological Laboratory, Reno, NV, United States (USA), p.
- Peppin, W.A., Delaplain, T.W., and Lewis, J.S., 1989, Pre-S observations at station SLK, NW of Long Valley Caldera, California, and their relation to possible magma bodies: Bulletin of the Seismological Society of America, v. 79, no. 6, p. 1894-1904.
- Peppin, W.A., Honjas, W., Delaplain, T.W., and Vetter, U.R., 1989, The case for a shallow crustal anomalous zone (magma body?) near the south end of Hilton Creek Fault, California, including new evidence from an interpretation of pre-S arrivals: Bulletin of the Seismological Society of America, v. 79, no. 3, p. 805-812.

- Peppin, W.A., Honjas, W., Somerville, M., and Vetter, U.R., 1989, Precise master event locations of aftershocks of the 4 October 1978 Wheeler Crest earthquake sequence near Long Valley, California: Bulletin of the Seismological Society of America, v. 79, no. 1, p. 67-76.
- Peppin, W.A., and Okal, E.A., 1987, Exotic seismic phases recorded near Mammoth Lakes and their use in the delineation of shallow-crustal (magma?) anomalies: Pure and Applied Geophysics, v. 125, p. 1009-1023.
- Peterson, J.E., Jr., Majer, E.L., and McEvilly, T.V., 1983, Monitoring Long Valley seismicity on line and in real time with the ASP: Earth Sciences, v. 6, no. 3, p. 1, 5-8.
- Piccoli, P.M., and Candela, P.A., 1994, Apatite in felsic rocks: A model for the estimation of initial halogen concentrations in the Bishop Tuff (Long Valley) and Tuolumne Intrusive Suite (Sierra Nevada batholith) magmas: American Journal of Science, v. 294, p. 92-135.
- Pickles, W.L., Kasameyer, P.W., Martini, B.A., Potts, D.C., and Silver, E.A., 2001, Geobotanical remote sensing for geothermal exploration, Geothermal energy for the Americas; Geothermal Resources Council 2001 annual meeting. Transactions-Geothermal Resources Council, vol.25, p. 307-312.
- Pinter, N., 1995, Faulting on the volcanic tableland, Owens Valley, California: Journal of Geology, v. 103, no. 1, p. 73-83.
- Pinter, N., and Keller, E.A., 1995, Geomorphological analysis of neotectonic deformation, northern Owens Valley, California: Geologische Rundschau, v. 84, no. 1, p. 200-212.
- Pitt, A.M., and Hill, D.P., 1994, Long-period earthquakes in the Long Valley Caldera region, eastern California: Geophysical Research Letters, v. 21, no. 16, p. 1679-1682.
- Pitt, A.M., Hill, D.P., Walter, S.W., and Johnson, M.J.S., 2002, Midcrustal, Long-period Earthquakes beneath Northern California Volcanic Areas: Seismological Research Letters, v. 73, no. 2, p. 144-152.
- Pitt, A.M., and Steeples, D.W., 1975, Microearthquakes in the Mono Lake-northern Owens Valley, California, region from September 28 to October 18, 1970: Bulletin of the Seismological Society of America, v. 65, no. 4, p. 835-844.

- Pollard, D.D., Fink, J.H., and Delaney, P.T., 1984, Igneous dikes at Long Valley, CA; emplacement mechanisms and associated geologic structures, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 130-146.
- Ponko, S.C., and Sanders, C.O., 1994, Inversion for P and S wave attenuation structure, Long Valley Caldera, California: Journal of Geophysical Research, v. 99, no. B2, p. 2619-2636.
- Prato, C.A., and Matheu, E.E., 1991, Simplified seismic analysis of embankment dams; canyon wall configuration: Journal of Geotechnical Engineering, v. 117, no. 11, p. 1802-1808.
- Prejean, S., 2002, The interaction of tectonic and magmatic processes in the Long Valley Caldera, California: Stanford, CA, United States, Stanford University, Ph.D. thesis, 131 p.
- Prejean, S., and Ellsworth, W.L., 2001, Observations of earthquake source parameters at 2 km depth in the Long Valley Caldera, eastern California: Bulletin of the Seismological Society of America, v. 91, no. 2, p. 165-177.
- Prejean, S., Ellsworth, W.L., Zoback, M., and Waldhouser, F., 2002, Fault structure and kinematics of the Long Valley Caldera region, CA, revealed by high-accuracy earthquake hypocenters and focal mechanism stress inversions: Journal of Geophysical Research, v. 107, no. B12, p. 2355, doi:10.1029/2001JB001168, 2002.
- Prejean, S., Stork, A., Ellsworth, W.L., Hill, D.P., and Julian, B.R., 2003, High precision earthquake locations reveal seismogenic structure beneath Mammoth Mountain, California: Geophysical Research Letters, v. 30, no. 24, p. 4 pp., doi:10.1029/2003GL018334, 2003.
- Pribnow, D.F.C., Schütze, C., Hurter, S.J., Flechsig, C., and Sass, J.H., 2003, Fluid flow in the resurgent dome of Long Valley Caldera: implications from thermal data and deep electrical sounding: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 329-345.
- Priest, S.S., Sass, J.H., Ellsworth, W.L., Farrar, C.D., Sorey, M.L., Hill, D.P., Bailey, R.A., Jacobson, R.D., Finger, J.T., McConnell, V.S., and Zoback, M.D., 1998, Scientific drilling in Long Valley, California; what will we learn?: U. S. Geological Survey Fact Sheet FS 077-98, 2 p.
- Priestley, K.F., 1985, Source mechanism, surface wave excitation, and M_b-M_s analysis of the Mammoth Lakes earthquakes, *in* Kerr, A.U., ed., The VELA Program; a twenty-five year review of basic research, Exec. Graphic Serv., p. 929-941.

- Priestley, K.F., Brune, J.N., and Anderson, J.G., 1985, Surface wave excitation and source mechanisms of the Mammoth Lakes earthquake sequence: Journal of Geophysical Research, v. 90, no. 13, p. 11,177-11,185.
- Priestley, K.F., Smith, K.D., and Cockerham, R.S., 1988, The 1984 Round Valley, California earthquake sequence: Geophysical Journal of the Royal Astronomical Society, v. 95, no. 2, p. 215-235.
- Proctor, R.J., 1996, Greatest diversity of geologic features in a tunnel: The Professional Geologist, v. 33, no. 12, p. 18.
- Putnam, W.C., 1937, Geology of the Mono Craters, California, California Institute of Technology, Ph.D., 206 p.
- Putnam, W.C., 1938, The Mono Craters California: Geographical Review, v. 28, no. 1, p. 68-82.
- Putnam, W.C., 1944, The evolution of a Sierran [California] landscape, Science in the university: Berkely, University of California Press, p. 113-127.
- Putnam, W.C., 1949, Quaternary geology of the June Lake District, California: Geological Society of America Bulletin, v. 60, no. 8, p. 1281-1302.
- Putnam, W.C., 1950, Moraine and shoreline relationships at Mono Lake, California: Geological Society of America Bulletin, v. 61, no. 2, p. 115-122.
- Putnam, W.C., 1960, Origin of Rock Creek and Owens River Gorges, Mono County, California: University of California Publications in Geological Sciences, v. 34, no. 5, p. 221-279.
- Putnam, W.C., 1962, Late Cenozoic geology of McGee Mountain, Mono County, California: University of California Publications in Geological Sciences, v. 40, no. 3, p. 181-207.
- Pyle, D.M., 1993, Volcanology; geochemical hazard indicators: Nature, v. 362, no. 6423, p. 787-788.
- Quilty, E.G., Farrar, C.D., Galloway, D.L., Hamlin, S.N., Laczniak, R.J., Roeloffs, E.A., Sorey, M.L., and Woodcock, D.E., 1995, Hydrologic effects associated with the January 17, 1994 Northridge, California, earthquake: U. S. Geological Survey Open-File Report 95-0813, p. 47.
- Ragan, D.M., and Sheridan, M.F., 1972, Compaction of the Bishop Tuff, California: Geological Society of America Bulletin, v. 83, no. 1, p. 95-106.

- Rahn, T.A., Fessenden, J.E., and Wahlen, M., 1996, Flux chamber measurements of anomalous CO₂ emission from the flanks of Mammoth Mountain, California: Geophysical Research Letters, v. 23, no. 14, p. 1861-1864.
- Raumann, C.G., Stine, S., Evans, A., and Wilson, J., 2002, Digital bathymetric model of Mono Lake, California: U. S. Geological Survey Miscellaneous Field Studies Map Report MF-2393, 9 pp., 2 sheets p.
- Reches, Z., and Fink, J., 1988, The mechanism of intrusion of the Inyo Dike, Long Valley Caldera, California: Journal of Geophysical Research, v. 93, no. 5, p. 4321-4334.
- Reheis, M.C., Slate, J.L., Sarna-Wojcicki, A.M., and Meyer, C.E., 1993, A late Pliocene to middle Pleistocene pluvial lake in Fish Lake valley, Nevada and California: Geological Society of America Bulletin, v. 105, no. 7, p. 953-967.
- Reheis, M.C., Stine, S., and Sarna-Wojcicki, A., 2002, Drainage reversals in Mono Basin during the late Pliocene and Pleistocene: Geological Society of America Bulletin, v. 114, no. 8, p. 991-1006.
- Reid, J.B., Jr, Reynolds, J.L., Connolly, N.T., Getz, S.L., Polissar, P.J., Winship, L.J., and Hainsworth, L.J., 1998, Carbon isotopes in aquatic plants, Long Valley Caldera, California as records of past hydrothermal and magmatic activity: Geophysical Research Letters, v. 25, no. 15, p. 2853-2856, doi:10.1029/98GL01854, 1998.
- Reid, J.B., Jr., 1992, The Owens River as a tiltmeter for Long Valley Caldera, California: Journal of Geology, v. 100, no. 3, p. 353-363.
- Reid, M.R., and Coath, C.D., 2000, In situ U-Pb ages of zircons from the Bishop Tuff; no evidence for long crystal residence times: Geology, v. 28, no. 5, p. 443-446.
- Reid, M.R., and Ramos, F.C., 1996, Chemical dynamics of enriched mantle in the Southwestern United States; thorium isotope evidence: Earth and Planetary Science Letters, v. 138, no. 1-4, p. 67-81.
- Reyer, F., 1886, Zwei profile durch die Sierra Nevada: Neues Jahrbuch fur Mineralogie, Geologie und Palaeontologie, Abhandlungen, Abteilung A: Mineralogie, Petrographie, p. 291-326.
- Ridgway, J.R., Minster, J.B., Williams, N., Bufton, J.L., and Krabill, W.B., 1997, Airborne laser altimeter survey of Long Valley, California: Geophysical Journal International, v. 131, no. 2, p. 267-280.
- Rieger, T., 1992, Calcareous tufa formations; Searles Lake and Mono Lake: California Geology, v. 45, no. 4, p. 99-109.

- Rihn, B., 1983, Kinemetrics/Caltech participation in the Long Valley tests of July 1983, *in* Meyer, R.P., and Mereu, R.F., eds., Proceedings of the workshop on portable digital seismograph development: Madison, WI, University of Wisconsin, Department of Geology and Geophysics, p. 116-120.
- Rinehart, C.D., and Huber, N.K., 1965, The Inyo Crater Lakes; a blast in the past: Mineral Information Service, v. 18, no. 9, p. 169-172.
- Rinehart, C.D., and Ross, D.C., 1956, Economic geology of the Casa Diablo Mountain Quadrangle, California: California Division of Mines and Geology Special Report 48, 1:62,500, p. 1-17.
- Rinehart, C.D., and Ross, D.C., 1957, Geology of the Casa Diablo Mountain Quadrangle, California: U.S. Geological Survey Geologic Quadrangle Map GQ-99, 1:62,500, 0375-8117, p.
- Rinehart, C.D., and Ross, D.C., 1964, Geology and mineral deposits of the Mount Morrison Quadrangle, Sierra Nevada, California: U.S. Geological Survey Professional Paper 385, 106 p.
- Rinehart, C.D., Smith, W.C., and Smith, G., eds., 1982, Earthquakes and young volcanoes, along the eastern Sierra Nevada at Mammoth Lakes 1980, Lone Pine 1872, Inyo and Mono craters: Los Altos, CA, William Kaufmann, 62 p.
- Rinehart, D., 1976, Geologic story, *in* Smith, G., Rinehart, D., Vestal, E., and Willard, B.E., eds., Mammoth Lakes Sierra; a handbook for roadside and trail (4 ed.): Palo Alto, Genny Smith Books, p. 73-84.
- Rinehart, J.S., 1975, Faulting in geothermal areas: Geothermal Energy, v. 3, no. 12, p. 7-24.
- Ring, J.H., 2000, Young volcanism in western Long Valley Caldera, California; (1) Hazards due to lahars and block-and-ash flows at Mammoth Mountain; (2) Contemporaneous mafic and silicic eruptions during the past 160 Ka at Long Valley Caldera, California; implications of new ⁴⁰Ar/³⁹Ar eruption ages for current volcanic hazard; (3) Evidence for magma mixing from petrography and electron microprobe analyses: Stanford, CA, United States, Stanford University, Master's Thesis.
- Rintoul, B., 1992, Geothermal update: Pacific Oil and Gas World, v. 84, no. 2, p. 4-7.
- Roberts, C.W., Jachens, R.C., and Morin, R.L., 1988, High precision stations for monitoring gravity changes in Long Valley Caldera, California: U.S. Geological Survey Open-File Report 88-50, 19 p.

- Roberts, C.W., Sikora, R.F., and Jachens, R.C., 1987, Principal facts for 548 new gravity stations in the Long Valley Caldera and vicinity, California: U.S. Geological Survey Open-File Report 87-77, 20 p.
- Robie, R.B., 1981, Ground water; a perspective: Proceedings of the thirteenth biennial conference on ground water; California Water Resources Center Report 53, p. 155-161.
- Roche, O., and Druitt, T.H., 2001, Onset of caldera collapse during ignimbrite eruptions: Earth and Planetary Science Letters, v. 191, no. 3-4, p. 191-202.
- Roeloffs, E., Sneed, M., Galloway, D.L., Sorey, M.L., Farrar, C.D., Howle, J.F., and Hughes, J., 2003, Water-level changes induces by local and distant earthquakes at Long Valley caldera, California: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 269-303.
- Rogers, K.L., and Larson, E.E., 1992, Pliocene and Pleistocene sedimentation in southcentral Colorado: Oppurtunity for climate studies: Quaternary International, v. 13-14, p. 15-18.
- Rogie, J.D., Kerrick, D.M., Sorey, M.L., Chiodini, G., and Galloway, D.L., 2001, Dynamics of carbon dioxide emission at Mammoth Mountain, California: Earth and Planetary Science Letters, v. 188, no. 3-4, p. 535-541.
- Rojstaczer, S., 1987, Intermediate period response of water wells to crustal strain; sensitivity and noise level, *in* Aki, K., Stuart, W.D., and Jacobson, M.L., eds., Proceedings of Conference XXXVII; a workshop on physical and observational basis for intermediate-term earthquake prediction, U.S. Geological Survey Open-File Report 87-591, p. 141-193.
- Romero, A.E., Jr., McEvilly, T.V., Majer, E.L., and Michelini, A., 1993, Velocity structure of the Long Valley Caldera from the inversion of local earthquake P and S travel times: Journal of Geophysical Research, v. 98, no. B11, p. 19,869-19,880.
- Rose, T.P., Criss, R.E., and Rossman, G.R., 1994, Irradiative coloration of quartz and feldspars with application to preparing high-purity mineral separates: Chemical Geology, v. 114, no. 1-2, p. 185-189.
- Rundle, J.B., 1985, Models for volcanic processes in Long Valley California; testing by continental drilling, *in* Raleigh, C.B., ed., Observation of the continental crust through drilling I: New York, Springer-Verlag, p. 88-96.
- Rundle, J.B., and Eichelberger, J.C., 1983, Continental scientific drilling at Long Valley Mono Craters: Eos, Transactions, American Geophysical Union, v. 64, no. 2, p. 12-15.

- Rundle, J.B., Elbring, G.J., Striker, R.P., Finger, J.T., Carson, C.C., Walck, M.C.,
 Ellsworth, W.L., Hill, D.P., Malin, P., Tono, E., Robertson, M., Kuhlman, S.,
 McEvilly, T., Clymer, R., Smithson, S.B., Deemer, S., Johnson, R., Henyey, T.,
 Hauksson, E., Leary, P., McCraney, J., and Kissling, E., 1984, Seismic imaging in
 Long Valley, California, by surface and borehole techniques; an investigation of
 active tectonics: Eos, Transactions, American Geophysical Union, v. 66, no. 18, p.
 194-201.
- Rundle, J.B., and Hill, D.P., 1988, The geophysics of a restless caldera; Long Valley, California: Annual Review of Earth and Planetary Sciences, v. 16, p. 251-271.
- Rundle, J.B., and Whitcomb, J.A., 1984, A model for deformation in Long Valley, California, 1980-1983, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 584-616.
- Rundle, J.B., and Whitcomb, J.H., 1984, A model for deformation in Long Valley, California, 1980-1983: Journal of Geophysical Research, v. 89, no. B11, p. 9371-9380.
- Rundle, J.B., and Whitcomb, J.H., 1986, Modeling gravity and trilateration data in Long Valley, California, 1983-1984: Journal of Geophysical Research, v. 91, no. 12, p. 12,675-12,682.
- Russell, I.C., 1889, Part 1; Quaternary history of Mono Valley, California: United States Geological Survey Annual Report, v. 8, p. 261-394.
- Russell, I.C., 1897, Volcanoes of North America, a reading lesson for students of geography and geology: New York, Publisher unknown, 346 p.
- Ryall, A.S., Jr., and Ryall, F., 1980, Spatial-temporal variations in the seismicity preceding the May, 1980, Mammoth Lakes, California, earthquakes, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 27-39.
- Ryall, A.S., Jr., and Ryall, F., 1981, Spatial-temporal variations in seismicity preceding the May 1980, Mammoth Lakes, California, earthquakes: Bulletin of the Seismological Society of America, v. 71, no. 3, p. 747-760.
- Ryall, A.S., Jr., and Ryall, F., 1983, Spasmodic tremor and possible magma injection in Long Valley Caldera, eastern California: Science, v. 219, no. 4591, p. 1432-1433.
- Ryall, F., and Ryall, A.S., Jr., 1981, Attenuation of P and S waves in a magma chamber in Long Valley Caldera, California: Geophysical Research Letters, v. 8, no. 6, p. 557-560.

- Rydelek, P.A., Zuern, W., Sacks, I.S., and Linde, A., 1991, Tidal measurements with a Sacks-Evertson borehole strainmeter at Mammoth Lakes, California, *in* Kakkuri, J., ed., Proceedings of the eleventh international symposium on Earth tides: Helsinki, Finland, p. 103-112.
- Ryder, R.A., and Casias, R.C., 1985, Geothermal wastewater treatment and disposal: Proceedings of the Industrial Waste Conference, v. 39, p. 875-891.
- Ryerson, F.J., and Harrison, T.M., 1990, Degassing of argon from microclines within the thermal aureole of the Obsidian Dome conduit, Long Valley Caldera, California; constraints on emplacement history: Journal of Geophysical Research, v. 95, no. B3, p. 2781-2792.
- Rymer, H., and Brown, G.C., 1986, Gravity fields and the interpretation of volcanic structures; geological discrimination and temporal evolution: Journal of Volcanology and Geothermal Research, v. 27, no. 3-4, p. 229-254.
- Sackett, P.C., McConnell, V.S., Roach, A.L., Priest, S.S., and Sass, J.H., 1999, Long Valley Coring Project, Inyo County, California, 1998; preliminary stratigraphy and images of recovered core: U. S. Geological Survey Open-File Report 99-158, 1 disc, p.
- Salmassi, T.M., Venkateswaren, K., Satomi, M., Nealson, K.H., Newman, D.K., and Hering, J.G., 2002, Oxidation of arsenite by Agrobacterium albertimagni, AOL15, sp. nov., isolated from Hot Creek, California: Geomicrobiology Journal, v. 19, no. 1, p. 53-66.
- Saltikov, C.W., 2001, Diversity of the ars operon in arsenic resistant bacteria: Irvine, CA, United States, University of California, Irvine, Ph.D. thesis.
- Sampson, D.E., 1986, A field and geochemical study of the Inyo volcanic chain, eastern California, University of California, Santa Cruz, Master's, 38 p.
- Sampson, D.E., 1987, Textural heterogeneities and vent area structures in the 600-yearold lavas of the Inyo volcanic chain, eastern California, *in* Fink, J.H., ed., The emplacement of silicic domes and lava flows, Geological Society of America, Special Paper 212, p. 89-101.
- Sampson, D.E., and Cameron, K.L., 1987, The geochemistry of the Inyo volcanic chain; multiple magma systems in the Long Valley region, eastern California: Journal of Geophysical Research, v. 92, no. 10, p. 10,403-10,421.
- Sanders, C.O., 1984, Location and configuration of magma bodies beneath Long Valley, California, determined from anomalous earthquake signals: Journal of Geophysical Research, v. 89, no. 10, p. 8287-8302.

- Sanders, C.O., 1984, Location and configuration of magma bodies beneath Long Valley, California, determined from anomalous earthquake signals, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 221-247.
- Sanders, C.O., 1993, Reanalysis of S-to-P amplitude ratios for gross attenuation structure, Long Valley Caldera, California: Journal of Geophysical Research, v. 98, no. 12, p. 22,069-22,079.
- Sanders, C.O., and Nixon, L.D., 1995, S-wave attenuation in Long Valley Caldera, California, from three-component S-to-P amplitude ratio data: Journal of Geophysical Research, v. 100, no. B7, p. 12,395-12,404.
- Sanders, C.O., Ponko, S.C., Nixon, L.D., and Schwartz, E.A., 1995, Seismological evidence for magmatic and hydrothermal structure in Long Valley Caldera from local earthquake attenuation and velocity tomography: Journal of Geophysical Research, v. 100, no. B5, p. 8311-8326.
- Sanders, C.O., and Ryall, F., 1983, Geometry of magma bodies beneath Long Valley, California, determined from anomalous earthquake signals: Geophysical Research Letters, v. 10, no. 8, p. 690-692.
- Sarna-Wojcicki, A.M., Bowman, H.R., Meyer, C.E., Russell, P.C., Woodward, M.J., McCoy, G., Rowe, J.J., Jr., Baedecker, P.A., Asaro, F., and Michael, H., 1984, Chemical analyses, correlations, and ages of upper Pliocene and Pleistocene ash layers of east-central and Southern California: U.S. Geological Survey Professional Paper 1293, 0096-0446, 40 p.
- Sarna-Wojcicki, A.M., Lajoie, K.R., Meyer, C.E., Adam, D.P., and Rieck, H.J., 1991, Tephrochronology correlation of upper Neogene sediments along the Pacific margin, conterminous United States, *in* Morrison, R.B., ed., Quaternary nonglacial geology; conterminous U.S., The geology of North America, v. K-2, p. 117-140.
- Sarna-Wojcicki, A.M., Morrison, S.D., Meyer, C.E., and Hillhouse, J.W., 1987, Correlation of upper Cenozoic tephra layers between sediments of the Western United States and eastern Pacific Ocean and comparison with biostratigraphic and magnetostratigraphic age data: Geological Society of America Bulletin, v. 98, no. 2, p. 207-223.
- Sarna-Wojcicki, A.M., Pringle, M.S., and Wijbrans, J., 2000, New ⁴⁰Ar/³⁹Ar age of the Bishop Tuff from multiple sites and sediment rate calibration for the Matuyama-Brunhes boundary: Journal of Geophysical Research, v. 105, no. B9, p. 21,431-21,443, doi:10.1029/2000JB900091, 2000.

- Sasada, M., 1987, Research on magma-hydrothermal systems in Continental Scientific Drilling Program: Soil Mechanics and Foundation Engineering, v. 35, no. 6, Series 353, p. 7-12.
- Sasagawa, G.S., 1989, Instrument validation and application of an absolute gravity meter in Long Valley and California, University of California, San Diego, Ph.D., 177 p.
- Sasagawa, G.S., and Zumberge, M.A., 1991, Absolute gravity measurements in California, 1984-1989: Journal of Geophysical Research, v. 96, no. B2, p. 2501-2513.
- Sass, J.H., Finger, J., and McConnel, V., 1997, The Long Valley coring project: Geothermal Resources Council Bulletin, v. 27, no. 2, p. 44-46.
- Sass, J.H., Lachenbruch, A.H., and Munroe, R.J., 1974, Thermal data from heat flow test wells near Long Valley, California: U.S. Geological Survey Open-File Report 74-1090, 46 p.
- Savage, B., Ji, C., and Helmberger, D.V., 2003, Velocity variations in the uppermost mantle beneath the southern Sierra Nevada and Walker Lane: Journal of Geophysical Research, v. 108, no. B7, p. 2325, doi:10.1029/2001JB001393, 2003.
- Savage, J.C., 1988, Principal component analysis of geodetically measured deformation in Long Valley Caldera, eastern California, 1983-1987: Journal of Geophysical Research, v. 93, no. B11, p. 13,297-13,305.
- Savage, J.C., and Clark, M.M., 1982, Magmatic resurgence in Long Valley Caldera, California; possible cause of the 1980 Mammoth Lakes earthquakes: Science, v. 217, no. 4559, p. 531-533.
- Savage, J.C., and Clark, M.M., 1983, Geodetic strain near Mammoth Lakes, California:: U.S. Geological Survey Professional Paper 1375, 206 p.
- Savage, J.C., Cockerham Robert, S., Estrem, J.E., and Moore, L.R., 1987, Deformation near the Long Valley Caldera, eastern California, 1982-1986: Journal of Geophysical Research, v. 92, no. 3, p. 2721-2746.
- Savage, J.C., and Cockerham, R.S., 1984, Earthquake swarm in Long Valley Caldera, California, January 1983; evidence for dike inflation: Journal of Geophysical Research, v. 89, no. 10, p. 8315-8324.
- Savage, J.C., and Cockerham, R.S., 1984, Earthquake swarm in Long Valley Caldera, California, January 1983; evidence for dike injection, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 541-583.

- Savage, J.C., and Cockerham, R.S., 1987, Quasi-periodic occurrence of earthquakes in the 1978-1986 Bishop-Mammoth Lakes sequence, eastern California: Bulletin of the Seismological Society of America, v. 77, no. 4, p. 1347-1358.
- Savage, J.C., and Lisowski, M., 1980, Deformation in Owens Valley, California: Bulletin of the Seismological Society of America, v. 70, no. 4, p. 1225-1232.
- Savage, J.C., and Lisowski, M., 1984, Deformation in the White Mountain seismic gap, California Nevada, 1972-1982: Journal of Geophysical Research, v. 89, no. 9, p. 7671-7687.
- Savage, J.C., and Lisowski, M., 1995, Strain accumulation in Owens Valley, California, 1974 to 1988: Bulletin of the Seismological Society of America, v. 85, no. 1, p. 151-158.
- Savage, J.C., Lisowski, M., Estrem, J.E., and Castle, R.O., 1985, Deformation of Long Valley Caldera, eastern California, 1983-1984: U.S. Geological Survey Open-File Report 85-41, 16 p.
- Savage, J.C., Lisowski, M., Prescott, W.H., and King, N.E., 1981, Strain accumulation near the epicenters of the 1978 Bishop and 1980 Mammoth Lakes, California, earthquakes: Bulletin of the Seismological Society of America, v. 71, no. 2, p. 465-476.
- Savage, M.K., Peppin, W.A., and Vetter, U.R., 1990, Shear wave anisotropy and stress direction in and near Long Valley Caldera, California, 1979-1988: Journal of Geophysical Research, v. 95, no. B7, p. 11,165-11,177.
- Scholl, D.W., 1966, Mono Lake tufa pinnacles, Guidebook along the east-central front of the Sierra Nevada, Geological Society of Sacramento Annual Field Trip Guide, p. 19-21.
- Scholl, D.W., and Taft, W.H., 1964, Algae, contributors to the formation of calcareous tufa, Mono Lake, California: Journal of Sedimentary Petrology, v. 34, no. 2, p. 309-319.
- Scholl, D.W., vonHuene, R., and Saint-Amand, P., 1966, Geology of Mono Lake, Guidebook along the east-central front of the Sierra Nevada, Geological Society of Sacramento Annual Field Trip Guide, p. 22-44.
- Scholl, D.W., vonHuene, R., Saint-Amand, P., and Ridlon, J.B., 1967, Age and origin of topography beneath Mono Lake, a remnant Pleistocene lake, California: Geological Society of America Bulletin, v. 78, no. 5, p. 583-599.

- Scholz, C.H., Dawers, N.H., Yu, J.Z., and Anders, M.H., 1993, Fault growth and fault scaling laws; preliminary results: Journal of Geophysical Research, v. 98, no. B12, p. 21,951-21,961.
- Schütze, C., and Flechsig, C., 2002, Structural investigations of an active hydrothermal system beneath the Long Valley Caldera, California, using DC-resistivity imaging methods: Zeitschrift für Geologische Wissenschaften, v. 30, no. 1-2, p. 119-129.
- Schwartz, E.A., 1993, Three-dimensional variations in the compressional to shear wave velocity ratio for Long Valley Caldera, California, Arizona State University, Master's, 118 p.
- Schweickert, R.A., and Lahren, M.M., 1999, Triassic caldera at Tioga Pass, Yosemite National Park, California; structural relationships and significance: Geological Society of America Bulletin, v. 111, no. 11, p. 1714-1722.
- Seale, S.H., and Archuleta, R.J., 1988, Site effects at McGee Creek, California, *in* Von Thun, J.L., ed., Earthquake engineering and soil dynamics II; recent advances in ground motion evaluation: New York, American Society of Civil Engineers, p. 173-187.
- Seeley, M.W., and West, D.O., 1990, Approach to geologic hazard zoning for regional planning, Inyo National Forest, California and Nevada: Bulletin of the Association of Engineering Geologists, v. 27, no. 1, p. 23-35.
- Setmire, J.G., 1984, Water-quality appraisal, Mammoth Creek and Hot Creek, Mono County, California: U.S. Geological Survey Water Resources Investigations 84-4060, 0092-332X, 50 p.
- Sharp, R.P., 1968, Sherwin Till-Bishop Tuff geological relationships, Sierra Nevada, California: Geological Society of America Bulletin, v. 79, no. 3, p. 351-363.
- Sharp, R.P., and Birman, J.H., 1963, Additions to classical sequence of Pleistocene glaciations, Sierra Nevada, California: Geological Society of America Bulletin, v. 74, no. 8, p. 1079-1086.
- Shaw, D.M., and Sturchio, N.C., 1992, Boron lithium relationships in rhyolites and associated thermal waters of young silicic calderas, with comments on incompatible element behaviour: Geochimica et Cosmochimica Acta, v. 56, no. 10, p. 3723-3731.
- Shaw, H.R., 1984, A note on links between magma-tectonic rate balances, plutonism and volcanism, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 886-942.

- Shaw, H.R., 1985, Links between magma tectonic rate balances, plutonism, and volcanism: Journal of Geophysical Research, v. 90, no. 13, p. 11,275-11,288.
- Shearman, D., 1998, The Mono Lake tufas and ikaite columns of Ikka Fjord, Greenland: Geoscientist, v. 8, no. 1, p. 4-5, 8.
- Shearman, D.J., McGugan, A., Stein, C., and Smith, A.J., 1989, Ikaite, CaCO₃.6H₂O, precursor of the thinolites in the Quaternary tufas and tufa mounds of the Lahontan and Mono Lake basins, western United States: Geological Society of America Bulletin, v. 101, no. 7, p. 913-917.
- Sheehan, J.R., 1987, Tectonic overview of Owens Valley region, *in* Gath, E.M., Gregory, J.L., Sheehan, J.R., Baldwin, E.J., and Hardy, J.K., eds., Geology and mineral wealth of the Owens Valley region, California, Annual Field Trip Guidebook, South Coast Geological Society, p. 138-144.
- Sherburne, R.W., ed., 1980, Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, 141 p.
- Sherburne, R.W., 1980, A note on the Mammoth Lakes, California earthquake clearinghouse, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980: Sacramento, California Division of Mines and Geology Special Report 150, p. 41-48.
- Sheridan, M.F., 1965, The mineralogy and petrology of the Bishop Tuff (Pleistocene of California), Stanford University, Ph.D., 193 p.
- Sheridan, M.F., 1968, Double cooling-unit nature of the Bishop Tuff in Owens Gorge, California, Geological Society of America Special Paper 115, p. 351.
- Sheridan, M.F., 1970, Fumarolic mounds and ridges of the Bishop Tuff, California: Geological Society of America Bulletin, v. 81, no. 3, p. 851-867.
- Sheridan, M.F., 1975, Tectonic displacement of the Bishop Tuff: A Field Guide to Cenozoic deformation along the Sierra Nevada Province and Basin and Range Province boundary: California Geology, v. 28, no. 5, p. 107-110.
- Sheridan, M.F., 1978, Owens Valley; a major rift between the Sierra Nevada Batholith and Basin and Range Province, U.S.A, *in* Ramberg, I.B., and Neumann, E.R., eds., Tectonics and geophysics of continental rifts; Volume two of the proceedings of the NATO Advanced Study Institute Paleorift Systems with emphasis on the Permian Oslo Rift, p. 81-88.
- Sheridan, M.F., 1979, Emplacement of pyroclastic flows: A review, *in* Chapin, C.E., and Elston, W.E., eds., Ash-flow tuffs, Geological Society of America Special Paper 180, p. 125-136.

- Sheridan, M.F., 1988, Morphology of the Bishop Tuff: Reports of Planetary Geological and Geophysics Program, 1987, NASA Technical Memorandum 4041, p. 365-366.
- Sheridan, M.F., and Fink, J.H., 1987, NASA field workshop on ignimbrites and domes, Mammoth Lakes, California: Reports of Planetary Geological and Geophysics Program, NASA Technical Memorandum 4041, 567 p.
- Sheridan, M.F., and Marshall, J.R., 1983, Interpretation of pyroclast surface features using SEM images: Journal of Volcanology and Geothermal Research, v. 16, no. 1-2, p. 153-159.
- Sheridan, M.F., and Moore, C.B., 1981, Carbon, nitrogen, and sulfur variation in the Bishop Tuff, California: Lithos, v. 14, no. 1, p. 23-27.
- Sherman, D., 2000, The mystery of petroglyphs: California Geology, v. 53, no. 1, p. 22-26.
- Shevenell, L.A., Goff, F., Grigsby, C.O., Janik, C.J., Trujillo, P.E., and Counce, D., 1987, Chemical and isotopic characteristics of thermal fluids in the Long Valley Caldera lateral flow system, California: Transactions, Geothermal Resources Council, v. 11, p. 195-201.
- Shih, X.R., 1990, Seismic anisotropy in the Earth's crust inferred from shear wave splitting, University of Wisconsin, Ph.D., 125 p.
- Shih, X.R., and Meyer, R.P., 1990, Observation of shear wave splitting from natural events; south moat of Long Valley Caldera, California, June 29 to August 12, 1982: Journal of Geophysical Research, v. 95, no. B7, p. 11,179-11,195.
- Sieh, K., 1984, Most recent eruptions of the Mono Craters, eastern central California, *in* Stine, S., Wood, S., Sieh, K., and Miller, C.D., eds., Holocene paleoclimatology and tephrochronology east and west of the central Sierran crest, "Pacific Cell", Friends of the Pleistocene, p. 53-74.
- Sieh, K., and LeVay, S., 1998, The Earth in turmoil; earthquakes, volcanoes, and their impact on humankind: New York, W.H. Freeman, 324 p.
- Sieh, K.E., 1984, Most recent eruptions of the Mono Craters, eastern central California, in Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 96-129.

- Sieh, K.E., and Bursik, M.I., 1986, Most recent eruption of the Mono Craters, eastern central California: Journal of Geophysical Research, v. 91, no. B12, p. 12,539-12,571.
- Silverman, S.A., 1997, Interactive display of geologic features and hazards of the Mono Basin; Long Valley region, California: U.S. Geological Survey Open-File Report 97-458, 0196-1497, p.
- Simila, G.W., and Roquemore, G.R., 1987, Earthquake history of the Owens Valley region, *in* Gath, E.M., Gregory, J.L., Sheehan, J.R., Baldwin, E.J., and Hardy, J.K., eds., Geology and mineral wealth of the Owens Valley region, California; Annual Field Trip Guidebook: Santa Ana, South Coast Geological Society, p. 145-156.
- Simkin, T., and Siebert, L., 1994, Volcanoes of the world: Tuscon, Geoscience Press, 349 p.
- Simon, C., 1983, A giant's troubled sleep: Science News, v. 124, no. 3, p. 40-43.
- Sinclair, S.L., 1988, A field study of the nearshore groundwater system of Mono Lake, University of California, Santa Cruz, Master's, 119 p.
- Sipkin, S.A., 1986, Interpretation of non-double-couple earthquake mechanisms derived from moment tensor inversion: Journal of Geophysical Research, v. 91, no. B1, p. 531-547.
- Skirius, C.M., 1990, Pre-eruptive H₂O and CO₂ content of plinian and ash-flow Bishop Tuff magma, University of Chicago, Ph.D., 237 p.
- Skirius, C.M., Peterson, J.W., and Anderson, A.T., Jr., 1990, Homogenizing rhyolitic glass inclusions from the Bishop Tuff: American Mineralogist, v. 75, p. 1381-1398.
- Skokan, C.K., 1993, Overview of electromagnetic methods applied in active volcanic areas of Western United States: Journal of Volcanology and Geothermal Research, v. 56, no. 3, p. 309-318.
- Smailbegovic, A., Taranik, J.V., and Calvin, W.M., 2001, Preliminary results of hydrothermal alteration assemblage classification in Aurora and Bodie mining districts, Nevada and California, with airborne hyperspectral data, *in* Green, R.O., ed., Proceedings of the Tenth JPL airborne earth science workshop, JPL Publication, Report: 02-1, p. 367-374.
- Smith, A.T., 1984, High-resolution microseismicity study of possible magmatic intrusion in the Long Valley Caldera, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 527-540.

- Smith, B.M., and Suemnicht, G.A., 1991, Oxygen isotope evidence for past and present hydrothermal regimes of Long Valley Caldera, California: Journal of Volcanology and Geothermal Research, v. 48, no. 3-4, p. 319-339.
- Smith, E.I., 1973, Mono Craters, California; A new interpretation of the eruptive sequence: Geological Society of America Bulletin, v. 84, no. 2, p. 2685-2690.
- Smith, G., Rinehart, D., Vestal, E., and Willard, B.E., 1976, Mammoth Lakes Sierra; a handbook for roadside and trail (4 ed.): Palo Alto, CA, Genny Smith Books, 147 p.
- Smith, J.L., Isselhardt, C.F., and Matlick, J.S., 1977, Summary of 1976 geothermal drilling; western United States: Geothermal Energy, v. 5, no. 5, p. 8-17.
- Smith, J.L., and Rex, R.W., 1977, Drilling results from eastern Long Valley Caldera: Conference on Energy and Mineral Resource Recovery, American Nuclear Society, p. 529-540.
- Smith, K.D., and Priestley, K.F., 1988, The foreshock sequence of the 1986 Chalfant, California, earthquake: Bulletin of the Seismological Society of America, v. 78, no. 1, p. 172-187.
- Smith, K.D., and Priestley, K.F., 2000, Faulting in the 1986 Chalfant, California, sequence; local tectonics and earthquake source parameters: Bulletin of the Seismological Society of America, v. 90, no. 4, p. 813-831.
- Smith, P.E., Evensen, N.M., and York, D., 2000, Under the volcano; a new dimension in Ar-Ar dating of volcanic ash: Geophysical Research Letters, v. 27, no. 5, p. 585-588, doi:10.1029/1999GL008451, 2000.
- Smith, P.J., 1989, On restless calderas: Geology Today, v. 5, no. 5, p. 171-174.
- Smith, R.L., and Bailey, R.A., 1968, Resurgent cauldrons, *in* Coats, R.R., ed., Studies in volcanology-A memoir in honor of Howel Williams, Geological Society of America Memoir 116, p. 613-662.

Snow, E.A., 1987, Selected studies in mineral kinetics, Brown University, Ph.D., 180 p.

- Snow, E.A., and Yund, R.A., 1985, Thermal history of a Bishop Tuff section as determined from the width of cryptoperthite lamellae: Geology, v. 13, no. 1, p. 50-53.
- Snow, E.A., and Yund, R.A., 1988, Origin of cryptoperthites in the Bishop Tuff and their bearing in its thermal history: Journal of Geophysical Research, v. 93, no. B8, p. 8975-8984.

- Soles, S., 1993, Age of the Tahoe Moraine at Bloody Canyon, Mono County, California, based on tephrochronology, San Jose State University, Master's, 166 p.
- Sommer, C.R., Kuby, M.J., and Bloomquist, G., 2003, The spatial economics of geothermal district energy in a small, low-density town; a case study of Mammoth Lakes, California: Geothermics, v. 32, no. 1, p. 3-19.
- Song, X., 1995, Atmospheric forcing effects on volcanic degassing at Colima, Long Valley, and Kilauea, Florida International University, Master's, 137 p.
- Sorey, M.L., 1975, Potential effects of geothermal development on springs at the Hot Creek Fish Hatchery in Long Valley, Calif: U.S. Geological Survey Open-File Report 75-637, 8 p.
- Sorey, M.L., 1976, A model of the hydrothermal system of Long Valley Caldera, California, *in* Kruger, P., and Ramey, H.J., Jr., eds., Second workshop on geothermal reservoir engineering; summaries: Stanford, CA., Stanford University, p. 324-338.
- Sorey, M.L., 1984, Evolution and present state of the hydrothermal system in Long Valley Caldera, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 617-658.
- Sorey, M.L., 1985, Evolution and present state of the hydrothermal system in Long Valley Caldera: Journal of Geophysical Research, v. 90, no. 13, p. 11,219-11,228.
- Sorey, M.L., 1985, Present state of the hydrothermal system in Long Valley Caldera, California: Transactions, Geothermal Resources Council, v. 9, no. 1, p. 485-490.
- Sorey, M.L., 1996, Hazards; CO₂ emissions at Mammoth Mountain, California, U.S. Geological Survey Yearbook, 1995, p. 17-18.
- Sorey, M.L., and Clark, M.D., 1981, Changes in the discharge characteristics of thermal springs and fumaroles in the Long Valley Caldera, California, resulting from earthquakes on May 25-27, 1980: U.S. Geological Survey Open-File Report 81-203, 25 p.
- Sorey, M.L., Evans, B., Kennedy, M., Rogie, J., and Cook, A., 1999, Magmatic gas emissions from Mammoth Mountain: California Geology, v. 52, no. 5, p. 4-16.
- Sorey, M.L., Evans, W.C., Kennedy, B.M., Farrar, C.D., Hainsworth, L.J., and Hausback, B., 1998, Carbon dioxide and helium emissions from a reservoir of magmatic gas beneath Mammoth Mountain, California: Journal of Geophysical Research, v. 103, no. B7, p. 15,303-15,323.

- Sorey, M.L., and Farrar, C.D., 1985, Long Valley, California; a caldera under stress: Proceedings of the 7th New Zealand geothermal workshop, v. 7, p. 133-137.
- Sorey, M.L., and Farrar, C.D., 1992, A conceptual model of the hydrothermal system in Long Valley Caldera, California, USA, *in* Kharaka, Y.K., and Maest, A.S., eds., Proceedings of the 7th International Symposium on Water rock Interaction; Volume 2, Moderate and high temperature environments, p. 1357-1362.
- Sorey, M.L., and Farrar, C.D., 1998, Changes in surficial features associated with geothermal development in Long Valley caldera, California, 1985-1997, Transactions Geothermal Resource Council 22, Geothermal Resource Council, p. 61-63.
- Sorey, M.L., and Farrar, C.D., 1998, Hydrologic and chemical data from the Long Valley Hydrologic Advisory Committee Monitoring Program in Long Valley Caldera, Mono County, California, 1988-1997: U.S. Geological Survey Open-File Report 98-70, 0196-1497, 49 p.
- Sorey, M.L., Farrar, C.D., Evans, W.C., Hill, D.P., Bailey, R.A., Hendley, J.W., II, and Stauffer, P.H., 1996, Invisible CO₂ gas killing trees at Mammoth Mountain, California: U.S. Geological Survey Fact Sheet 172-96, 2 p.
- Sorey, M.L., Farrar, C.D., Gerlach, T.M., McGee, K.A., Evans, W.C., Colvard, E.M., Hill, D.P., Bailey, R.A., Rogie, J.D., Hendley, J.W., II, and Stauffer, P.H., 2000, Invisible CO₂ gas killing trees at Mammoth Mountain, California: U. S. Geological Survey Fact Sheet FS 0172-96, 2 p.
- Sorey, M.L., Farrar, C.D., and Marshall, G.A., 1993, Hydrologic and topographic changes in Long Valley caldera, California, induced by geothermal development 1985-1992., Proceedings: 15th New Zealand Geothermal Workshop, p. 149-154.
- Sorey, M.L., Farrar, C.D., Marshall, G.A., and Howle, J.F., 1995, Effects of geothermal development on deformation in the Long Valley Caldera, eastern California, 1985-1994: Journal of Geophysical Research, v. 100, no. B7, p. 12,475-12,486.
- Sorey, M.L., Hill, D.P., and McConnell, V.S., 2000, Scientific drilling in Long Valley Caldera, California; an update: California Geology, v. 53, no. 1, p. 4-11.
- Sorey, M.L., Kennedy, B.M., Evans, W.C., Farrar, C.D., and Suemnicht, G.A., 1993, Helium isotope and gas discharge variations associated with crustal unrest in Long Valley Caldera, California, 1989-1992: Journal of Geophysical Research, v. 98, no. B9, p. 15,871-15,890.

- Sorey, M.L., and Lewis, R.E., 1976, Convective heat flow from hot springs in the Long Valley Caldera, Mono County, California: Journal of Geophysical Research, v. 81, no. 5, p. 785-791.
- Sorey, M.L., Lewis, R.E., and Olmsted, F.H., 1977, The hydrothermal system of Long Valley Caldera, California: U.S. Geological Survey Open-File Report 77-347, 188 p.
- Sorey, M.L., Lewis, R.E., and Olmsted, F.H., 1978, The hydrothermal system of Long Valley Caldera, California: U.S. Geological Survey Professional Paper 1044-A, 60 p.
- Sorey, M.L., McConnell, V.S., and Roeloffs, E., 2003, Summary of recent research in Long Valley Caldera: Journal of Volcanology and Geothermal Research, v. 127, no. 3-4, p. 165-173.
- Sorey, M.L., Suemnicht, G.A., Sturchio, N.C., and Nordquist, G.A., 1991, New evidence on the hydrothermal system in Long Valley Caldera, California, from wells, fluid sampling, electrical geophysics, and age determinations of hot spring deposits: Journal of Volcanology and Geothermal Research, v. 48, no. 3-4, p. 229-263.
- Sparks, R.S.J., Huppert, H.E., and Wilson, C.J.N., 1990, Comment on "Evidence for long residence times of rhyolitic magma in the Long Valley magmatic system: the isotopic record in precaldera lavas of Glass Mountain": Earth and Planetary Science Letters, v. 99, p. 387-389.
- Spudich, P., Clark, M.M., and Wieczorek, G., 1983, Mammoth Lake, California, earthquake studies: U.S. Geological Survey Professional Paper 1375, p. 214-215.
- Spudich, P., Cranswick, E., Fletcher, J., Harp, E., Mueller, C., Navarro, R., Sarmiento, J., Vinton, J., and Warrick, R., 1981, Acquisition of digital seismograms during the Mammoth Lakes, California, earthquake sequence of May-June 1980: U.S. Geological Survey Open-File Report 81-38, 0196-1497, 86 p.
- Stanley, W.D., Jackson, D.B., and Zohdy, A.A.R., 1974, Preliminary results of deep electrical studies in the Long Valley Caldera, Mono and Inyo counties, California: U.S. Geological Survey Open-File Report 74-1098, 62 p.
- Stanley, W.D., Jackson, D.B., and Zohdy, A.A.R., 1976, Deep electrical investigations in the Long Valley geothermal area, California: Journal of Geophysical Research, v. 81, no. 5, p. 810-820.
- Steck, L.K., 1986, Q structure beneath the Mono Craters-Long Valley region, University of California, Santa Barbara, Master's, 34 p.

- Steck, L.K., 1991, Array analysis of three-component teleseismic P and P coda waves for crustal structure at Long Valley Caldera, California, University of California, Santa Barbara, Ph.D., 130 p.
- Steck, L.K., 1995, Simulated annealing inversion of teleseismic P wave slowness and azimuth for crustal velocity structure at Long Valley Caldera: Geophysical Research Letters, v. 22, no. 4, p. 497-500.
- Steck, L.K., and Prothero, W.A., Jr., 1988, P to S converted wave observations at Long Valley Caldera: Geophysical Research Letters, v. 15, no. 12, p. 1433-1436.
- Steck, L.K., and Prothero, W.A., Jr., 1989, Seismic calibration using the Simplex algorithm: Bulletin of the Seismological Society of America, v. 79, no. 5, p. 1618-1628.
- Steck, L.K., and Prothero, W.A., Jr., 1991, A 3-D raytracer for teleseismic body wave arrival times: Bulletin of the Seismological Society of America, v. 81, no. 4, p. 1332-1339.
- Steck, L.K., and Prothero, W.A., Jr., 1993, Observations of direct P-wave slowness and azimuth anomalies for teleseisms recorded in Long Valley Caldera, California: Bulletin of the Seismological Society of America, v. 83, no. 5, p. 1391-1419.
- Steck, L.K., and Prothero, W.A., Jr., 1994, Crustal structure beneath Long Valley Caldera from modeling of teleseismic P wave polarizations and P-S converted waves: Journal of Geophysical Research, v. 99, no. B4, p. 6881-6898.
- Steck, L.K., Prothero, W.A., Jr., and Scheimer, J., 1989, Site-dependent coda Q at Mono Craters, California: Bulletin of the Seismological Society of America, v. 79, no. 5, p. 1559-1574.
- Steeples, D.W., 1975, Teleseismic P delays in geothermal exploration with application to Long Valley, California, Stanford University, Ph.D., 237 p.
- Steeples, D.W., and Iyer, H.M., 1976, Low-velocity zone under Long Valley as determined from teleseismic events: Journal of Geophysical Research, v. 81, no. 5, p. 849-860.
- Steeples, D.W., and Pitt, A.M., 1976, Microearthquakes in and near Long Valley, California: Journal of Geophysical Research, v. 81, no. 5, p. 841-847.
- Stephens, J.C., and Hering, J.G., 2002, Comparative characterization of volcanic ash soils exposed to decade-long elevated carbon dioxide concentrations at Mammoth Mountain, California: Chemical Geology, v. 186, no. 3-4, p. 301-313.

- Stine, S.W., 1981, A reinterpretation of the 1857 surface elevation of Mono Lake: California Water Resources Center Report 52, 0575-4968, 41 p.
- Stine, S.W., 1984, Late Holocene lake level fluctuations and island volcanism at Mono Lake, California, Geological guide to Aspen Valley, Mono Lake, Mono Craters, and Inyo Craters: Palo Alto, CA., Genny Smith Books, p. 21-49.
- Stine, S.W., 1987, Mono Lake; the past 4,000 years, University of California, Berkeley, Ph.D., 732 p.
- Stine, S.W., 1990, Late Holocene fluctuations of Mono Lake, eastern California: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 78, no. 3-4, p. 333-381.
- Stormer, J.C., Jr., and Whitney, J.A., 1985, Two feldspar and iron titanium oxide equilibria in silicic magmas and the depth of origin of large volume ash flow tuffs: American Mineralogist, v. 70, no. 1-2, p. 52-64.
- Stroujkova, A., and Malin, P.E., 2001, Multiple ruptures for Long Valley microearthquakes; a link to volcanic tremor?: Journal of Volcanology and Geothermal Research, v. 106, no. 1-2, p. 123-143.
- Stroujkova, A.F., 2000, A study of microseismotectonics and earthquake sources in Long Valley Caldera, California: Durham, NC, United States, Duke University, Ph.D. thesis.
- Stroujkova, A.F., and Malin, P.E., 2000, A magma mass beneath Casa Diablo? Further evidence from reflected seismic waves: Bulletin of the Seismological Society of America, v. 90, no. 2, p. 500-511.
- Stroujkova, A.F., and Malin, P.E., 2002, Moment-tensor statistics of the 1997 Long Valley microearthquake swarm: Journal of Seismology, v. 6, no. 1, p. 69-85.
- Suemnicht, G.A., 1987, Results of deep drilling in the western moat of Long Valley, California: Eos, Transactions, American Geophysical Union, v. 68, no. 40, p. 785, 798.
- Suemnicht, G.A., and Varga, R.J., 1988, Basement structure and implications for hydrothermal circulation patterns in the western moat of Long Valley Caldera, California: Journal of Geophysical Research, v. 93, no. B11, p. 13,191-13,207.
- Summa, L.L., and Verosub, K.L., 1992, Trace element mobility during early diagenesis of volcanic ash; applications to stratigraphic correlation: Quaternary International, v. 13-14, p. 149-157.
- Sun, M., 1987, Trouble ahead for exotic Mono Lake: Science, v. 237, no. 4816, p. 716-717.

- Surono, S., 1992, Etude des phenomenes physiques observes lors d'une intrusion magmatique; cas du volcan Kelut (1990) et de la Caldeira de Long Valley (1990) [Study of physical phenomena observed during a magmatic intrusion; case of the Kelut Volcano (1990) and of the Long Valley Caldera (1990)], Universite de Chambery, Ph.D., 18 p.
- Sutton, A.J., 1986, A chromatographic system for the analysis of selected light gases in geothermal and volcanic systems: U.S. Geological Survey Open-File Report 87-13, 12 p.
- Swanson, S.E., Naney, M.T., Westrich, H.R., and Eichelberger, J.C., 1989, Crystallization history of Obsidian Dome, Inyo domes, California: Bulletin of Volcanology, v. 51, p. 161-176.
- Swinehart, J.B., Boellstorff, J., Naeser, C.W., and Izett, G.A., 1977, Age of the Bishop Tuff of eastern California as determined by the fission-track method: Geology, v. 5, no. 11, p. 648-650.
- Sylvester, A.G., 1985, Crustal tilt in Long Valley, California: U.S. Geological Survey Open-File Report 85-664, 50 p.
- Sylvester, A.G., 1996, Nearfield geodetic investigations of crustal movements, Southern California, University of California, Santa Barbara Technical Report, p. 92.
- Taddeucci, A., Broecker, W.S., and Thurber, D.L., 1968, ²³⁰Th dating of volcanic rocks: Earth and Planetary Science Letters, v. 3, no. 4, p. 338-342.
- Takashima, I., and Honda, S., 1985, Application of thermoluminescence dating to geothermal exploration: Transactions, Geothermal Resources Council., v. 9, p. 503-508.
- Taylor, B.E., 1991, Degassing of Obsidian Dome rhyolite, Inyo volcanic chain, California, *in* Taylor, H.P., Jr., O'Neil, J.R., and Kaplan, I.R., eds., Geochemical Society Special Publication No. 3, p. 339-353.
- Taylor, B.E., Eichelberger, J.C., and Westrich, H.R., 1983, Hydrogen isotopic evidence of rhyolitic magma degassing during shallow intrusion and eruption: Nature, v. 306, no. 5943, p. 541-545.
- Taylor, G.C., and Bryant, W.A., 1980, Surface rupture associated with the Mammoth Lakes earthquakes of 25 and 27 May, 1980, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, 1:62,500, p. 49-67.

- Thatcher, W., and Massonnet, D., 1997, Crustal deformation of Long Valley Caldera, eastern California, 1992-1996, inferred from satellite radar interferometry: Geophysical Research Letters, v. 24, no. 20, p. 2519-2522.
- Thomas, I.M., Moyer, T.C., and Wikswo, J.P., Jr., 1992, High resolution magnetic susceptibility imaging of geological thin sections: Pilot study of a pyroclastic sample from the Bishop Tuff, California, U.S.A.: Geophysical Research Letters, v. 19, no. 21, p. 2139-2142.
- Thomas, N., Jaupart, C., and Vergniolle, S., 1994, On the vesicularity of pumice: Journal of Geophysical Research, v. 99, no. B8, p. 15,633-15,644.
- Tiampo, K.F., Rundle, J.B., Fernandez, J., and Langbein, J.O., 2000, Spherical and ellipsoidal volcanic sources at Long Valley Caldera, California, using a genetic algorithm inversion technique: Journal of Volcanology and Geothermal Research, v. 102, no. 3-4, p. 189-206.
- Ticich, T., Lundberg, L., Pal, D.K., Smith, C.M., Herzog, G.F., Moniot, R.K., Tuniz, C., Savin, W., Kruse, T.H., and Liddicoat, J.C., 1986, ¹⁰Be contents of Mono Lake sediments; search for enhancement during a geomagnetic excursion: Geophysical Journal of the Royal Astronomical Society, v. 87, no. 2, p. 487-492.
- Tilling, R.I., and Bailey, R.A., 1984, Volcano hazards program in the USA, *in* Fedotov, S.A., Galkin, I.N., Nikolayev, A.V., and Sedova, E.N., eds., Earthquakes and geological hazard prediction, Proceedings, International Geological Congress, v. 27, p. 106-118.
- Tomascak, P.B., Hemming, N.G., and Hemming, S.R., 2003, The lithium isotopic composition of waters of the Mono Basin, California: Geochimica et Cosmochimica Acta, v. 67, no. 4, p. 601-611.
- Trent, D.D., 1955, The physiography of Mono County, California: Compass of Sigma Gamma Epsilon, 1915-84, v. 32, no. 3, p. 247-259.
- Tryggvason, A., 1998, Seismic tomography; inversion for P- and S-wave velocities: Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, v. 369, p. 31.
- Turpen, C.D., 1980, Strong-motion instrumentation program results from the May, 1980, Mammoth Lakes, California earthquake sequence, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 75-90.
- Turpen, C.D., 1980, Strong-motion records from the Mammoth Lakes earthquakes of May 1980: California Division of Mines and Geology Preliminary Report 27, 0146-7158, 42 p.

- Twain, M., and Hill, M.R., 1965, Islands of Mono Lake: Mineral Information Service, v. 18, no. 9, p. 173-180.
- Uhrhammer, R.A., and Ferguson, R.W., 1980, The 1980 Mammoth Lakes earthquake sequence, *in* Sherburne, R.W., ed., Mammoth Lakes, California earthquakes of May 1980, California Division of Mines and Geology Special Report 150, p. 131-136.
- Ui, T., and Suzuki-Kamata, K., 1986, Large scale pyroclastic flows and their source calderas; a review: Bulletin of the Volcanological Society of Japan, v. 30, p. 221-235.
- Urban, T.C., Diment, W.H., and Sorey, M.L., 1987, Hydrothermal regime of the southwest moat of the Long Valley Caldera, Mono County, California and its relation to seismicity; new evidence from the Shady Rest borehole (RD08): Transactions, Geothermal Resources Council, v. 11, p. 391-400.
- Urban, T.C., Diment, W.H., and Sorey, M.L., 1987, Temperatures and natural gamma ray logs obtained in 1986 Shady Rest drill hole RD08, Mammoth Lakes, Mono County, California: U.S. Geological Survey Open-File Report 87-291, 100 p.
- Urban, T.C., Nathenson, M., and Diment, W.H., 1987, BPE and BPD; BASIC programs for microcomputers to calculate the local boiling point and the boiling point depth curve for "pure" water: U.S. Geological Survey Open-File Report 87-17, 58 p.
- USGS, 1984, USGS Response Plan for Volcanic Hazards in the Long Valley Caldera -Mono Craters Area, California: U.S. Geological Survey, 84-500, 12 p. p.
- Valet, J.-P., Tauxe, L., and Clark, D.R., 1988, The Matuyama-Brunhes transition recorded from Lake Tecopa sediments (California): Earth and Planetary Science Letters, v. 87, no. 4, p. 463-472.
- van den Bogaard, P., and Schirnick, C., 1995, ⁴⁰Ar/³⁹ Ar laser probe ages of Bishop Tuff quartz phenocrysts substantiate long-lived silicic magma chamber at Long Valley, United States: Geology, v. 23, no. 8, p. 759-762.
- Van Wormer, J.D., and Ryall, A.S., 1980, Sierra Nevada-Great Basin boundary zone: earthquake hazards related to structure, active tectonic processes, and anomalous patterns of earthquake occurrence: Bulletin of the Seismological Society of America, v. 70, no. 5, p. 1557-1572.
- Varekamp, J.C., and Buseck, P.R., 1984, Changing mercury anomalies in Long Valley, California; indication for magma movement or seismic activity: Geology, v. 12, no. 5, p. 283-286.

- Varga, R.J., Bailey, R.A., and Suemnicht, G.A., 1990, Evidence for 600 year old basalt and magma mixing at Inyo Craters volcanic chain, Long Valley Caldera, California: Journal of Geophysical Research, v. 95, no. B13, p. 21,441-21,450.
- Vasco, D.W., 1985, Extremal inversion of vertical displacements, Long Valley Caldera, California 1982/1983: Journal of Geophysics, v. 57, no. 3, p. 178-183.
- Vasco, D.W., 1989, Deriving source time functions using principal component analysis: Bulletin of the Seismological Society of America, v. 79, no. 3, p. 711-730.
- Vasco, D.W., Johnson, L.R., and Goldstein, N.E., 1988, Using surface displacement and strain observations to determine deformation at depth, with an application to Long Valley Caldera, California: Journal of Geophysical Research, v. 93, no. B4, p. 3232-3242.
- Verhoogen, J., and Nicholls, J., 2000, "Thermodynamics of a Magmatic gas phase" 50 years later: Comments on a paper by John Verhoogen (1949): The Canadian Mineralogist, v. 38, no. 6, p. 1313-1328.
- Vetter, U.R., 1984, Focal mechanisms and crustal stress patterns in western Nevada and eastern California: Annales Geophysicae, v. 2, no. 6, p. 699-709.
- Vetter, U.R., 1984, Focal mechanisms and frequency depth distribution of earthquakes in the Mammoth Lakes area, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 453-481.
- Vetter, U.R., 1990, Variation of the regional stress tensor at the western Great Basin boundary from the inversion of earthquake focal mechanisms: Tectonics, v. 9, no. 1, p. 63-79.
- Vetter, U.R., and Ryall, A.S., 1983, Systematic change of focal mechanism with depth in the western Great Basin: Journal of Geophysical Research, v. 88, no. B10, p. 8237-8250.
- Vetter, U.R., Ryall, A.S., and Sanders, C.O., 1983, Seismological investigations of volcanic and tectonic processes in the western Great Basin, Nevada and eastern California, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province, Geothermal Resources Council Special Report 13, p. 333-343.
- Viellenave, J.H., 1986, Application of a new multivariate geochemical technology to geothermal exploration: Pacific Oil and Gas World, v. 78, no. 4, p. 12-14.

- Vogel, T.A., Eichelberger, J.C., Younker, L.W., Schuraytz, B.C., Horkowitz, J.P., Stockman, H.W., and Westrich, H.R., 1989, Petrology and emplacement dynamics of intrusive and extrusive rhyolites of Obsidian Dome, Inyo Craters volcanic chain, eastern California: Journal of Geophysical Research, v. 94, no. B12, p. 17,937-17,956.
- Vogel, T.A., Woodburne, T.B., Eichelberger, J.C., and Layer, P.W., 1994, Chemical evolution and periodic eruption of mafic lava flows in the west moat of Long Valley Caldera, California: Journal of Geophysical Research, v. 99, no. B10, p. 19,829-19,842.
- Vogel, T.A., Younker, L.W., and Schuraytz, B.C., 1987, Constraints on magma ascent, emplacement, and eruption; geochemical and mineralogical data from drill-core samples at Obsidian Dome, Inyo chain, California: Geology, v. 15, no. 5, p. 405-408.
- von Damm, G.K., 1996, Microseismicity and hydrothermal circulation in Long Valley Caldera, CA, University of California, Davis, Master's, 78 p.
- Wagner, G., Beer, J., Laj, C., Kissel, C., Masarik, J., Muscheler, R., and Synal, H.A., 2000, Chlorine-36 evidence for the Mono Lake event in the Summit GRIP ice core: Earth and Planetary Science Letters, v. 181, no. 1-2, p. 1-6.
- Wagner, G.S., 1997, Regional wave propogation in southern California and Nevada: Observations from a three-component seismic array: Journal of Geophysical Research, v. 102, no. B4, p. 8285-8311.
- Wallace, P.J., Anderson, A.T., Jr., and Davis, A.M., 1995, Quantification of pre-eruptive exsolved gas contents in silicic magmas: Nature, v. 377, no. 6550, p. 612-616.
- 1999, Gradients in H₂O, CO₂, and exsolved gas in a large-volume silicic magma system: Interpreting the record preserved in melt inclusions from the Bishop Tuff: Journal of Geophysical Research, v. 104, no. B9, p. 20,097-20,122.
- Wallace, P.J., Dufek, J., Anderson, A.T., and Zhang, Y., 2003, Cooling rates of Plinianfall and pyroclastic-flow deposits in the Bishop Tuff; inferences from water speciation in quartz-hosted glass inclusions: Bulletin of Volcanology, v. 65, no. 2-3, p. 105-123.
- Wallace, T.C., 1984, A re-examination of the moment tensor solution of the 1980
 Mammoth Lakes earthquakes, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 409-439.

- Wallace, T.C., 1985, A reexamination of the moment tensor solutions of the 1980 Mammoth Lakes earthquakes: Journal of Geophysical Research, v. 90, no. 13, p. 11,171-11,176.
- Wallace, T.C., Given, J., and Kanamori, H., 1982, A discrepancy between long and short period mechanisms of earthquakes near the Long Valley Caldera: Geophysical Research Letters, v. 9, no. 10, p. 1131-1134.
- Wannamaker, P.E., 1999, Affordable magnetotellurics; interpretation in natural environments, *in* Oristaglio, M., Spies, B., and Cooper, M.R., eds., Threedimensional electromagnetics, Society of Exploration Geophysicists, Tulsa, OK, United States (USA), p. 349-374.
- Wannamaker, P.E., Wright, P.M., Zhou, Z.X., Li, X.B., and Zhao, J.X., 1991, Magnetotelluric transect of Long Valley Caldera; resistivity cross section, structural implications, and the limits of a 2-D analysis: Geophysics, v. 56, no. 7, p. 926-940.
- Ward, P.A., III, Carter, B.J., and Weaver, B., 1993, Volcanic ashes; time markers in soil parent materials of the Southern Plains: Soil Science Society of America Journal, v. 57, no. 2, p. 453-460.
- Ward, S.H., 1983, Geophysical studies of active geothermal systems in the northern Basin and Range, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province, Geothermal Resources Council Special Report 13, p. 121-157.
- Waring, C.A., 1917, Geological map of Inyo County, California: California State Mining Bureau, 1:250,000, p.
- Waring, G.A., 1915, Springs of California: U.S. Geological Survey Water Supply Paper 338, 0886-9308, 410 p.
- Webb, F.H., Bursik, M., Dixon, T., Farina, F., Marshall, G., and Stein, R.S., 1995, Inflation of Long Valley Caldera from one year of continuous GPS observations: Geophysical Research Letters, v. 22, no. 3, p. 195-198.
- Weiland, C.M., Steck, L.K., Dawson, P.B., and Korneev, V.A., 1995, Nonlinear teleseismic tomography at Long Valley Caldera, using three-dimensional minimum travel time ray tracing: Journal of Geophysical Research, v. 100, no. B10, p. 20,379-20,390.
- Welhan, J.A., Poreda, R.J., Rison, W., and Craig, H., 1988, Helium isotopes in geothermal and volcanic gases of the Western United States; 2, Long Valley Caldera: Journal of Volcanology and Geothermal Research, v. 34, no. 3-4, p. 201-209.

- Westrich, H.R., 1990, Materials compatibility studies for the Magma Energy Extraction Project: Geothermics, v. 19, no. 4, p. 341-357.
- Westrich, H.R., and Eichelberger, J.C., 1994, Gas transport and bubble collapse in rhyolitic magma: an experimental approach: Bulletin of Volcanology, v. 56, p. 447-458.
- Westrich, H.R., Stochman, H.W., and Eichelberger, J.C., 1988, Degassing of rhyolitic magma during ascent and emplacement: Journal of Geophysical Research, v. 93, no. B6, p. 6503-6511.
- Westrich, H.R., and Weirick, L.J., 1986, Geochemistry and materials studies in support of the Magma Energy Extraction Program: Transactions, Geothermal Resources Council, v. 10, p. 99-103.
- Whitcomb, J.H., and Rundle, J.B., 1984, Gravity variations in the Mammoth Lakes, Mono Lake and Owens Valley, California regions, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 280.
- Whitcomb, J.H., and Rundle, J.B., 1985, Vertical distortion in Long Valley, California, associated with the January 1983 earthquake swarm: Geophysical Research Letters, v. 12, no. 8, p. 522-525.
- White, A.F., and Peterson, M.L., 1991, Chemical equilibrium and mass balance relationships associated with the Long Valley hydrothermal system, California, U.S.A.: Journal of Volcanology and Geothermal Research, v. 48, no. 3-4, p. 283-302.
- White, A.F., Peterson, M.L., Wollenberg, H., and Flexser, S., 1990, Sources and fractionation processes influencing the isotopic distribution of H, O and C in the Long Valley hydrothermal system, California, U.S.A.: Applied Geochemistry, v. 5, no. 5-6, p. 571-585.
- White, D.E., 1965, Geothermal energy: U.S. Geological Survey Circular 519, 0364-6017, 17 p.
- White, D.E., and Heropoulos, C., 1983, Active and fossil hydrothermal convection systems of the Great Basin, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province, Geothermal Resources Council Special Report 13, p. 41-53.
- White, J.D.L., 2000, Subaqueous eruption-fed density currents and their deposits: Precambrian Research, v. 101, no. 2-4, p. 87-109.

- Whitehead, H.C., and Feth, J.H., 1961, Recent chemical analyses of waters from several closed-basin lakes and their tributaries in the western United States: Geological Society of America Bulletin, v. 72, no. 9, p. 1421-1425.
- Whiteside, L.S., 1999, Short-term variations in seismic hazard: Boulder, CO, United States, University of Colorado, Boulder, Ph.D. thesis.
- Whitham, A.G., and Sparks, R.S.J., 1986, Pumice: Bulletin of Volcanology, v. 48, p. 209-223.
- Whiting, H.A., 1888, Mono County: California Mining Bureau Annual Report, v. 8.
- Whitney, J.D., 1865, Notice of the explorations of the Geological Survey of California in the Sierra Nevada during the summer of 1864: American Journal of Science, v. 39, p. 10-13.
- Wiemer, S., McNutt, S.R., and Wyss, M., 1998, Temporal and three-dimensional spatial analyses of the frequency-magnitude distribution near Long Valley Caldera, California: Geophysical Journal International, v. 134, no. 2, p. 409-421.
- Willey, L.M., O' Neil, J.R., and Rapp, J.B., 1974, Geochemistry of thermal waters in Long Valley, Mono County, California: U.S. Geological Survey Open-File Report 74-1125, 19 p.
- Williams, D.L., 1976, Implications of a magnetic model of the Long Valley Caldera, California: U.S. Geological Survey Open-File Report 76-439, 11 p.
- Williams, D.L., Berkman, F., and Mankinen, E.A., 1977, Implications of a magnetic model of the Long Valley Caldera, California: Journal of Geophysical Research, v. 82, no. 20, p. 3030-3038.
- Williams, S.N., 1985, Soil radon and elemental mercury distribution and relation to magmatic resurgence at Long Valley Caldera: Science, v. 229, no. 4713, p. 551-553.
- Williams, S.N., 1990, Long Valley, *in* Wood, C.A., and Kienle, J., eds., Volcanoes of North America: New York, NY., Cambridge University Press, p. 234-236.
- Williams, S.N., 1995, Volcanology; dead trees tell tales: Nature, v. 376, no. 6542, p. 644.
- Williams, S.N., and Hudnut, K.W., 1984, Soil Hg_o and Rn distribution pattern at Long Valley Caldera, eastern California, *in* Hill, D.P., Bailey, R.A., Ryall, A.S., and Jacobson, M.L., eds., Proceedings of Workshop XIX; Active tectonic and magmatic processes beneath Long Valley Caldera, eastern California, U.S. Geological Survey Open-File Report 84-939, p. 708-713.

- Wilson, C.J.N., and Hildreth, W., 1997, The Bishop Tuff; new insights from eruptive stratigraphy: Journal of Geology, v. 105, no. 4, p. 407-439.
- Wilson, C.J.N., and Hildreth, W., 1998, Hybrid fall deposits in the Bishop Tuff, California; a novel pyroclastic depositional mechanism: Geology, v. 26, no. 1, p. 7-10.
- Wilson, C.J.N., and Hildreth, W., 2003, Assembling an ignimbrite; mechanical and thermal building blocks in the Bishop Tuff, California: Journal of Geology, v. 111, no. 6, p. 653-670.
- Wilson, R., and Mayeda, H., 1992, Mono Craters tunnel, *in* Pipkin, B.W., and Proctor, R.J., eds., Engineering geology practice in Southern California: Sudbury, MA, Association of Engineering Geologists, p. 751-752.
- Winick, J.A., McIntosh, W.C., and Dunbar, N.W., 2001, Melt-inclusion-hosted excess ⁴⁰Ar in quartz crystals of the Bishop and Bandelier magma systems: Geology, v. 29, no. 3, p. 275-278.
- Woheltz, K.H., and Sheridan, M.F., 1979, A model of pyroclastic surge, *in* Chapin, C.E., and Elston, W.E., eds., Ash-Flow Tuffs, Geological Society of America Special Paper 180, p. 177-194.
- Wohletz, K.H., 1983, Mechanisms of hydrovolcanic pyroclast formation: Grain size, scanning electron microscopy, and experimental studies: Journal of Volcanology and Geothermal Research, v. 17, p. 31-63.
- Wohletz, K.H., 1987, Chemical and textural surface features pyroclasts from hydrovolcanic sequences, *in* Marshall, J.R., ed., Clastic particles: Scanning electron microscopy and shape analysis of sedimentary and volcanic clasts: New York, Van Nostrand Reinhold Company, p. 79-97.
- Wohletz, K.H., Sheridan, M.F., and Brown, W.K., 1989, Particle size distributions and the sequential fragmentation/transport theory applied to volcanic ash: Journal of Geophysical Research, v. 94, no. B11, p. 15,703-15,721.
- Wollenberg, H.A., Eichelberger, J.C., Elders, W.A., Goff, F., and Younker, L.W., 1989, DOE thermal regimes drilling program through 1988: Eos, Transactions, American Geophysical Union, v. 70, no. 28, p. 697, 706-707.
- Wollenberg, H.A., Flexser, S., and Smith, A.R., 1991, Radionuclides in hydrothermal systems as indicators of repository conditions, *in* Abrajano, T.A., Jr., and Johnson, L.H., eds., Materials Research Society symposium proceedings; Scientific basis for nuclear waste management XIV, p. 711-718.

- Wollenberg, H.A., Flexser, S., and Smith, A.R., 1995, Mobility and depositional controls of radioelements in hydrothermal systems at the Long Valley and Valles calderas: Journal of Volcanology and Geothermal Research, v. 67, p. 171-186.
- Wollenberg, H.A., Smith, A.R., Mosier, D.F., Flexser, S., and Clark, M., 1984, 222 Radon in groundwater of the Long Valley Caldera, California: Pure and Applied Geophysics, v. 122, no. 2-4, p. 327-339.
- Wollenberg, H.A., Sorey, M.L., Farrar, C.D., White, A.F., Flexser, S., and Bartel, L.C., 1987, A core hole in the southwestern moat of the Long Valley Caldera; early results: Eos, Transactions, American Geophysical Union, v. 68, no. 20, p. 529, 533-534.
- Wollenberg, H.A., White, A.F., Sorey, M.L., Farrar, C.D., and Bartel, L., 1986, Research core hole completed at Long Valley: Eos, Transactions, American Geophysical Union, v. 67, no. 29, p. 582.
- Wood, C.A., 1990, Inyo Craters, *in* Wood, C.A., and Kienle, J., eds., Volcanoes of North America: New York, Cambridge University Press, p. 233-234.
- Wood, C.A., 1990, Mono Craters, *in* Wood, C.A., and Kienle, J., eds., Volcanoes of North America: New York, Cambridge University Press, p. 231-232.
- Wood, C.A., and Kienle, J., 1990, Volcanoes of North America: New York, NY., Cambridge University Press, 354 p.
- Wood, S.H., 1977, Distribution, correlation, and radiocarbon dating of late Holocene tephra, Mono and Inyo craters, eastern California: Geological Society of America Bulletin, v. 88, no. 1, p. 89-95.
- Wood, S.H., 1983, Chronology of late Pleistocene and Holocene volcanics, Long Valley and Mono Basin geothermal areas, eastern California: U.S. Geological Survey Open-File Report 83-747, p. 84.
- Wood, S.H., 1984, Obsidian hydration-rind dating of the Mono Craters, Geologic guide to Aspen Valley, Mono Lake, Mono Craters, and Inyo Craters: Palo Alto, CA., Genny Smith Books, p. 82-87.
- Wood, S.H., and Stine, S., 1984, Mono Lake County Park at Dechambeau Creek, Geologic guide to Aspen Valley, Mono Lake, Mono Craters, and Inyo Craters: Palo Alto, CA., Genny Smith Books, p. 50-52.
- Woodburne, T.B., 1992, Origin of the Long Valley Caldera moat basalt, Michigan State University, Master's, 154 p.

- Woods, E.H., 1924, Geology of Long Valley, California, University of Iowa, Master's, 72 p.
- Wu, M., 1989, Modeling of deformation and stresses associated with volcanism at Long Valley, California, University of Wisconsin, Ph.D., 148 p.
- Wu, M., and Wang, H.F., 1988, Deformations and inferred stress field for ellipsoidal sources at Long Valley, California, 1975-1982: Journal of Geophysical Research, v. 93, no. B11, p. 13,285-13,296.
- Wu, M., and Wang, H.F., 1991, Stress modeling at Long Valley, California; borehole stability near a magma chamber: Journal of Volcanology and Geothermal Research, v. 46, no. 3-4, p. 281-297.
- Xu, T., and Pruess, K., 2001, On fluid flow and mineral alteration in fractured caprock of magmatic hydrothermal systems: Journal of Geophysical Research, v. 106, no. B2, p. 2121-2138, doi:10.1029/2000JB900356, 2001.
- Yamashita, K.M., and Wieprecht, D.E., 1991, Descriptions and elevations for bench marks at Mammoth Lakes, California: U.S. Geological Survey Open-File Report 91-630, 69 p.
- Yiagos, A.N., 1990, Two dimensional two phase elasto-plastic seismic response of earth dams, Princeton University, Ph.D., 272 p.
- Younker, L.W., Eichelberger, J.C., Kasameyer, P.W., Newmark, R.L., and Vogel, T.A., 1988, Results from shallow research drilling at Inyo Domes Long Valley Caldera, California and the Salton Sea geothermal field, Salton Trough, California, *in* Boden, A., and Eriksson, K.G., eds., 3rd International Symposium on Observation of the Continental Crust through Drilling, Deep Drilling in Crystalline Bedrock; Review of Deep Drilling Projects, Technology, Sciences and Prospects for the Future, v. 2, p. 172-188.
- Zeghal, M., and Abdel, G.A.M., 1989, System identification of earth dams using seismic records, *in* Kircher, C.A., and Chopra, A.K., eds., Seismic engineering; research and practice; proceedings of the sessions related to seismic engineering at structures congress '89: New York, NY, American Society of Civil Engineers, p. 179-188.
- Zeghal, M., and Abdel, G.A.M., 1992, Analysis of behavior of earth dam using strong motion earthquake records: Journal of Geotechnical Engineering, v. 118, no. 2, p. 266-277.
- Zhang, Y., Stolper, E.M., and Ihinger, P.D., 1995, Kinetics of the reaction $H_2O+O = 2OH$ in rhyolitic and albitic glasses; preliminary results: American Mineralogist, v. 80, no. 5-6, p. 593-612.

- Zhu, C., Uhrhammer, R.A., and Bolt, B.A., 1986, Spectral classification and interpretation of earthquakes near Long Valley Caldera, Sierra Nevada, California: Revista de Geofisica, v. 42, no. 2, p. 217-226.
- Zielinski, G.A., 1995, Stratospheric loading and optical depth estimates of explosive volcanism over the last 2100 years derived from the Greenland Ice Sheet Project 2 ice core: Journal of Geophysical Research, v. 100, no. D10, p. 20,937-20,955.